

Phase 2: Power BI -> LookML Mapping Assessment

This PDF is the reviewable mapping layer only. It does NOT generate LookML or warehouse SQL. Use it to walk section-by-section through every extracted Power BI object and the recommended Looker destination for the next implementation phase.

How to review:

- 1) Section 16 first - overall Direct / Partial / Complex / Warehouse / Skip counts.
- 2) Section 15 - HIGH priority complex / blocked items (SPLY, EmpCount, Employee.m, TO % Norm).
- 3) Sections 1, 3, 6, 7 - views, measures, joins, Power Query destinations.
- 4) Sections 2/4 - columns and calculated columns.
- 5) Sections 8-14 - hierarchies, RLS, partitions, formats, auto dates, annotations.

Note: Very long DAX may be truncated in this PDF; full original DAX is in LOOKML_MAPPING_ASSESSMENT.md.

Phase: 2 - Power BI -> LookML mapping assessment only **Source inventory gate:** `PASS` **Rule:** Analysis and mapping only. No LookML, warehouse SQL, PDTs, or report migration in this phase.

Inputs used: `inventory/01\_tables\_columns.json`, `02\_dax\_objects.json`, `03\_relationships.json`, `04\_power\_query\_m.json`, `05\_tmschema\_extras.json`, `04\_m\_raw/\*.m`, `OBJECT\_INVENTORY.md`, `ACTION\_MATRIX.csv`, `COMPLETENESS\_GATE.json`.

Section 1 - Tables -> LookML Views

Power BI Table	Table Type	Business/Internal	Recommended LookML Object	Suggested View Type	Mapping Status	Comments	Suggestion
AgeGroup	business	Business	view	Dimension	DIRECT	Dimension table joining to Employee for AgeGroup attributes.	Create dim view; seeds vs SQL per M tags in Section 7.
BU	business	Business	view	Dimension	DIRECT	Dimension table joining to Employee for BU attributes.	Create dim view; seeds vs SQL per M tags in Section 7.
Date	business	Business	view	Date	DIRECT	Business calendar / period dimension used by time intelligence and EmpCount.	Create date view with calendar dimension_group; expose PeriodNumber for EmpCount logic.
DateTableTemplate_92fd358c-bb4c-4d52-9f5b-e9a59dc2315d	calculated_table	Internal	view	Internal/Skip	SKIP_INTERNAL	Power BI auto date/time intelligence table; captured for completeness.	Do not create a business LookML view; use the business Date view + dimension_group for time.
Employee	business	Business	view	Fact	DIRECT	Primary fact: monthly employee snapshot grain (EmplID x date).	Create lookml view employee; point sql_table_name at warehouse hr.employee after M load.
Ethnicity	business	Business	view	Dimension	DIRECT	Dimension table joining to Employee for Ethnicity attributes.	Create dim view; seeds vs SQL per M tags in Section 7.
FP	business	Business	view	Dimension	DIRECT	Dimension table joining to Employee for FP attributes.	Create dim view; seeds vs SQL per M tags in Section 7.

Power BI Table	Table Type	Business/Internal	Recommended LookML Object	Suggested View Type	Mapping Status	Comments	Suggestion
Gender	business	Business	view	Dimension	DIRECT	Dimension table joining to Employee for Gender attributes.	Create dim view; seeds vs SQL per M tags in Section 7.
LocalDateTable_6f19fed3-1fc0-4f7a-878d-34aca93d6782	calculated_table	Internal	view	Internal/Skip	SKIP_INTERNAL	Power BI auto date/time intelligence table; captured for completeness.	Do not create a business LookML view; use the business Date view + dimension_group for time.
LocalDateTable_c04ce649-6e25-466f-9bbc-faabfec0fe29	calculated_table	Internal	view	Internal/Skip	SKIP_INTERNAL	Power BI auto date/time intelligence table; captured for completeness.	Do not create a business LookML view; use the business Date view + dimension_group for time.
LocalDateTable_c9dde99e-7ac1-4e8e-a5f2-c5ffc41d9cac	calculated_table	Internal	view	Internal/Skip	SKIP_INTERNAL	Power BI auto date/time intelligence table; captured for completeness.	Do not create a business LookML view; use the business Date view + dimension_group for time.
LocalDateTable_cc28ef26-f63a-4bc3-b357-93ab34cd6d9b	calculated_table	Internal	view	Internal/Skip	SKIP_INTERNAL	Power BI auto date/time intelligence table; captured for completeness.	Do not create a business LookML view; use the business Date view + dimension_group for time.
LocalDateTable_d2ea5b26-668d-4c17-b228-695669b066a6	calculated_table	Internal	view	Internal/Skip	SKIP_INTERNAL	Power BI auto date/time intelligence table; captured for completeness.	Do not create a business LookML view; use the business Date view + dimension_group for time.
PayType	business	Business	view	Dimension	DIRECT	Dimension table joining to Employee for PayType attributes.	Create dim view; seeds vs SQL per M tags in Section 7.
SeparationReason	business	Business	view	Dimension	DIRECT	Dimension table joining to Employee for SeparationReason attributes.	Create dim view; seeds vs SQL per M tags in Section 7.

Section 2 - Columns -> LookML Dimensions

Power BI Table	Power BI Column	Data Type	Calculated?	Recommended LookML Object	LookML Type	Mapping Status	Comments	Suggestion
AgeGroup	AgeGroupID	6 (date)	No	dimension	number	DIRECT	Source/business column maps to LookML dimension.	Map name/type; preserve labels; honor hidden/key if present.
AgeGroup	AgeGroup	2 (int64)	No	dimension	string	DIRECT	Source/business column maps to LookML dimension.	Map name/type; preserve labels; honor hidden/key if present.
BU	BU	2 (int64)	No	dimension	string	DIRECT	Source/business column maps to LookML dimension.	Map name/type; preserve labels; honor hidden/key if present.
BU	RegionSeq	2 (int64)	No	dimension	string	DIRECT	Source/business column maps to LookML dimension.	Map name/type; preserve labels; honor hidden/key if present.
BU	VP	2 (int64)	No	dimension	string	DIRECT	Source/business column maps to LookML dimension.	Map name/type; preserve labels; honor hidden/key if present.
BU	Region	1 (string)	Yes	dimension	string	PARTIAL	Calculated column - see Section 4 for DAX mapping.	Prefer warehouse materialization or LookML dimension SQL; do not invent logic.

Phase 2 - LOOKML Mapping Assessment (review)

Power BI Table	Power BI Column	Data Type	Calculated?	Recommended LookML Object	LookML Type	Mapping Status	Comments	Suggestion
Date	Date	9 (binary)	No	dimension	date_time	DIRECT	Source/business column maps to LookML dimension.	Map name/type; preserve labels; honor hidden/key if present.
Date	Month	2 (int64)	No	dimension	string	DIRECT	Source/business column maps to LookML dimension.	Map name/type; preserve labels; honor hidden/key if present.
Date	MonthNumber	6 (date)	No	dimension	number	DIRECT	Source/business column maps to LookML dimension.	Map name/type; preserve labels; honor hidden/key if present.
Date	Period	2 (int64)	No	dimension	string	DIRECT	Source/business column maps to LookML dimension.	Map name/type; preserve labels; honor hidden/key if present.
Date	PeriodNumber	6 (date)	No	dimension	number	DIRECT	Source/business column maps to LookML dimension.	Map name/type; preserve labels; honor hidden/key if present.
Date	Qtr	6 (date)	No	dimension	number	DIRECT	Source/business column maps to LookML dimension.	Map name/type; preserve labels; honor hidden/key if present.
Date	QtrNumber	2 (int64)	No	dimension	string	DIRECT	Source/business column maps to LookML dimension.	Map name/type; preserve labels; honor hidden/key if present.
Date	Year	6 (date)	No	dimension	number	DIRECT	Source/business column maps to LookML dimension.	Map name/type; preserve labels; honor hidden/key if present.
Date	Day	6 (date)	No	dimension	number	DIRECT	Source/business column maps to LookML dimension.	Map name/type; preserve labels; honor hidden/key if present.
Date	MonthStartDate	9 (binary)	No	dimension	date_time	DIRECT	Source/business column maps to LookML dimension.	Map name/type; preserve labels; honor hidden/key if present.
Date	MonthEndDate	9 (binary)	No	dimension	date_time	DIRECT	Source/business column maps to LookML dimension.	Map name/type; preserve labels; honor hidden/key if present.
Date	MonthIncrementNumber	1 (string)	Yes	dimension	number	PARTIAL	Calculated column - see Section 4 for DAX mapping.	Prefer warehouse materialization or LookML dimension SQL; do not invent
DateTableTemplate_92fd358c-bb4c-4d52-9f5b-e9a59dc2315d	Date	datetime64[ns]	No	dimension	date_time	SKIP_INTERNAL	Column on internal auto date table.	Skip direct migration; covered under auto date section.
DateTableTemplate_92fd358c-bb4c-4d52-9f5b-e9a59dc2315d	Year	1 (string)	Yes	dimension	number	SKIP_INTERNAL	Column on internal auto date table.	Skip direct migration; covered under auto date section.
DateTableTemplate_92fd358c-bb4c-4d52-9f5b-e9a59dc2315d	MonthNo	1 (string)	Yes	dimension	number	SKIP_INTERNAL	Column on internal auto date table.	Skip direct migration; covered under auto date section.
DateTableTemplate_92fd358c-bb4c-4d52-9f5b-e9a59dc2315d	Month	1 (string)	Yes	dimension	string	SKIP_INTERNAL	Column on internal auto date table.	Skip direct migration; covered under auto date section.
DateTableTemplate_92fd358c-bb4c-4d52-9f5b-e9a59dc2315d	QuarterNo	1 (string)	Yes	dimension	number	SKIP_INTERNAL	Column on internal auto date table.	Skip direct migration; covered under auto date section.

Phase 2 - LOOKML Mapping Assessment (review)

Power BI Table	Power BI Column	Data Type	Calculated?	Recommended LookML Object	LookML Type	Mapping Status	Comments	Suggestion
DateTableTemplate_92fd358c-bb4c-4d52-9f5b-e9a59dc2315d	Quarter	1 (string)	Yes	dimension	string	SKIP_INTERNAL	Column on internal auto date table.	Skip direct migration; covered under auto date section.
DateTableTemplate_92fd358c-bb4c-4d52-9f5b-e9a59dc2315d	Day	1 (string)	Yes	dimension	number	SKIP_INTERNAL	Column on internal auto date table.	Skip direct migration; covered under auto date section.
Employee	date	9 (binary)	No	dimension	date_time	DIRECT	Source/business column maps to LookML dimension.	Map name/type; preserve labels; honor hidden/key if present.
Employee	EmplID	6 (date)	No	dimension	number	DIRECT	Source/business column maps to LookML dimension.	Map name/type; preserve labels; honor hidden/key if present.
Employee	Gender	2 (int64)	No	dimension	string	DIRECT	Source/business column maps to LookML dimension.	Map name/type; preserve labels; honor hidden/key if present.
Employee	Age	6 (date)	No	dimension	number	DIRECT	Source/business column maps to LookML dimension.	Map name/type; preserve labels; honor hidden/key if present.
Employee	EthnicGroup	2 (int64)	No	dimension	string	DIRECT	Source/business column maps to LookML dimension.	Map name/type; preserve labels; honor hidden/key if present.
Employee	FP	2 (int64)	No	dimension	string	DIRECT	Source/business column maps to LookML dimension.	Map name/type; preserve labels; honor hidden/key if present.
Employee	TermDate	9 (binary)	No	dimension	date_time	DIRECT	Source/business column maps to LookML dimension.	Map name/type; preserve labels; honor hidden/key if present.
Employee	isNewHire	1 (string)	Yes	dimension	number	PARTIAL	Calculated column - see Section 4 for DAX mapping.	Prefer warehouse materialization or LookML dimension SQL; do not invent logic.
Employee	BU	2 (int64)	No	dimension	string	DIRECT	Source/business column maps to LookML dimension.	Map name/type; preserve labels; honor hidden/key if present.
Employee	HireDate	9 (binary)	No	dimension	date_time	DIRECT	Source/business column maps to LookML dimension.	Map name/type; preserve labels; honor hidden/key if present.
Employee	PayTypeID	2 (int64)	No	dimension	string	DIRECT	Source/business column maps to LookML dimension.	Map name/type; preserve labels; honor hidden/key if present.
Employee	TermReason	2 (int64)	No	dimension	string	DIRECT	Source/business column maps to LookML dimension.	Map name/type; preserve labels; honor hidden/key if present.
Employee	AgeGroupID	1 (string)	Yes	dimension	number	PARTIAL	Calculated column - see Section 4 for DAX mapping.	Prefer warehouse materialization or LookML dimension SQL; do not invent logic.
Employee	TenureDays	8 (datetime)	Yes	dimension	number	PARTIAL	Calculated column - see Section 4 for DAX mapping.	Prefer warehouse materialization or LookML dimension SQL; do not invent logic.
Employee	TenureMonths	1 (string)	Yes	dimension	number	PARTIAL	Calculated column - see Section 4 for DAX mapping.	Prefer warehouse materialization or LookML dimension SQL; do not invent logic.
Employee	BadHires	8 (datetime)	Yes	dimension	number	PARTIAL	Calculated column - see Section 4 for DAX mapping.	Prefer warehouse materialization or LookML dimension SQL; do not invent logic.
Ethnicity	Ethnic Group	2 (int64)	No	dimension	string	DIRECT	Source/business column maps to LookML dimension.	Map name/type; preserve labels; honor hidden/key if present.

Phase 2 - LOOKML Mapping Assessment (review)

Power BI Table	Power BI Column	Data Type	Calculated?	Recommended LookML Object	LookML Type	Mapping Status	Comments	Suggestion
Ethnicity	Ethnicity	2 (int64)	No	dimension	string	DIRECT	Source/business column maps to LookML dimension.	Map name/type; preserve labels; honor hidden/key if present.
FP	FP	2 (int64)	No	dimension	string	DIRECT	Source/business column maps to LookML dimension.	Map name/type; preserve labels; honor hidden/key if present.
FP	FPDesc	2 (int64)	No	dimension	string	DIRECT	Source/business column maps to LookML dimension.	Map name/type; preserve labels; honor hidden/key if present.
Gender	ID	2 (int64)	No	dimension	string	DIRECT	Source/business column maps to LookML dimension.	Map name/type; preserve labels; honor hidden/key if present.
Gender	Gender	2 (int64)	No	dimension	string	DIRECT	Source/business column maps to LookML dimension.	Map name/type; preserve labels; honor hidden/key if present.
Gender	Sort	6 (date)	No	dimension	number	DIRECT	Source/business column maps to LookML dimension.	Map name/type; preserve labels; honor hidden/key if present.
LocalDateTable_6f19fed3-1fc0-4f7a-878d-34aca93d6782	Date	datetime64[ns]	No	dimension	date_time	SKIP_INTERNAL	Column on internal auto date table.	Skip direct migration; covered under auto date section.
LocalDateTable_6f19fed3-1fc0-4f7a-878d-34aca93d6782	Year	1 (string)	Yes	dimension	number	SKIP_INTERNAL	Column on internal auto date table.	Skip direct migration; covered under auto date section.
LocalDateTable_6f19fed3-1fc0-4f7a-878d-34aca93d6782	MonthNo	1 (string)	Yes	dimension	number	SKIP_INTERNAL	Column on internal auto date table.	Skip direct migration; covered under auto date section.
LocalDateTable_6f19fed3-1fc0-4f7a-878d-34aca93d6782	Month	1 (string)	Yes	dimension	string	SKIP_INTERNAL	Column on internal auto date table.	Skip direct migration; covered under auto date section.
LocalDateTable_6f19fed3-1fc0-4f7a-878d-34aca93d6782	QuarterNo	1 (string)	Yes	dimension	number	SKIP_INTERNAL	Column on internal auto date table.	Skip direct migration; covered under auto date section.
LocalDateTable_6f19fed3-1fc0-4f7a-878d-34aca93d6782	Quarter	1 (string)	Yes	dimension	string	SKIP_INTERNAL	Column on internal auto date table.	Skip direct migration; covered under auto date section.
LocalDateTable_6f19fed3-1fc0-4f7a-878d-34aca93d6782	Day	1 (string)	Yes	dimension	number	SKIP_INTERNAL	Column on internal auto date table.	Skip direct migration; covered under auto date section.
LocalDateTable_c04ce649-6e25-466f-9bbc-faabfec0fe29	Date	datetime64[ns]	No	dimension	date_time	SKIP_INTERNAL	Column on internal auto date table.	Skip direct migration; covered under auto date section.
LocalDateTable_c04ce649-6e25-466f-9bbc-faabfec0fe29	Year	1 (string)	Yes	dimension	number	SKIP_INTERNAL	Column on internal auto date table.	Skip direct migration; covered under auto date section.

Phase 2 - LOOKML Mapping Assessment (review)

Power BI Table	Power BI Column	Data Type	Calculated?	Recommended LookML Object	LookML Type	Mapping Status	Comments	Suggestion
LocalDateTable_c04ce649-6e25-466f-9bbc-faabfec0fe29	MonthNo	1 (string)	Yes	dimension	number	SKIP_INTERNAL	Column on internal auto date table.	Skip direct migration; covered under auto date section.
LocalDateTable_c04ce649-6e25-466f-9bbc-faabfec0fe29	Month	1 (string)	Yes	dimension	string	SKIP_INTERNAL	Column on internal auto date table.	Skip direct migration; covered under auto date section.
LocalDateTable_c04ce649-6e25-466f-9bbc-faabfec0fe29	QuarterNo	1 (string)	Yes	dimension	number	SKIP_INTERNAL	Column on internal auto date table.	Skip direct migration; covered under auto date section.
LocalDateTable_c04ce649-6e25-466f-9bbc-faabfec0fe29	Quarter	1 (string)	Yes	dimension	string	SKIP_INTERNAL	Column on internal auto date table.	Skip direct migration; covered under auto date section.
LocalDateTable_c04ce649-6e25-466f-9bbc-faabfec0fe29	Day	1 (string)	Yes	dimension	number	SKIP_INTERNAL	Column on internal auto date table.	Skip direct migration; covered under auto date section.
LocalDateTable_c9dde99e-7ac1-4e8e-a5f2-c5ffc41d9cac	Date	datetime64[ns]	No	dimension	date_time	SKIP_INTERNAL	Column on internal auto date table.	Skip direct migration; covered under auto date section.
LocalDateTable_c9dde99e-7ac1-4e8e-a5f2-c5ffc41d9cac	Year	1 (string)	Yes	dimension	number	SKIP_INTERNAL	Column on internal auto date table.	Skip direct migration; covered under auto date section.
LocalDateTable_c9dde99e-7ac1-4e8e-a5f2-c5ffc41d9cac	MonthNo	1 (string)	Yes	dimension	number	SKIP_INTERNAL	Column on internal auto date table.	Skip direct migration; covered under auto date section.
LocalDateTable_c9dde99e-7ac1-4e8e-a5f2-c5ffc41d9cac	Month	1 (string)	Yes	dimension	string	SKIP_INTERNAL	Column on internal auto date table.	Skip direct migration; covered under auto date section.
LocalDateTable_c9dde99e-7ac1-4e8e-a5f2-c5ffc41d9cac	QuarterNo	1 (string)	Yes	dimension	number	SKIP_INTERNAL	Column on internal auto date table.	Skip direct migration; covered under auto date section.
LocalDateTable_c9dde99e-7ac1-4e8e-a5f2-c5ffc41d9cac	Quarter	1 (string)	Yes	dimension	string	SKIP_INTERNAL	Column on internal auto date table.	Skip direct migration; covered under auto date section.
LocalDateTable_c9dde99e-7ac1-4e8e-a5f2-c5ffc41d9cac	Day	1 (string)	Yes	dimension	number	SKIP_INTERNAL	Column on internal auto date table.	Skip direct migration; covered under auto date section.
LocalDateTable_cc28ef26-f63a-4bc3-b357-93ab34cd6d9b	Date	datetime64[ns]	No	dimension	date_time	SKIP_INTERNAL	Column on internal auto date table.	Skip direct migration; covered under auto date section.

Phase 2 - LOOKML Mapping Assessment (review)

Power BI Table	Power BI Column	Data Type	Calculated?	Recommended LookML Object	LookML Type	Mapping Status	Comments	Suggestion
LocalDateTable_cc28ef26-f63a-4bc3-b357-93ab34cd6d9b	Year	1 (string)	Yes	dimension	number	SKIP_INTERNAL	Column on internal auto date table.	Skip direct migration; covered under auto date section.
LocalDateTable_cc28ef26-f63a-4bc3-b357-93ab34cd6d9b	MonthNo	1 (string)	Yes	dimension	number	SKIP_INTERNAL	Column on internal auto date table.	Skip direct migration; covered under auto date section.
LocalDateTable_cc28ef26-f63a-4bc3-b357-93ab34cd6d9b	Month	1 (string)	Yes	dimension	string	SKIP_INTERNAL	Column on internal auto date table.	Skip direct migration; covered under auto date section.
LocalDateTable_cc28ef26-f63a-4bc3-b357-93ab34cd6d9b	QuarterNo	1 (string)	Yes	dimension	number	SKIP_INTERNAL	Column on internal auto date table.	Skip direct migration; covered under auto date section.
LocalDateTable_cc28ef26-f63a-4bc3-b357-93ab34cd6d9b	Quarter	1 (string)	Yes	dimension	string	SKIP_INTERNAL	Column on internal auto date table.	Skip direct migration; covered under auto date section.
LocalDateTable_cc28ef26-f63a-4bc3-b357-93ab34cd6d9b	Day	1 (string)	Yes	dimension	number	SKIP_INTERNAL	Column on internal auto date table.	Skip direct migration; covered under auto date section.
LocalDateTable_d2ea5b26-668d-4c17-b228-695669b066a6	Date	datetime64[ns]	No	dimension	date_time	SKIP_INTERNAL	Column on internal auto date table.	Skip direct migration; covered under auto date section.
LocalDateTable_d2ea5b26-668d-4c17-b228-695669b066a6	Year	1 (string)	Yes	dimension	number	SKIP_INTERNAL	Column on internal auto date table.	Skip direct migration; covered under auto date section.
LocalDateTable_d2ea5b26-668d-4c17-b228-695669b066a6	MonthNo	1 (string)	Yes	dimension	number	SKIP_INTERNAL	Column on internal auto date table.	Skip direct migration; covered under auto date section.
LocalDateTable_d2ea5b26-668d-4c17-b228-695669b066a6	Month	1 (string)	Yes	dimension	string	SKIP_INTERNAL	Column on internal auto date table.	Skip direct migration; covered under auto date section.
LocalDateTable_d2ea5b26-668d-4c17-b228-695669b066a6	QuarterNo	1 (string)	Yes	dimension	number	SKIP_INTERNAL	Column on internal auto date table.	Skip direct migration; covered under auto date section.
LocalDateTable_d2ea5b26-668d-4c17-b228-695669b066a6	Quarter	1 (string)	Yes	dimension	string	SKIP_INTERNAL	Column on internal auto date table.	Skip direct migration; covered under auto date section.
LocalDateTable_d2ea5b26-668d-4c17-b228-695669b066a6	Day	1 (string)	Yes	dimension	number	SKIP_INTERNAL	Column on internal auto date table.	Skip direct migration; covered under auto date section.
PayType	PayTypeID	2 (int64)	No	dimension	string	DIRECT	Source/business column maps to LookML dimension.	Map name/type; preserve labels; honor hidden/key if present.

Power BI Table	Power BI Column	Data Type	Calculated?	Recommended LookML Object	LookML Type	Mapping Status	Comments	Suggestion
PayType	PayType	2 (int64)	No	dimension	string	DIRECT	Source/business column maps to LookML dimension.	Map name/type; preserve labels; honor hidden/key if present.
SeparationReason	SeparationTypeID	2 (int64)	No	dimension	string	DIRECT	Source/business column maps to LookML dimension.	Map name/type; preserve labels; honor hidden/key if present.
SeparationReason	SeparationReason	2 (int64)	No	dimension	string	DIRECT	Source/business column maps to LookML dimension.	Map name/type; preserve labels; honor hidden/key if present.

Section 3 - Measures -> LookML Measures

Table	Measure	Original DAX	Recommended LookML Object	Suggested Measure	Mapping Status	Complexity	Comments	Suggestion	KPI Impact
Employee	EmpCount	CALCULATE(COUNT([EmpID]), FILTER(ALL('Date'[PeriodNumber]), 'Date'[PeriodNumber] = MAX('Date'[PeriodNumber])))	measure	count_distinct	COMPLEX	MODERATE	EmpCount uses FILTER(ALL(PeriodNumber), PeriodNumber = MAX(...)) latest-period pattern.	Use always_filter / liquid / SQL max-period filter; do not treat as plain COUNT.	Affects EmpCount, EmpCount SPLY, and Actives if Actives wraps EmpCount.
Employee	Seps	CALCULATE(COUNT([EmpID]), FILTER(Employee, NOT(ISBLANK(Employee[TermDate]))))	measure	count_distinct	PARTIAL	MODERATE	Count / distinct-count style measure. Extra FILTER context present.	Prefer count_distinct on EmpID where business grain requires uniqueness; validate filters.	Headcount-style KPI.
Employee	Actives	CALCULATE([EmpCount], FILTER(Employee, ISBLANK(Employee[TermDate])))	measure	count_distinct	PARTIAL	MODERATE	Count / distinct-count style measure. Extra FILTER context present.	Prefer count_distinct on EmpID where business grain requires uniqueness; validate filters.	Headcount-style KPI.
Employee	New Hires	SUM([isNewHire])	measure	sum	DIRECT	SIMPLE	Additive sum over a column/flag.	Implement as type:sum on the corresponding dimension/flag.	Core volume KPI.
Employee	AVG Tenure Days	AVERAGE([TenureDays])	measure	average	DIRECT	SIMPLE	Average aggregation.	Implement as type:average (apply ROUND in SQL/LookML if needed).	Average KPI.
Employee	AVG Tenure Months	ROUND([AVG Tenure Days]/30, 1)-1	measure	average	PARTIAL	SIMPLE	Derived from another measure with ROUND arithmetic.	Implement as type:number referencing base average measure; confirm rounding parity.	Tenure months KPI.
Employee	AVG Age	ROUND(AVERAGE([Age]), 0)	measure	average	DIRECT	SIMPLE	Average aggregation.	Implement as type:average (apply ROUND in SQL/LookML if needed).	Average KPI.
Employee	Sum of BadHires	SUM([BadHires])	measure	sum	DIRECT	SIMPLE	Additive sum over a column/flag.	Implement as type:sum on the corresponding dimension/flag.	Core volume KPI.
Employee	New Hires SPLY	CALCULATE([New Hires],SAMEPERIODLASTYEAR('Date'[Date]))	measure	number	COMPLEX	COMPLEX	Uses SAMEPERIODLASTYEAR and requires date-filter context validation.	Review LookML time-based / PoP implementation and validate against Power BI KPI results.	Blocks YoY and SPLY-dependent KPIs until implemented.

Phase 2 - LOOKML Mapping Assessment (review)

Table	Measure	Original DAX	Recommended LookML Object	Suggested Measure	Mapping Status	Complexity	Comments	Suggestion	KPI Impact
Employee	Actives SPLY	CALCULATE([Actives],SAMEPERIODLASTYEAR('Date'[Date]))	measure	number	COMPLEX	COMPLEX	Uses SAMEPERIODLASTYEAR and requires date-filter context validation.	Review LookML time-based / PoP implementation and validate against Power BI KPI results.	Blocks YoY and SPLY-dependent KPIs until implemented.
Employee	Seps SPLY	CALCULATE([Seps],SAMEPERIODLASTYEAR('Date'[Date]))	measure	number	COMPLEX	COMPLEX	Uses SAMEPERIODLASTYEAR and requires date-filter context validation.	Review LookML time-based / PoP implementation and validate against Power BI KPI results.	Blocks YoY and SPLY-dependent KPIs until implemented.
Employee	EmpCount SPLY	CALCULATE(COUNT([EmpID]), FILTER(ALL('Date'[PeriodNumber]), 'Date'[PeriodNumber] = MAX('Date'[PeriodNumber])),SAMEPERIODLASTYEAR('Date'[Date]))	measure	number	COMPLEX	COMPLEX	Uses SAMEPERIODLASTYEAR and requires date-filter context validation.	Review LookML time-based / PoP implementation and validate against Power BI KPI results.	Blocks YoY and SPLY-dependent KPIs until implemented.
Employee	Seps YoY Var	[Seps]-[Seps SPLY]	measure	number	PARTIAL	SIMPLE	Arithmetic on parent measures that include blocked SPLY/Norm parents.	Keep formula ready; light up only after parent SPLY/Norm measures work.	Dependent KPI until parents resolve.
Employee	Actives YoY Var	[Actives]-[Actives SPLY]	measure	number	PARTIAL	SIMPLE	Arithmetic on parent measures that include blocked SPLY/Norm parents.	Keep formula ready; light up only after parent SPLY/Norm measures work.	Dependent KPI until parents resolve.
Employee	New Hires YoY Var	[New Hires]-[New Hires SPLY]	measure	number	PARTIAL	SIMPLE	Arithmetic on parent measures that include blocked SPLY/Norm parents.	Keep formula ready; light up only after parent SPLY/Norm measures work.	Dependent KPI until parents resolve.
Employee	Seps YoY % Change	DIVIDE([Seps YoY Var], [Seps SPLY])	measure	number	PARTIAL	SIMPLE	Arithmetic on parent measures that include blocked SPLY/Norm parents.	Keep formula ready; light up only after parent SPLY/Norm measures work.	Dependent KPI until parents resolve.
Employee	Actives YoY % Change	DIVIDE([Actives YoY Var], [Actives SPLY])	measure	number	PARTIAL	SIMPLE	Arithmetic on parent measures that include blocked SPLY/Norm parents.	Keep formula ready; light up only after parent SPLY/Norm measures work.	Dependent KPI until parents resolve.
Employee	New Hires YoY % Change	DIVIDE([New Hires YoY Var], [New Hires SPLY])	measure	number	PARTIAL	SIMPLE	Arithmetic on parent measures that include blocked SPLY/Norm parents.	Keep formula ready; light up only after parent SPLY/Norm measures work.	Dependent KPI until parents resolve.
Employee	Bad Hires SPLY	CALCULATE([Sum of BadHires],SAMEPERIODLASTYEAR('Date'[Date]))	measure	number	COMPLEX	COMPLEX	Uses SAMEPERIODLASTYEAR and requires date-filter context validation.	Review LookML time-based / PoP implementation and validate against Power BI KPI results.	Blocks YoY and SPLY-dependent KPIs until implemented.
Employee	Bad Hires YoY Var	[Sum of BadHires]-[Bad Hires SPLY]	measure	number	PARTIAL	SIMPLE	Arithmetic on parent measures that include blocked SPLY/Norm parents.	Keep formula ready; light up only after parent SPLY/Norm measures work.	Dependent KPI until parents resolve.
Employee	Bad Hires YoY % Change	DIVIDE([Bad Hires YoY Var], [Bad Hires SPLY])	measure	number	PARTIAL	SIMPLE	Arithmetic on parent measures that include blocked SPLY/Norm parents.	Keep formula ready; light up only after parent SPLY/Norm measures work.	Dependent KPI until parents resolve.

Phase 2 - LOOKML Mapping Assessment (review)

Table	Measure	Original DAX	Recommended LookML Object	Suggested Measure	Mapping Status	Complexity	Comments	Suggestion	KPI Impact
Employee	TO %	DIVIDE([Seps], [Actives])	measure	number	DIRECT	SIMPLE	Ratio of existing measures; maps to SAFE_DIVIDE pattern in LookML.	Implement as type:number with SAFE_DIVIDE; format as percent.	Ratio KPI.
Employee	TO % Norm	CALCULATE(TO %, all(Gender[Gender]), ALL(Ethnicity[Ethnicity]))	measure	number	COMPLEX	MODERATE	Uses ALL() to ignore Gender/Ethnicity filter context (TO % Norm pattern).	Implement via filtered measure / explore that ignores those dimensions; parity-test vs Power BI.	Blocks TO % Norm and TO % Var.
Employee	TO % Var	[TO %]-[TO % Norm]	measure	number	PARTIAL	SIMPLE	Arithmetic on parent measures that include blocked SPLY/Norm parents.	Keep formula ready; light up only after parent SPLY/Norm measures work.	Dependent KPI until parents resolve.
Employee	Sep%ofActive	DIVIDE([Seps],[Actives])	measure	number	DIRECT	SIMPLE	Ratio of existing measures; maps to SAFE_DIVIDE pattern in LookML.	Implement as type:number with SAFE_DIVIDE; format as percent.	Ratio KPI.
Employee	Sep%ofSMLYActiv es	DIVIDE([Seps SPLY],[Actives SPLY])	measure	number	PARTIAL	SIMPLE	Arithmetic on parent measures that include blocked SPLY/Norm parents.	Keep formula ready; light up only after parent SPLY/Norm measures work.	Dependent KPI until parents resolve.
Employee	BadHire%ofActive s	DIVIDE([Sum of BadHires],[Actives])	measure	number	DIRECT	SIMPLE	Ratio of existing measures; maps to SAFE_DIVIDE pattern in LookML.	Implement as type:number with SAFE_DIVIDE; format as percent.	Ratio KPI.
Employee	BadHire%ofActive SPLY	DIVIDE([Bad Hires SPLY],[Actives SPLY])	measure	number	PARTIAL	SIMPLE	Arithmetic on parent measures that include blocked SPLY/Norm parents.	Keep formula ready; light up only after parent SPLY/Norm measures work.	Dependent KPI until parents resolve.
BU	Count of BU	COUNTA('BU'[BU])	measure	count_distinct	DIRECT	SIMPLE	Count / distinct-count style measure.	Prefer count_distinct on EmplID where business grain requires uniqueness; validate filters.	Headcount-style KPI.
Date	Count of Date	COUNTA('Date'[Date])	measure	count_distinct	DIRECT	SIMPLE	Count / distinct-count style measure.	Prefer count_distinct on EmplID where business grain requires uniqueness; validate filters.	Headcount-style KPI.

Section 4 - Calculated Columns -> LookML Dimensions / Other

Table	Calculated Column	Original DAX	Recommended LookML Object	Mapping Status	Complexity	Comments	Suggestion	Dependency
BU	Region	mid([RegionSeq], 3,15)	dimension	DIRECT	SIMPLE	MID/SUBSTR of RegionSeq - simple string derivation.	LookML SUBSTR or warehouse column Region.	BU.m
Date	MonthIncrementNumb er	([Year]-MIN([Year]))*12 +[MonthNumber]	warehouse calculation	WAREHOUSE_ REQUIRED	MODERATE	Uses model-wide MIN(Year) pattern - awkward as pure LookML.	Materialize in warehouse Date table.	Date.m / Date table
Employee	isNewHire	IF(YEAR([date]) = YEAR([HireDate]) && MONTH([date])=MONTH([HireDate]), 1)	dimension	DIRECT	SIMPLE	Row-level calculated column; can be LookML dimension SQL or warehouse column.	Prefer warehouse column for large Employee; LookML CASE acceptable for prototypes.	Employee table / M query

Phase 2 - LOOKML Mapping Assessment (review)

Table	Calculated Column	Original DAX	Recommended LookML Object	Mapping Status	Complexity	Comments	Suggestion	Dependency
Employee	AgeGroupID	IF([Age]<30, 1, IF([Age]<50, 2, 3))	dimension	DIRECT	SIMPLE	Row-level calculated column; can be LookML dimension SQL or warehouse column.	Prefer warehouse column for large Employee; LookML CASE acceptable for prototypes.	Employee table / M query
Employee	TenureDays	IF([date]-[HireDate]<0,[HireDate]-[date],[date]-[HireDate])	dimension	DIRECT	SIMPLE	Row-level calculated column; can be LookML dimension SQL or warehouse column.	Prefer warehouse column for large Employee; LookML CASE acceptable for prototypes.	Employee table / M query
Employee	TenureMonths	CEILING([TenureDays]/30, 1) -1	dimension	DIRECT	SIMPLE	Row-level calculated column; can be LookML dimension SQL or warehouse column.	Prefer warehouse column for large Employee; LookML CASE acceptable for prototypes.	Employee table / M query
Employee	BadHires	IF(OR((((HireDate]-[TermDate])*-1)>=61,ISBLANK([TermDate])),0,1)	dimension	DIRECT	SIMPLE	Row-level calculated column; can be LookML dimension SQL or warehouse column.	Prefer warehouse column for large Employee; LookML CASE acceptable for prototypes.	Employee table / M query
DateTableTemplate_92fd358c-bb4c-4d52-9f5b-e9a59dc2315d	Year	YEAR([Date])	no direct equivalent	SKIP_INTERNAL	SIMPLE	Calculated column on auto date table.	Skip; use business Date model.	Auto date table
DateTableTemplate_92fd358c-bb4c-4d52-9f5b-e9a59dc2315d	MonthNo	MONTH([Date])	no direct equivalent	SKIP_INTERNAL	SIMPLE	Calculated column on auto date table.	Skip; use business Date model.	Auto date table
DateTableTemplate_92fd358c-bb4c-4d52-9f5b-e9a59dc2315d	Month	FORMAT([Date], "MMMM")	no direct equivalent	SKIP_INTERNAL	SIMPLE	Calculated column on auto date table.	Skip; use business Date model.	Auto date table
DateTableTemplate_92fd358c-bb4c-4d52-9f5b-e9a59dc2315d	QuarterNo	INT(([MonthNo] + 2) / 3)	no direct equivalent	SKIP_INTERNAL	SIMPLE	Calculated column on auto date table.	Skip; use business Date model.	Auto date table
DateTableTemplate_92fd358c-bb4c-4d52-9f5b-e9a59dc2315d	Quarter	"Qtr " & [QuarterNo]	no direct equivalent	SKIP_INTERNAL	SIMPLE	Calculated column on auto date table.	Skip; use business Date model.	Auto date table
DateTableTemplate_92fd358c-bb4c-4d52-9f5b-e9a59dc2315d	Day	DAY([Date])	no direct equivalent	SKIP_INTERNAL	SIMPLE	Calculated column on auto date table.	Skip; use business Date model.	Auto date table
LocalDateTable_6f19fed3-1fc0-4f7a-878d-34aca93d6782	Year	YEAR([Date])	no direct equivalent	SKIP_INTERNAL	SIMPLE	Calculated column on auto date table.	Skip; use business Date model.	Auto date table
LocalDateTable_6f19fed3-1fc0-4f7a-878d-34aca93d6782	MonthNo	MONTH([Date])	no direct equivalent	SKIP_INTERNAL	SIMPLE	Calculated column on auto date table.	Skip; use business Date model.	Auto date table
LocalDateTable_6f19fed3-1fc0-4f7a-878d-34aca93d6782	Month	FORMAT([Date], "MMMM")	no direct equivalent	SKIP_INTERNAL	SIMPLE	Calculated column on auto date table.	Skip; use business Date model.	Auto date table

Phase 2 - LOOKML Mapping Assessment (review)

Table	Calculated Column	Original DAX	Recommended LookML Object	Mapping Status	Complexity	Comments	Suggestion	Dependency
LocalDateTable_6f19fed3-1fc0-4f7a-878d-34aca93d6782	QuarterNo	INT(([MonthNo] + 2) / 3)	no direct equivalent	SKIP_INTERNAL	SIMPLE	Calculated column on auto date table.	Skip; use business Date model.	Auto date table
LocalDateTable_6f19fed3-1fc0-4f7a-878d-34aca93d6782	Quarter	"Qtr " & [QuarterNo]	no direct equivalent	SKIP_INTERNAL	SIMPLE	Calculated column on auto date table.	Skip; use business Date model.	Auto date table
LocalDateTable_6f19fed3-1fc0-4f7a-878d-34aca93d6782	Day	DAY([Date])	no direct equivalent	SKIP_INTERNAL	SIMPLE	Calculated column on auto date table.	Skip; use business Date model.	Auto date table
LocalDateTable_d2ea5b26-668d-4c17-b228-695669b066a6	Year	YEAR([Date])	no direct equivalent	SKIP_INTERNAL	SIMPLE	Calculated column on auto date table.	Skip; use business Date model.	Auto date table
LocalDateTable_d2ea5b26-668d-4c17-b228-695669b066a6	MonthNo	MONTH([Date])	no direct equivalent	SKIP_INTERNAL	SIMPLE	Calculated column on auto date table.	Skip; use business Date model.	Auto date table
LocalDateTable_d2ea5b26-668d-4c17-b228-695669b066a6	Month	FORMAT([Date], "MMMM")	no direct equivalent	SKIP_INTERNAL	SIMPLE	Calculated column on auto date table.	Skip; use business Date model.	Auto date table
LocalDateTable_d2ea5b26-668d-4c17-b228-695669b066a6	QuarterNo	INT(([MonthNo] + 2) / 3)	no direct equivalent	SKIP_INTERNAL	SIMPLE	Calculated column on auto date table.	Skip; use business Date model.	Auto date table
LocalDateTable_d2ea5b26-668d-4c17-b228-695669b066a6	Quarter	"Qtr " & [QuarterNo]	no direct equivalent	SKIP_INTERNAL	SIMPLE	Calculated column on auto date table.	Skip; use business Date model.	Auto date table
LocalDateTable_d2ea5b26-668d-4c17-b228-695669b066a6	Day	DAY([Date])	no direct equivalent	SKIP_INTERNAL	SIMPLE	Calculated column on auto date table.	Skip; use business Date model.	Auto date table
LocalDateTable_c9dde99e-7ac1-4e8e-a5f2-c5ffc41d9cac	Year	YEAR([Date])	no direct equivalent	SKIP_INTERNAL	SIMPLE	Calculated column on auto date table.	Skip; use business Date model.	Auto date table
LocalDateTable_c9dde99e-7ac1-4e8e-a5f2-c5ffc41d9cac	MonthNo	MONTH([Date])	no direct equivalent	SKIP_INTERNAL	SIMPLE	Calculated column on auto date table.	Skip; use business Date model.	Auto date table
LocalDateTable_c9dde99e-7ac1-4e8e-a5f2-c5ffc41d9cac	Month	FORMAT([Date], "MMMM")	no direct equivalent	SKIP_INTERNAL	SIMPLE	Calculated column on auto date table.	Skip; use business Date model.	Auto date table
LocalDateTable_c9dde99e-7ac1-4e8e-a5f2-c5ffc41d9cac	QuarterNo	INT(([MonthNo] + 2) / 3)	no direct equivalent	SKIP_INTERNAL	SIMPLE	Calculated column on auto date table.	Skip; use business Date model.	Auto date table

Phase 2 - LOOKML Mapping Assessment (review)

Table	Calculated Column	Original DAX	Recommended LookML Object	Mapping Status	Complexity	Comments	Suggestion	Dependency
LocalDateTable_c9dde99e-7ac1-4e8e-a5f2-c5ffc41d9cac	Quarter	"Qtr " & [QuarterNo]	no direct equivalent	SKIP_INTERNAL	SIMPLE	Calculated column on auto date table.	Skip; use business Date model.	Auto date table
LocalDateTable_c9dde99e-7ac1-4e8e-a5f2-c5ffc41d9cac	Day	DAY([Date])	no direct equivalent	SKIP_INTERNAL	SIMPLE	Calculated column on auto date table.	Skip; use business Date model.	Auto date table
LocalDateTable_cc28ef26-f63a-4bc3-b357-93ab34cd6d9b	Year	YEAR([Date])	no direct equivalent	SKIP_INTERNAL	SIMPLE	Calculated column on auto date table.	Skip; use business Date model.	Auto date table
LocalDateTable_cc28ef26-f63a-4bc3-b357-93ab34cd6d9b	MonthNo	MONTH([Date])	no direct equivalent	SKIP_INTERNAL	SIMPLE	Calculated column on auto date table.	Skip; use business Date model.	Auto date table
LocalDateTable_cc28ef26-f63a-4bc3-b357-93ab34cd6d9b	Month	FORMAT([Date], "MMMM")	no direct equivalent	SKIP_INTERNAL	SIMPLE	Calculated column on auto date table.	Skip; use business Date model.	Auto date table
LocalDateTable_cc28ef26-f63a-4bc3-b357-93ab34cd6d9b	QuarterNo	INT(([MonthNo] + 2) / 3)	no direct equivalent	SKIP_INTERNAL	SIMPLE	Calculated column on auto date table.	Skip; use business Date model.	Auto date table
LocalDateTable_cc28ef26-f63a-4bc3-b357-93ab34cd6d9b	Quarter	"Qtr " & [QuarterNo]	no direct equivalent	SKIP_INTERNAL	SIMPLE	Calculated column on auto date table.	Skip; use business Date model.	Auto date table
LocalDateTable_cc28ef26-f63a-4bc3-b357-93ab34cd6d9b	Day	DAY([Date])	no direct equivalent	SKIP_INTERNAL	SIMPLE	Calculated column on auto date table.	Skip; use business Date model.	Auto date table
LocalDateTable_c04ce649-6e25-466f-9bbc-faabfec0fe29	Year	YEAR([Date])	no direct equivalent	SKIP_INTERNAL	SIMPLE	Calculated column on auto date table.	Skip; use business Date model.	Auto date table
LocalDateTable_c04ce649-6e25-466f-9bbc-faabfec0fe29	MonthNo	MONTH([Date])	no direct equivalent	SKIP_INTERNAL	SIMPLE	Calculated column on auto date table.	Skip; use business Date model.	Auto date table
LocalDateTable_c04ce649-6e25-466f-9bbc-faabfec0fe29	Month	FORMAT([Date], "MMMM")	no direct equivalent	SKIP_INTERNAL	SIMPLE	Calculated column on auto date table.	Skip; use business Date model.	Auto date table
LocalDateTable_c04ce649-6e25-466f-9bbc-faabfec0fe29	QuarterNo	INT(([MonthNo] + 2) / 3)	no direct equivalent	SKIP_INTERNAL	SIMPLE	Calculated column on auto date table.	Skip; use business Date model.	Auto date table
LocalDateTable_c04ce649-6e25-466f-9bbc-faabfec0fe29	Quarter	"Qtr " & [QuarterNo]	no direct equivalent	SKIP_INTERNAL	SIMPLE	Calculated column on auto date table.	Skip; use business Date model.	Auto date table

Table	Calculated Column	Original DAX	Recommended LookML Object	Mapping Status	Complexity	Comments	Suggestion	Dependency
LocalDateTable_c04ce649-6e25-466f-9bbc-faabfec0fe29	Day	DAY([Date])	no direct equivalent	SKIP_INTERNAL	SIMPLE	Calculated column on auto date table.	Skip; use business Date model.	Auto date table

Section 5 - Calculated Tables

Power BI Table	Original DAX	Recommended LookML	Mapping Status	Comments	Suggestion	Dependency
DataTableTemplate_92fd358c-bb4c-4d52-9f5b-e9a59dc2315d	Calendar(Date(2015,1,1), Date(2015,1,1))	no direct equivalent	SKIP_INTERNAL	Power BI auto-generated date table (Calendar DAX).	Skip LookML view; rely on business Date + Looker timeframes.	Power BI time intelligence
LocalDateTable_6f19fed3-1fc0-4f7a-878d-34aca93d6782	Calendar(Date(Year(MIN('Date'[Date])), 1, 1), Date(Year(MAX('Date'[Date])), 12, 31))	no direct equivalent	SKIP_INTERNAL	Power BI auto-generated date table (Calendar DAX).	Skip LookML view; rely on business Date + Looker timeframes.	Power BI time intelligence
LocalDateTable_d2ea5b26-668d-4c17-b228-695669b066a6	Calendar(Date(Year(MIN('Date'[MonthStartDate])), 1, 1), Date(Year(MAX('Date'[MonthStartDate])), 12, 31))	no direct equivalent	SKIP_INTERNAL	Power BI auto-generated date table (Calendar DAX).	Skip LookML view; rely on business Date + Looker timeframes.	Power BI time intelligence
LocalDateTable_c9dde99e-7ac1-4e8e-a5f2-c5ffc41d9cac	Calendar(Date(Year(MIN('Date'[MonthEndDate])), 1, 1), Date(Year(MAX('Date'[MonthEndDate])), 12, 31))	no direct equivalent	SKIP_INTERNAL	Power BI auto-generated date table (Calendar DAX).	Skip LookML view; rely on business Date + Looker timeframes.	Power BI time intelligence
LocalDateTable_cc28ef26-f63a-4bc3-b357-93ab34cd6d9b	Calendar(Date(Year(MIN('Employee'[TermDate])), 1, 1), Date(Year(MAX('Employee'[TermDate])), 12, 31))	no direct equivalent	SKIP_INTERNAL	Power BI auto-generated date table (Calendar DAX).	Skip LookML view; rely on business Date + Looker timeframes.	Power BI time intelligence
LocalDateTable_c04ce649-6e25-466f-9bbc-faabfec0fe29	Calendar(Date(Year(MIN('Employee'[HireDate])), 1, 1), Date(Year(MAX('Employee'[HireDate])), 12, 31))	no direct equivalent	SKIP_INTERNAL	Power BI auto-generated date table (Calendar DAX).	Skip LookML view; rely on business Date + Looker timeframes.	Power BI time intelligence

Section 6 - Relationships -> LookML Joins

From Table	From Column	To Table	To Column	Power BI Cardinality	Cross Filter	Active	Recommended LookML	LookML Relationship	Mapping Status	Comments	Suggestion
Employee	date	Date	Date	M:1	Single	True	left_outer join on explore	many_to_one	DIRECT	M:1 single-direction relationship - standard Looker left_outer many_to_one from fact.	Declare join on explore employee; sql_on fact.dim_key = dim.pk.
Employee	FP	FP	FP	M:1	Single	True	left_outer join on explore	many_to_one	DIRECT	M:1 single-direction relationship - standard Looker left_outer many_to_one from fact.	Declare join on explore employee; sql_on fact.dim_key = dim.pk.

From Table	From Column	To Table	To Column	Power BI Cardinality	Cross Filter	Active	Recommended LookML	LookML Relationship	Mapping Status	Comments	Suggestion
Employee	EthnicGroup	Ethnicity	Ethnic Group	M:1	Single	True	left_outer join on explore	many_to_one	DIRECT	M:1 single-direction relationship - standard Looker left_outer many_to_one from fact.	Declare join on explore employee; sql_on fact.dim_key = dim.pk.
Employee	Gender	Gender	ID	M:1	Single	True	left_outer join on explore	many_to_one	DIRECT	M:1 single-direction relationship - standard Looker left_outer many_to_one from fact.	Declare join on explore employee; sql_on fact.dim_key = dim.pk.
Employee	PayTypeID	PayType	PayTypeID	M:1	Single	True	left_outer join on explore	many_to_one	DIRECT	M:1 single-direction relationship - standard Looker left_outer many_to_one from fact.	Declare join on explore employee; sql_on fact.dim_key = dim.pk.
Employee	BU	BU	BU	M:1	Single	True	left_outer join on explore	many_to_one	DIRECT	M:1 single-direction relationship - standard Looker left_outer many_to_one from fact.	Declare join on explore employee; sql_on fact.dim_key = dim.pk.
Employee	AgeGroupID	AgeGroup	AgeGroupID	M:1	Single	True	left_outer join on explore	many_to_one	DIRECT	M:1 single-direction relationship - standard Looker left_outer many_to_one from fact.	Declare join on explore employee; sql_on fact.dim_key = dim.pk.
Employee	TermReason	SeparationReason	SeparationTypeID	M:1	Single	True	left_outer join on explore	many_to_one	DIRECT	M:1 single-direction relationship - standard Looker left_outer many_to_one from fact.	Declare join on explore employee; sql_on fact.dim_key = dim.pk.

Section 7 - Power Query / M -> Looker Data Layer

Power Query	Source	Transformation Type	Referenced Queries	Recommended Destination	Mapping Status	Comments	Suggestion	Impacted Tables/KPIs
BU	sql_database	sql_database, query_reference	Renamed Columns, Changed Type, Renamed Columns,	Warehouse SQL	WAREHOUSE_REQUIRED	M reads SQL Database; must be reproduced or replaced by warehouse extract.	Create warehouse object from inventory/04_m_raw/BU.m SQL.	Table BU and joining measures
FP	sql_database	sql_database, query_reference	Renamed Columns, Changed Type, Renamed Columns,	Warehouse SQL	WAREHOUSE_REQUIRED	M reads SQL Database; must be reproduced or replaced by warehouse extract.	Create warehouse object from inventory/04_m_raw/FP.m SQL.	Table FP and joining measures
PayType	sql_database	sql_database, query_reference	Changed Type, Renamed Columns, Changed Type, Renamed Columns,	Warehouse SQL	WAREHOUSE_REQUIRED	M reads SQL Database; must be reproduced or replaced by warehouse extract.	Create warehouse object from inventory/04_m_raw/PayType.m SQL.	Table PayType and joining measures

Changed Type

Power Query	Source	Transformation Type	Referenced Queries	Recommended Destination	Mapping Status	Comments	Suggestion	Impacted Tables/KPIs
SeparationReason	sql_database	sql_database, query_reference	Renamed Columns, Changed Type, Renamed Columns,	Warehouse SQL	WAREHOUSE_REQUIRED	M reads SQL Database; must be reproduced or replaced by warehouse extract.	Create warehouse object from inventory/04_m_raw/SeparationReason.m SQL.	Table SeparationReason and joining measures
Date	sql_database	sql_database, query_reference	Renamed Columns, Changed Type, Renamed Columns,	Warehouse SQL	WAREHOUSE_REQUIRED	M reads SQL Database; must be reproduced or replaced by warehouse extract.	Create warehouse object from inventory/04_m_raw/Date.m SQL.	Table Date and joining measures
Employee	sql_database	sql_database, append_union, query_reference, transformation_heavy	Renamed Columns, Changed Type, Renamed Columns,	Warehouse SQL	WAREHOUSE_REQUIRED	Complex SQL + UNION actives/seps + transforms; largest ETL dependency.	Port M SQL to warehouse view/table before any HR KPI LookML is runnable.	ALL Employee measures / KPIs
Ethnicity	embedded_static	embedded_seed, query_reference	Renamed Columns, Changed Type, Renamed Columns,	Warehouse Seed	WAREHOUSE_REQUIRED	Embedded/static M (Table.FromRows / decompress) - not SQL Server.	Load as seed/CSV/INSERT in warehouse; then LookML view.	Dim Ethnicity labels/joins
Gender	embedded_static	embedded_seed, query_reference	Renamed Columns, Changed Type, Renamed Columns,	Warehouse Seed	WAREHOUSE_REQUIRED	Embedded/static M (Table.FromRows / decompress) - not SQL Server.	Load as seed/CSV/INSERT in warehouse; then LookML view.	Dim Gender labels/joins
AgeGroup	embedded_static	embedded_seed, query_reference	Renamed Columns, Changed Type, Renamed Columns,	Warehouse Seed	WAREHOUSE_REQUIRED	Embedded/static M (Table.FromRows / decompress) - not SQL Server.	Load as seed/CSV/INSERT in warehouse; then LookML view.	Dim AgeGroup labels/joins

Changed Type

Section 8 - Hierarchies

Table	Hierarchy	Levels	Recommended LookML Approach	Mapping Status	Comments	Suggestion
Date	YQM	Year(Year) > QtrNumber(QtrNumber) > PeriodNumber(PeriodNumber)	drill_fields / related dimensions	PARTIAL	Business hierarchy can be approximated with drill_fields ordered dimensions.	Define drill_fields on Date (Year > Quarter > Month) matching YQM levels.

Table	Hierarchy	Levels	Recommended LookML Approach	Mapping Status	Comments	Suggestion
DateTableTemplate_92fd358c-bb4c-4d52-9f5b-e9a59dc2315d	Date Hierarchy	Year(Year) > Quarter(Quarter) > Month(Month) > Day(Day)	no direct equivalent	SKIP_INTERNAL	Hierarchy on auto date table.	Use Looker timeframes on business date instead.
LocalDateTable_6f19fed3-1fc0-4f7a-878d-34aca93d6782	Date Hierarchy	Year(Year) > Quarter(Quarter) > Month(Month) > Day(Day)	no direct equivalent	SKIP_INTERNAL	Hierarchy on auto date table.	Use Looker timeframes on business date instead.
LocalDateTable_d2ea5b26-668d-4c17-b228-695669b066a6	Date Hierarchy	Year(Year) > Quarter(Quarter) > Month(Month) > Day(Day)	no direct equivalent	SKIP_INTERNAL	Hierarchy on auto date table.	Use Looker timeframes on business date instead.
LocalDateTable_c9dde99e-7ac1-4e8e-a5f2-c5ffc41d9cac	Date Hierarchy	Year(Year) > Quarter(Quarter) > Month(Month) > Day(Day)	no direct equivalent	SKIP_INTERNAL	Hierarchy on auto date table.	Use Looker timeframes on business date instead.
LocalDateTable_cc28ef26-f63a-4bc3-b357-93ab34cd6d9b	Date Hierarchy	Year(Year) > Quarter(Quarter) > Month(Month) > Day(Day)	no direct equivalent	SKIP_INTERNAL	Hierarchy on auto date table.	Use Looker timeframes on business date instead.
LocalDateTable_c04ce649-6e25-466f-9bbc-faabfec0fe29	Date Hierarchy	Year(Year) > Quarter(Quarter) > Month(Month) > Day(Day)	no direct equivalent	SKIP_INTERNAL	Hierarchy on auto date table.	Use Looker timeframes on business date instead.

Section 9 - RLS / Security

RLS	Status	Comments
None	NONE_IN_SOURCE	No Power BI RLS roles were identified.

Section 10 - Partitions

Table	Partition	Source	Mode	Recommended LookML	Mapping Status	Comments	Suggestion
-------	-----------	--------	------	--------------------	----------------	----------	------------

Table	Partition	Source	Mode	Recommended LookML	Mapping Status	Comments	Suggestion
BU	BU	let Source = Sql.Database(".", "IP", [Query="select distinct market BU,#(If) REGIONTITLE Region,#(If)	0	Warehouse design consideration	PARTIAL	Import/partition metadata from Tabular; LookML does not model partitions 1:1.	Ensure warehouse table refresh covers this source; no LookML partition object.
FP	FP	let Source = Sql.Database(".", "IP", [Query="SELECT [HR].[FP].* FROM [HR].[FP]"), #"Renamed Columns" = Table.	0	Warehouse design consideration	PARTIAL	Import/partition metadata from Tabular; LookML does not model partitions 1:1.	Ensure warehouse table refresh covers this source; no LookML partition object.
PayType	PayGroup	let Source = Sql.Database(".", "IP", [Query="select distinct PayTypeID, [Hrly-Salaried]	0	Warehouse design consideration	PARTIAL	Import/partition metadata from Tabular; LookML does not model partitions 1:1.	Ensure warehouse table refresh covers this source; no LookML partition object.
SeparationReason	TermReason	let Source = Sql.Database(".", "IP", [Query="SELECT distinct SeparationTypeID, [Vol-Invol] SeparationReason #(If) FR	0	Warehouse design consideration	PARTIAL	Import/partition metadata from Tabular; LookML does not model partitions 1:1.	Ensure warehouse table refresh covers this source; no LookML partition object.

Table	Partition	Source	Mode	Recommended LookML	Mapping Status	Comments	Suggestion
Date	Date	let Source = Sql.Database(".", "IP", [Query="SELECT [HR].[Date].* FROM [HR].[Date]"), #"Renamed Columns" = Ta	0	Warehouse design consideration	PARTIAL	Import/partition metadata from Tabular; LookML does not model partitions 1:1.	Ensure warehouse table refresh covers this source; no LookML partition object.
Employee	Employee	let Source = Sql.Database(".", "IP", [Query="SELECT dateadd(year, 1, d.date) Date#(If ,Market BU#(If ,[EmpID])#(	0	Warehouse design consideration	PARTIAL	Import/partition metadata from Tabular; LookML does not model partitions 1:1.	Ensure warehouse table refresh covers this source; no LookML partition object.
Ethnicity	Ethnicity	let Source = Table.FromRows(J son.Document(Bin ary.Decompress(Bi nary.FromText("i45 WMITSUXlvyi8tUH BUitWJVjKC853Af GM43xn	0	Warehouse design consideration	PARTIAL	Import/partition metadata from Tabular; LookML does not model partitions 1:1.	Ensure warehouse table refresh covers this source; no LookML partition object.
Gender	Gender	let Source = Table.FromRows(J son.Document(Bin ary.Decompress(Bi nary.FromText("i45 WclHSUfJNzEkFU oZKsTrRSs5AlltqL kTISck	0	Warehouse design consideration	PARTIAL	Import/partition metadata from Tabular; LookML does not model partitions 1:1.	Ensure warehouse table refresh covers this source; no LookML partition object.

Table	Partition	Source	Mode	Recommended LookML	Mapping Status	Comments	Suggestion
AgeGroup	AgeGroup	let Source = Table.FromRows(J son.Document(Bin ary.Decompress(Bi nary.FromText("i45 WMITSUYopNTAw TjY2UIrViVYyAgo YG+iaWIJ	0	Warehouse design consideration	PARTIAL	Import/partition metadata from Tabular; LookML does not model partitions 1:1.	Ensure warehouse table refresh covers this source; no LookML partition object.
H\$BU (10)\$BU (46)	H\$BU (10)\$BU (46)	Not available in source extraction	2	Warehouse design consideration	PARTIAL	Import/partition metadata from Tabular; LookML does not model partitions 1:1.	Ensure warehouse table refresh covers this source; no LookML partition object.
H\$BU (10)\$RegionSeq (47)	H\$BU (10)\$RegionSeq (47)	Not available in source extraction	2	Warehouse design consideration	PARTIAL	Import/partition metadata from Tabular; LookML does not model partitions 1:1.	Ensure warehouse table refresh covers this source; no LookML partition object.
H\$BU (10)\$VP (48)	H\$BU (10)\$VP (48)	Not available in source extraction	2	Warehouse design consideration	PARTIAL	Import/partition metadata from Tabular; LookML does not model partitions 1:1.	Ensure warehouse table refresh covers this source; no LookML partition object.
H\$BU (10)\$Region (49)	H\$BU (10)\$Region (49)	Not available in source extraction	2	Warehouse design consideration	PARTIAL	Import/partition metadata from Tabular; LookML does not model partitions 1:1.	Ensure warehouse table refresh covers this source; no LookML partition object.
H\$FP (13)\$FP (50)	H\$FP (13)\$FP (50)	Not available in source extraction	2	Warehouse design consideration	PARTIAL	Import/partition metadata from Tabular; LookML does not model partitions 1:1.	Ensure warehouse table refresh covers this source; no LookML partition object.
H\$FP (13)\$FPDesc (51)	H\$FP (13)\$FPDesc (51)	Not available in source extraction	2	Warehouse design consideration	PARTIAL	Import/partition metadata from Tabular; LookML does not model partitions 1:1.	Ensure warehouse table refresh covers this source; no LookML partition object.
H\$PayType (16)\$PayTypeID (52)	H\$PayType (16)\$PayTypeID (52)	Not available in source extraction	2	Warehouse design consideration	PARTIAL	Import/partition metadata from Tabular; LookML does not model partitions 1:1.	Ensure warehouse table refresh covers this source; no LookML partition object.
H\$PayType (16)\$PayType (53)	H\$PayType (16)\$PayType (53)	Not available in source extraction	2	Warehouse design consideration	PARTIAL	Import/partition metadata from Tabular; LookML does not model partitions 1:1.	Ensure warehouse table refresh covers this source; no LookML partition object.
H\$SeparationReason (19)\$SeparationTypeID (54)	H\$SeparationReason (19)\$SeparationTypeID (54)	Not available in source extraction	2	Warehouse design consideration	PARTIAL	Import/partition metadata from Tabular; LookML does not model partitions 1:1.	Ensure warehouse table refresh covers this source; no LookML partition object.
H\$SeparationReason (19)\$SeparationReason (55)	H\$SeparationReason (19)\$SeparationReason (55)	Not available in source extraction	2	Warehouse design consideration	PARTIAL	Import/partition metadata from Tabular; LookML does not model partitions 1:1.	Ensure warehouse table refresh covers this source; no LookML partition object.
H\$Date (22)\$Date (56)	H\$Date (22)\$Date (56)	Not available in source extraction	2	Warehouse design consideration	PARTIAL	Import/partition metadata from Tabular; LookML does not model partitions 1:1.	Ensure warehouse table refresh covers this source; no LookML partition object.

Table	Partition	Source	Mode	Recommended LookML	Mapping Status	Comments	Suggestion
H\$Date (22)\$Month (57)	H\$Date (22)\$Month (57)	Not available in source extraction	2	Warehouse design consideration	PARTIAL	Import/partition metadata from Tabular; LookML does not model partitions 1:1.	Ensure warehouse table refresh covers this source; no LookML partition object.
H\$Date (22)\$MonthNumber (58)	H\$Date (22)\$MonthNumber (58)	Not available in source extraction	2	Warehouse design consideration	PARTIAL	Import/partition metadata from Tabular; LookML does not model partitions 1:1.	Ensure warehouse table refresh covers this source; no LookML partition object.
H\$Date (22)\$Period (59)	H\$Date (22)\$Period (59)	Not available in source extraction	2	Warehouse design consideration	PARTIAL	Import/partition metadata from Tabular; LookML does not model partitions 1:1.	Ensure warehouse table refresh covers this source; no LookML partition object.
H\$Date (22)\$PeriodNumber (60)	H\$Date (22)\$PeriodNumber (60)	Not available in source extraction	2	Warehouse design consideration	PARTIAL	Import/partition metadata from Tabular; LookML does not model partitions 1:1.	Ensure warehouse table refresh covers this source; no LookML partition object.
H\$Date (22)\$Qtr (61)	H\$Date (22)\$Qtr (61)	Not available in source extraction	2	Warehouse design consideration	PARTIAL	Import/partition metadata from Tabular; LookML does not model partitions 1:1.	Ensure warehouse table refresh covers this source; no LookML partition object.
H\$Date (22)\$QtrNumber (62)	H\$Date (22)\$QtrNumber (62)	Not available in source extraction	2	Warehouse design consideration	PARTIAL	Import/partition metadata from Tabular; LookML does not model partitions 1:1.	Ensure warehouse table refresh covers this source; no LookML partition object.
H\$Date (22)\$Year (63)	H\$Date (22)\$Year (63)	Not available in source extraction	2	Warehouse design consideration	PARTIAL	Import/partition metadata from Tabular; LookML does not model partitions 1:1.	Ensure warehouse table refresh covers this source; no LookML partition object.
H\$Date (22)\$Day (64)	H\$Date (22)\$Day (64)	Not available in source extraction	2	Warehouse design consideration	PARTIAL	Import/partition metadata from Tabular; LookML does not model partitions 1:1.	Ensure warehouse table refresh covers this source; no LookML partition object.
H\$Date (22)\$MonthStartDate (65)	H\$Date (22)\$MonthStartDate (65)	Not available in source extraction	2	Warehouse design consideration	PARTIAL	Import/partition metadata from Tabular; LookML does not model partitions 1:1.	Ensure warehouse table refresh covers this source; no LookML partition object.
H\$Date (22)\$MonthEndDate (66)	H\$Date (22)\$MonthEndDate (66)	Not available in source extraction	2	Warehouse design consideration	PARTIAL	Import/partition metadata from Tabular; LookML does not model partitions 1:1.	Ensure warehouse table refresh covers this source; no LookML partition object.
H\$Date (22)\$MonthIncrementNumber (67)	H\$Date (22)\$MonthIncrementNumber (67)	Not available in source extraction	2	Warehouse design consideration	PARTIAL	Import/partition metadata from Tabular; LookML does not model partitions 1:1.	Ensure warehouse table refresh covers this source; no LookML partition object.
U\$Date (22)\$YQM (130)	U\$Date (22)\$YQM (130)	Not available in source extraction	2	Warehouse design consideration	PARTIAL	Import/partition metadata from Tabular; LookML does not model partitions 1:1.	Ensure warehouse table refresh covers this source; no LookML partition object.
H\$Employee (25)\$date (68)	H\$Employee (25)\$date (68)	Not available in source extraction	2	Warehouse design consideration	PARTIAL	Import/partition metadata from Tabular; LookML does not model partitions 1:1.	Ensure warehouse table refresh covers this source; no LookML partition object.
H\$Employee (25)\$EmplID (69)	H\$Employee (25)\$EmplID (69)	Not available in source extraction	2	Warehouse design consideration	PARTIAL	Import/partition metadata from Tabular; LookML does not model partitions 1:1.	Ensure warehouse table refresh covers this source; no LookML partition object.
H\$Employee (25)\$Gender (70)	H\$Employee (25)\$Gender (70)	Not available in source extraction	2	Warehouse design consideration	PARTIAL	Import/partition metadata from Tabular; LookML does not model partitions 1:1.	Ensure warehouse table refresh covers this source; no LookML partition object.

Table	Partition	Source	Mode	Recommended LookML	Mapping Status	Comments	Suggestion
H\$Employee (25)\$Age (71)	H\$Employee (25)\$Age (71)	Not available in source extraction	2	Warehouse design consideration	PARTIAL	Import/partition metadata from Tabular; LookML does not model partitions 1:1.	Ensure warehouse table refresh covers this source; no LookML partition object.
H\$Employee (25)\$EthnicGroup (72)	H\$Employee (25)\$EthnicGroup (72)	Not available in source extraction	2	Warehouse design consideration	PARTIAL	Import/partition metadata from Tabular; LookML does not model partitions 1:1.	Ensure warehouse table refresh covers this source; no LookML partition object.
H\$Employee (25)\$FP (73)	H\$Employee (25)\$FP (73)	Not available in source extraction	2	Warehouse design consideration	PARTIAL	Import/partition metadata from Tabular; LookML does not model partitions 1:1.	Ensure warehouse table refresh covers this source; no LookML partition object.
H\$Employee (25)\$TermDate (74)	H\$Employee (25)\$TermDate	Not available in source extraction	2	Warehouse design consideration	PARTIAL	Import/partition metadata from Tabular; LookML does not model partitions 1:1.	Ensure warehouse table refresh covers this source; no LookML partition object.
H\$Employee (25)\$isNewHire (75)	H\$Employee (25)\$isNewHire (75)	Not available in source extraction	2	Warehouse design consideration	PARTIAL	Import/partition metadata from Tabular; LookML does not model partitions 1:1.	Ensure warehouse table refresh covers this source; no LookML partition object.
H\$Employee (25)\$BU (76)	H\$Employee (25)\$BU (76)	Not available in source extraction	2	Warehouse design consideration	PARTIAL	Import/partition metadata from Tabular; LookML does not model partitions 1:1.	Ensure warehouse table refresh covers this source; no LookML partition object.
H\$Employee (25)\$HireDate (77)	H\$Employee (25)\$HireDate (77)	Not available in source extraction	2	Warehouse design consideration	PARTIAL	Import/partition metadata from Tabular; LookML does not model partitions 1:1.	Ensure warehouse table refresh covers this source; no LookML partition object.
H\$Employee (25)\$PayTypeID (78)	H\$Employee (25)\$PayTypeID (78)	Not available in source extraction	2	Warehouse design consideration	PARTIAL	Import/partition metadata from Tabular; LookML does not model partitions 1:1.	Ensure warehouse table refresh covers this source; no LookML partition object.
H\$Employee (25)\$TermReason (79)	H\$Employee (25)\$TermReason (79)	Not available in source extraction	2	Warehouse design consideration	PARTIAL	Import/partition metadata from Tabular; LookML does not model partitions 1:1.	Ensure warehouse table refresh covers this source; no LookML partition object.
H\$Employee (25)\$AgeGroupID (80)	H\$Employee (25)\$AgeGroupID (80)	Not available in source extraction	2	Warehouse design consideration	PARTIAL	Import/partition metadata from Tabular; LookML does not model partitions 1:1.	Ensure warehouse table refresh covers this source; no LookML partition object.
H\$Employee (25)\$TenureDays (81)	H\$Employee (25)\$TenureDays (81)	Not available in source extraction	2	Warehouse design consideration	PARTIAL	Import/partition metadata from Tabular; LookML does not model partitions 1:1.	Ensure warehouse table refresh covers this source; no LookML partition object.
H\$Employee (25)\$TenureMonths (82)	H\$Employee (25)\$TenureMonths (82)	Not available in source extraction	2	Warehouse design consideration	PARTIAL	Import/partition metadata from Tabular; LookML does not model partitions 1:1.	Ensure warehouse table refresh covers this source; no LookML partition object.
H\$Employee (25)\$BadHires (83)	H\$Employee (25)\$BadHires (83)	Not available in source extraction	2	Warehouse design consideration	PARTIAL	Import/partition metadata from Tabular; LookML does not model partitions 1:1.	Ensure warehouse table refresh covers this source; no LookML partition object.
R\$Employee (25)\$7ddd41c5 a1f5 477b 9712 84fdc7313c7d (37)	R\$Employee (25)\$7ddd41c5 a1f5 477b 9712 84fdc7313c7d (37)	Not available in source extraction	2	Warehouse design consideration	PARTIAL	Import/partition metadata from Tabular; LookML does not model partitions 1:1.	Ensure warehouse table refresh covers this source; no LookML partition object.

Table	Partition	Source	Mode	Recommended LookML	Mapping Status	Comments	Suggestion
R\$Employee (25)\$497871a2 f5e1 40ff 90d7 6f980ca1119a (38)	R\$Employee (25)\$497871a2 f5e1 40ff 90d7 6f980ca1119a (38)	Not available in source extraction	2	Warehouse design consideration	PARTIAL	Import/partition metadata from Tabular; LookML does not model partitions 1:1.	Ensure warehouse table refresh covers this source; no LookML partition object.
R\$Employee (25)\$20c07ef2 2c50 4fd4 ad56 8b0e0e36ddc4 (39)	R\$Employee (25)\$20c07ef2 2c50 4fd4 ad56 8b0e0e36ddc4	Not available in source extraction	2	Warehouse design consideration	PARTIAL	Import/partition metadata from Tabular; LookML does not model partitions 1:1.	Ensure warehouse table refresh covers this source; no LookML partition object.
R\$Employee (25)\$539493ca f3e3 4c1f b14e 54cba661f036 (40)	R\$Employee (25)\$539493ca f3e3 4c1f b14e 54cba661f036 (40)	Not available in source extraction	2	Warehouse design consideration	PARTIAL	Import/partition metadata from Tabular; LookML does not model partitions 1:1.	Ensure warehouse table refresh covers this source; no LookML partition object.
R\$Employee (25)\$7c262a8a d56f 4c97 95db c0f56177e4cd (41)	R\$Employee (25)\$7c262a8a d56f 4c97 95db c0f56177e4cd (41)	Not available in source extraction	2	Warehouse design consideration	PARTIAL	Import/partition metadata from Tabular; LookML does not model partitions 1:1.	Ensure warehouse table refresh covers this source; no LookML partition object.
R\$Employee (25)\$edfe54b9 43d8 4c14 a29d f17ddb0dd421 (42)	R\$Employee (25)\$edfe54b9 43d8 4c14 a29d f17ddb0dd421 (42)	Not available in source extraction	2	Warehouse design consideration	PARTIAL	Import/partition metadata from Tabular; LookML does not model partitions 1:1.	Ensure warehouse table refresh covers this source; no LookML partition object.
R\$Employee (25)\$35cbfa94 d30d 4da9 8fb6 e7d469edb9bb (43)	R\$Employee (25)\$35cbfa94 d30d 4da9 8fb6 e7d469edb9bb	Not available in source extraction	2	Warehouse design consideration	PARTIAL	Import/partition metadata from Tabular; LookML does not model partitions 1:1.	Ensure warehouse table refresh covers this source; no LookML partition object.
R\$Employee (25)\$1c53ee81 f20a 40a6 a5bd 97e57652fc88 (44)	R\$Employee (25)\$1c53ee81 f20a 40a6 a5bd 97e57652fc88 (44)	Not available in source extraction	2	Warehouse design consideration	PARTIAL	Import/partition metadata from Tabular; LookML does not model partitions 1:1.	Ensure warehouse table refresh covers this source; no LookML partition object.
H\$Ethnicity (28)\$Ethnic Group (84)	H\$Ethnicity (28)\$Ethnic Group (84)	Not available in source extraction	2	Warehouse design consideration	PARTIAL	Import/partition metadata from Tabular; LookML does not model partitions 1:1.	Ensure warehouse table refresh covers this source; no LookML partition object.
H\$Ethnicity (28)\$Ethnicity (85)	H\$Ethnicity (28)\$Ethnicity (85)	Not available in source extraction	2	Warehouse design consideration	PARTIAL	Import/partition metadata from Tabular; LookML does not model partitions 1:1.	Ensure warehouse table refresh covers this source; no LookML partition object.
H\$Gender (31)\$ID (86)	H\$Gender (31)\$ID (86)	Not available in source extraction	2	Warehouse design consideration	PARTIAL	Import/partition metadata from Tabular; LookML does not model partitions 1:1.	Ensure warehouse table refresh covers this source; no LookML partition object.
H\$Gender (31)\$Gender (87)	H\$Gender (31)\$Gender (87)	Not available in source extraction	2	Warehouse design consideration	PARTIAL	Import/partition metadata from Tabular; LookML does not model partitions 1:1.	Ensure warehouse table refresh covers this source; no LookML partition object.

Table	Partition	Source	Mode	Recommended LookML	Mapping Status	Comments	Suggestion
H\$Gender (31)\$Sort (88)	H\$Gender (31)\$Sort (88)	Not available in source extraction	2	Warehouse design consideration	PARTIAL	Import/partition metadata from Tabular; LookML does not model partitions 1:1.	Ensure warehouse table refresh covers this source; no LookML partition object.
H\$AgeGroup (34)\$AgeGroupID (89)	H\$AgeGroup (34)\$AgeGroupID (89)	Not available in source extraction	2	Warehouse design consideration	PARTIAL	Import/partition metadata from Tabular; LookML does not model partitions 1:1.	Ensure warehouse table refresh covers this source; no LookML partition object.
H\$AgeGroup (34)\$AgeGroup (90)	H\$AgeGroup (34)\$AgeGroup (90)	Not available in source extraction	2	Warehouse design consideration	PARTIAL	Import/partition metadata from Tabular; LookML does not model partitions 1:1.	Ensure warehouse table refresh covers this source; no LookML partition object.
DateTableTemplate_92fd358c-bb4c-4d52-9f5b-e9a59dc2315d	DateTableTemplate_92fd358c-bb4c-4d52-9f5b-e9a59dc2315d-a77c7bd2-b06b-4692-81d1-b28cb1313ae7	Calendar(Date(2015,1,1), Date(2015,1,1))	0	Irrelevant to LookML (internal)	SKIP_INTERNAL	Partition on auto date / internal table.	Ignore for LookML; warehouse uses business tables only.
LocalDateTable_6f19fed3-1fc0-4f7a-878d-34aca93d6782	LocalDateTable_6f19fed3-1fc0-4f7a-878d-34aca93d6782-18b38778-d461-40be-8bdc-5cabd9622731	Calendar(Date(Year(MIN('Date'[Date])), 1, 1), Date(Year(MAX('Date'[Date])), 12, 31))	0	Irrelevant to LookML (internal)	SKIP_INTERNAL	Partition on auto date / internal table.	Ignore for LookML; warehouse uses business tables only.
LocalDateTable_d2ea5b26-668d-4c17-b228-695669b066a6	LocalDateTable_d2ea5b26-668d-4c17-b228-695669b066a6-4c3da6c6-9d21-4e9f-abd6-8f10391041fe	Calendar(Date(Year(MIN('Date'[MonthStartDate])), 1, 1), Date(Year(MAX('Date'[MonthStartDate])), 12, 31))	0	Irrelevant to LookML (internal)	SKIP_INTERNAL	Partition on auto date / internal table.	Ignore for LookML; warehouse uses business tables only.
LocalDateTable_c9dde99e-7ac1-4e8e-a5f2-c5ffc41d9cac	LocalDateTable_c9dde99e-7ac1-4e8e-a5f2-c5ffc41d9cac-fda95d47-f471-4e23-a11c-368e4a09cd75	Calendar(Date(Year(MIN('Date'[MonthEndDate])), 1, 1), Date(Year(MAX('Date'[MonthEndDate])), 12, 31))	0	Irrelevant to LookML (internal)	SKIP_INTERNAL	Partition on auto date / internal table.	Ignore for LookML; warehouse uses business tables only.
LocalDateTable_cc28ef26-f63a-4bc3-b357-93ab34cd6d9b	LocalDateTable_cc28ef26-f63a-4bc3-b357-93ab34cd6d9b-83843428-aaf8-48a2-a87d-94f90c4f36b7	Calendar(Date(Year(MIN('Employee'[TermDate])), 1, 1), Date(Year(MAX('Employee'[TermDate])), 12, 31))	0	Irrelevant to LookML (internal)	SKIP_INTERNAL	Partition on auto date / internal table.	Ignore for LookML; warehouse uses business tables only.

Table	Partition	Source	Mode	Recommended LookML	Mapping Status	Comments	Suggestion
LocalDateTable_c04ce649-6e25-466f-9bbc-faabfec0fe29	LocalDateTable_c04ce649-6e25-466f-9bbc-faabfec0fe29-9ffb8a4b-4446-46fa-b675-98489db2a49a	Calendar(Date(Year(MIN('Employee'[HireDate])), 1, 1), Date(Year(MAX('Employee'[HireDate])), 12, 31))	0	Irrelevant to LookML (internal)	SKIP_INTERNAL	Partition on auto date / internal table.	Ignore for LookML; warehouse uses business tables only.
R\$Date (22)\$0f809af4d31b 4977 a2148f13fa42f41d (2056)	R\$Date (22)\$0f809af4d31b 4977 a2148f13fa42f41d (2056)	Not available in source extraction	2	Warehouse design consideration	PARTIAL	Import/partition metadata from Tabular; LookML does not model partitions 1:1.	Ensure warehouse table refresh covers this source; no LookML partition object.
R\$Date (22)\$f496f9ad5665 4785 a30eb1bbcf7be215 (2057)	R\$Date (22)\$f496f9ad5665 4785 a30eb1bbcf7be215 (2057)	Not available in source extraction	2	Warehouse design consideration	PARTIAL	Import/partition metadata from Tabular; LookML does not model partitions 1:1.	Ensure warehouse table refresh covers this source; no LookML partition object.
R\$Date (22)\$b2a9d3460212 432d a1a957680b4a73ea (2058)	R\$Date (22)\$b2a9d3460212 432d a1a957680b4a73ea (2058)	Not available in source extraction	2	Warehouse design consideration	PARTIAL	Import/partition metadata from Tabular; LookML does not model partitions 1:1.	Ensure warehouse table refresh covers this source; no LookML partition object.
R\$Employee (25)\$e020e64e e74a 4b8fbed8 e879143ea6d8 (2059)	R\$Employee (25)\$e020e64e e74a 4b8fbed8 e879143ea6d8 (2059)	Not available in source extraction	2	Warehouse design consideration	PARTIAL	Import/partition metadata from Tabular; LookML does not model partitions 1:1.	Ensure warehouse table refresh covers this source; no LookML partition object.
R\$Employee (25)\$3e454a13 2d74 4769b44d 91ce492acf1a (2060)	R\$Employee (25)\$3e454a13 2d74 4769 b44d 91ce492acf1a (2060)	Not available in source extraction	2	Warehouse design consideration	PARTIAL	Import/partition metadata from Tabular; LookML does not model partitions 1:1.	Ensure warehouse table refresh covers this source; no LookML partition object.
H\$DateTableTemplate 92fd358c bb4c 4d52 9f5be9a59dc2315d (1955)\$Date (1958)	H\$DateTableTemplate 92fd358c bb4c 4d52 9f5be9a59dc2315d (1955)\$Date (1958)	Not available in source extraction	2	Warehouse design consideration	PARTIAL	Import/partition metadata from Tabular; LookML does not model partitions 1:1.	Ensure warehouse table refresh covers this source; no LookML partition object.

Table	Partition	Source	Mode	Recommended LookML	Mapping Status	Comments	Suggestion
H\$DateTableTemplate 92fd358c bb4c 4d52 9f5b e9a59dc2315d (1955)\$Year (1959)	H\$DateTableTemp late 92fd358c bb4c 4d52 9f5b e9a59dc2315d (1955)\$Year	Not available in source extraction	2	Warehouse design consideration	PARTIAL	Import/partition metadata from Tabular; LookML does not model partitions 1:1.	Ensure warehouse table refresh covers this source; no LookML partition object.
H\$DateTableTemplate 92fd358c bb4c 4d52 9f5b e9a59dc2315d (1955)\$MonthNo (1960)	H\$DateTableTemp late 92fd358c bb4c 4d52 9f5b e9a59dc2315d (1955)\$MonthNo (1960)	Not available in source extraction	2	Warehouse design consideration	PARTIAL	Import/partition metadata from Tabular; LookML does not model partitions 1:1.	Ensure warehouse table refresh covers this source; no LookML partition object.
H\$DateTableTemplate 92fd358c bb4c 4d52 9f5b e9a59dc2315d (1955)\$Month (1961)	H\$DateTableTemp late 92fd358c bb4c 4d52 9f5b e9a59dc2315d (1955)\$Month (1961)	Not available in source extraction	2	Warehouse design consideration	PARTIAL	Import/partition metadata from Tabular; LookML does not model partitions 1:1.	Ensure warehouse table refresh covers this source; no LookML partition object.
H\$DateTableTemplate 92fd358c bb4c 4d52 9f5b e9a59dc2315d (1955)\$QuarterNo (1962)	H\$DateTableTemp late 92fd358c bb4c 4d52 9f5b e9a59dc2315d (1955)\$QuarterNo (1962)	Not available in source extraction	2	Warehouse design consideration	PARTIAL	Import/partition metadata from Tabular; LookML does not model partitions 1:1.	Ensure warehouse table refresh covers this source; no LookML partition object.
H\$DateTableTemplate 92fd358c bb4c 4d52 9f5b e9a59dc2315d (1955)\$Quarter (1963)	H\$DateTableTemp late 92fd358c bb4c 4d52 9f5b e9a59dc2315d (1955)\$Quarter (1963)	Not available in source extraction	2	Warehouse design consideration	PARTIAL	Import/partition metadata from Tabular; LookML does not model partitions 1:1.	Ensure warehouse table refresh covers this source; no LookML partition object.
H\$DateTableTemplate 92fd358c bb4c 4d52 9f5b e9a59dc2315d (1955)\$Day (1964)	H\$DateTableTemp late 92fd358c bb4c 4d52 9f5b e9a59dc2315d (1955)\$Day (1964)	Not available in source extraction	2	Warehouse design consideration	PARTIAL	Import/partition metadata from Tabular; LookML does not model partitions 1:1.	Ensure warehouse table refresh covers this source; no LookML partition object.

Table	Partition	Source	Mode	Recommended LookML	Mapping Status	Comments	Suggestion
U\$DateTableTemplate 92fd358c bb4c 4d52 9f5b e9a59dc2315d (1955)\$Date Hierarchy (1966)	U\$DateTableTemp late 92fd358c bb4c 4d52 9f5b e9a59dc2315d (1955)\$Date Hierarchy (1966)	Not available in source extraction	2	Warehouse design consideration	PARTIAL	Import/partition metadata from Tabular; LookML does not model partitions 1:1.	Ensure warehouse table refresh covers this source; no LookML partition object.
H\$LocalDateTable 6f19fed3 1fc0 4f7a 878d 34aca93d6782 (2041)\$Date (2061)	H\$LocalDateTable 6f19fed3 1fc0 4f7a 878d 34aca93d6782 (2041)\$Date	Not available in source extraction	2	Warehouse design consideration	PARTIAL	Import/partition metadata from Tabular; LookML does not model partitions 1:1.	Ensure warehouse table refresh covers this source; no LookML partition object.
H\$LocalDateTable 6f19fed3 1fc0 4f7a 878d 34aca93d6782 (2041)\$Year (2062)	H\$LocalDateTable 6f19fed3 1fc0 4f7a 878d 34aca93d6782 (2041)\$Year	Not available in source extraction	2	Warehouse design consideration	PARTIAL	Import/partition metadata from Tabular; LookML does not model partitions 1:1.	Ensure warehouse table refresh covers this source; no LookML partition object.
H\$LocalDateTable 6f19fed3 1fc0 4f7a 878d 34aca93d6782 (2041)\$MonthNo (2063)	H\$LocalDateTable 6f19fed3 1fc0 4f7a 878d 34aca93d6782 (2041)\$MonthNo (2063)	Not available in source extraction	2	Warehouse design consideration	PARTIAL	Import/partition metadata from Tabular; LookML does not model partitions 1:1.	Ensure warehouse table refresh covers this source; no LookML partition object.
H\$LocalDateTable 6f19fed3 1fc0 4f7a 878d 34aca93d6782 (2041)\$Month (2064)	H\$LocalDateTable 6f19fed3 1fc0 4f7a 878d 34aca93d6782 (2041)\$Month (2064)	Not available in source extraction	2	Warehouse design consideration	PARTIAL	Import/partition metadata from Tabular; LookML does not model partitions 1:1.	Ensure warehouse table refresh covers this source; no LookML partition object.
H\$LocalDateTable 6f19fed3 1fc0 4f7a 878d 34aca93d6782 (2041)\$QuarterNo (2065)	H\$LocalDateTable 6f19fed3 1fc0 4f7a 878d 34aca93d6782 (2041)\$QuarterNo (2065)	Not available in source extraction	2	Warehouse design consideration	PARTIAL	Import/partition metadata from Tabular; LookML does not model partitions 1:1.	Ensure warehouse table refresh covers this source; no LookML partition object.

Table	Partition	Source	Mode	Recommended LookML	Mapping Status	Comments	Suggestion
H\$LocalDateTable 6f19fed3 1fc0 4f7a 878d 34aca93d6782 (2041)\$Quarter (2066)	H\$LocalDateTable 6f19fed3 1fc0 4f7a 878d 34aca93d6782 (2041)\$Quarter (2066)	Not available in source extraction	2	Warehouse design consideration	PARTIAL	Import/partition metadata from Tabular; LookML does not model partitions 1:1.	Ensure warehouse table refresh covers this source; no LookML partition object.
H\$LocalDateTable 6f19fed3 1fc0 4f7a 878d 34aca93d6782 (2041)\$Day (2067)	H\$LocalDateTable 6f19fed3 1fc0 4f7a 878d 34aca93d6782 (2041)\$Day (2067)	Not available in source extraction	2	Warehouse design consideration	PARTIAL	Import/partition metadata from Tabular; LookML does not model partitions 1:1.	Ensure warehouse table refresh covers this source; no LookML partition object.
U\$LocalDateTable 6f19fed3 1fc0 4f7a 878d 34aca93d6782 (2041)\$Date Hierarchy (2101)	U\$LocalDateTable 6f19fed3 1fc0 4f7a 878d 34aca93d6782 (2041)\$Date Hierarchy (2101)	Not available in source extraction	2	Warehouse design consideration	PARTIAL	Import/partition metadata from Tabular; LookML does not model partitions 1:1.	Ensure warehouse table refresh covers this source; no LookML partition object.
H\$LocalDateTable d2ea5b26 668d 4c17 b228 695669b066a6 (2044)\$Date (2068)	H\$LocalDateTable d2ea5b26 668d 4c17 b228 695669b066a6 (2044)\$Date	Not available in source extraction	2	Warehouse design consideration	PARTIAL	Import/partition metadata from Tabular; LookML does not model partitions 1:1.	Ensure warehouse table refresh covers this source; no LookML partition object.
H\$LocalDateTable d2ea5b26 668d 4c17 b228 695669b066a6 (2044)\$Year (2069)	H\$LocalDateTable d2ea5b26 668d 4c17 b228 695669b066a6 (2044)\$Year (2069)	Not available in source extraction	2	Warehouse design consideration	PARTIAL	Import/partition metadata from Tabular; LookML does not model partitions 1:1.	Ensure warehouse table refresh covers this source; no LookML partition object.
H\$LocalDateTable d2ea5b26 668d 4c17 b228 695669b066a6 (2044)\$MonthNo (2070)	H\$LocalDateTable d2ea5b26 668d 4c17 b228 695669b066a6 (2044)\$MonthNo (2070)	Not available in source extraction	2	Warehouse design consideration	PARTIAL	Import/partition metadata from Tabular; LookML does not model partitions 1:1.	Ensure warehouse table refresh covers this source; no LookML partition object.
H\$LocalDateTable d2ea5b26 668d 4c17 b228 695669b066a6 (2044)\$Month (2071)	H\$LocalDateTable d2ea5b26 668d 4c17 b228 695669b066a6 (2044)\$Month (2071)	Not available in source extraction	2	Warehouse design consideration	PARTIAL	Import/partition metadata from Tabular; LookML does not model partitions 1:1.	Ensure warehouse table refresh covers this source; no LookML partition object.

Table	Partition	Source	Mode	Recommended LookML	Mapping Status	Comments	Suggestion
H\$LocalDateTable d2ea5b26 668d 4c17 b228 695669b066a6 (2044)\$QuarterNo (2072)	H\$LocalDateTable d2ea5b26 668d 4c17 b228 695669b066a6 (2044)\$QuarterNo (2072)	Not available in source extraction	2	Warehouse design consideration	PARTIAL	Import/partition metadata from Tabular; LookML does not model partitions 1:1.	Ensure warehouse table refresh covers this source; no LookML partition object.
H\$LocalDateTable d2ea5b26 668d 4c17 b228 695669b066a6 (2044)\$Quarter (2073)	H\$LocalDateTable d2ea5b26 668d 4c17 b228 695669b066a6 (2044)\$Quarter (2073)	Not available in source extraction	2	Warehouse design consideration	PARTIAL	Import/partition metadata from Tabular; LookML does not model partitions 1:1.	Ensure warehouse table refresh covers this source; no LookML partition object.
H\$LocalDateTable d2ea5b26 668d 4c17 b228 695669b066a6 (2044)\$Day (2074)	H\$LocalDateTable d2ea5b26 668d 4c17 b228 695669b066a6 (2044)\$Day (2074)	Not available in source extraction	2	Warehouse design consideration	PARTIAL	Import/partition metadata from Tabular; LookML does not model partitions 1:1.	Ensure warehouse table refresh covers this source; no LookML partition object.
U\$LocalDateTable d2ea5b26 668d 4c17 b228 695669b066a6 (2044)\$Date Hierarchy (2102)	U\$LocalDateTable d2ea5b26 668d 4c17 b228 695669b066a6 (2044)\$Date Hierarchy (2102)	Not available in source extraction	2	Warehouse design consideration	PARTIAL	Import/partition metadata from Tabular; LookML does not model partitions 1:1.	Ensure warehouse table refresh covers this source; no LookML partition object.
H\$LocalDateTable c9dde99e 7ac1 4e8e a5f2 c5ffc41d9cac (2047)\$Date (2075)	H\$LocalDateTable c9dde99e 7ac1 4e8e a5f2 c5ffc41d9cac (2047)\$Date	Not available in source extraction	2	Warehouse design consideration	PARTIAL	Import/partition metadata from Tabular; LookML does not model partitions 1:1.	Ensure warehouse table refresh covers this source; no LookML partition object.
H\$LocalDateTable c9dde99e 7ac1 4e8e a5f2 c5ffc41d9cac (2047)\$Year (2076)	H\$LocalDateTable c9dde99e 7ac1 4e8e a5f2 c5ffc41d9cac (2047)\$Year	Not available in source extraction	2	Warehouse design consideration	PARTIAL	Import/partition metadata from Tabular; LookML does not model partitions 1:1.	Ensure warehouse table refresh covers this source; no LookML partition object.
H\$LocalDateTable c9dde99e 7ac1 4e8e a5f2 c5ffc41d9cac (2047)\$MonthNo (2077)	H\$LocalDateTable c9dde99e 7ac1 4e8e a5f2 c5ffc41d9cac (2047)\$MonthNo (2077)	Not available in source extraction	2	Warehouse design consideration	PARTIAL	Import/partition metadata from Tabular; LookML does not model partitions 1:1.	Ensure warehouse table refresh covers this source; no LookML partition object.

Table	Partition	Source	Mode	Recommended LookML	Mapping Status	Comments	Suggestion
H\$LocalDateTable c9dde99e 7ac1 4e8e a5f2 c5ffc41d9cac (2047)\$Month (2078)	H\$LocalDateTable c9dde99e 7ac1 4e8e a5f2 c5ffc41d9cac (2047)\$Month (2078)	Not available in source extraction	2	Warehouse design consideration	PARTIAL	Import/partition metadata from Tabular; LookML does not model partitions 1:1.	Ensure warehouse table refresh covers this source; no LookML partition object.
H\$LocalDateTable c9dde99e 7ac1 4e8e a5f2 c5ffc41d9cac (2047)\$QuarterNo (2079)	H\$LocalDateTable c9dde99e 7ac1 4e8e a5f2 c5ffc41d9cac (2047)\$QuarterNo (2079)	Not available in source extraction	2	Warehouse design consideration	PARTIAL	Import/partition metadata from Tabular; LookML does not model partitions 1:1.	Ensure warehouse table refresh covers this source; no LookML partition object.
H\$LocalDateTable c9dde99e 7ac1 4e8e a5f2 c5ffc41d9cac (2047)\$Quarter (2080)	H\$LocalDateTable c9dde99e 7ac1 4e8e a5f2 c5ffc41d9cac (2047)\$Quarter (2080)	Not available in source extraction	2	Warehouse design consideration	PARTIAL	Import/partition metadata from Tabular; LookML does not model partitions 1:1.	Ensure warehouse table refresh covers this source; no LookML partition object.
H\$LocalDateTable c9dde99e 7ac1 4e8e a5f2 c5ffc41d9cac (2047)\$Day (2081)	H\$LocalDateTable c9dde99e 7ac1 4e8e a5f2 c5ffc41d9cac (2047)\$Day (2081)	Not available in source extraction	2	Warehouse design consideration	PARTIAL	Import/partition metadata from Tabular; LookML does not model partitions 1:1.	Ensure warehouse table refresh covers this source; no LookML partition object.
U\$LocalDateTable c9dde99e 7ac1 4e8e a5f2 c5ffc41d9cac (2047)\$Date Hierarchy (2103)	U\$LocalDateTable c9dde99e 7ac1 4e8e a5f2 c5ffc41d9cac (2047)\$Date Hierarchy (2103)	Not available in source extraction	2	Warehouse design consideration	PARTIAL	Import/partition metadata from Tabular; LookML does not model partitions 1:1.	Ensure warehouse table refresh covers this source; no LookML partition object.
H\$LocalDateTable cc28ef26 f63a 4bc3 b357 93ab34cd6d9b (2050)\$Date (2082)	H\$LocalDateTable cc28ef26 f63a 4bc3 b357 93ab34cd6d9b (2050)\$Date	Not available in source extraction	2	Warehouse design consideration	PARTIAL	Import/partition metadata from Tabular; LookML does not model partitions 1:1.	Ensure warehouse table refresh covers this source; no LookML partition object.
H\$LocalDateTable cc28ef26 f63a 4bc3 b357 93ab34cd6d9b (2050)\$Year (2083)	H\$LocalDateTable cc28ef26 f63a 4bc3 b357 93ab34cd6d9b (2050)\$Year (2083)	Not available in source extraction	2	Warehouse design consideration	PARTIAL	Import/partition metadata from Tabular; LookML does not model partitions 1:1.	Ensure warehouse table refresh covers this source; no LookML partition object.

Table	Partition	Source	Mode	Recommended LookML	Mapping Status	Comments	Suggestion
H\$LocalDateTable cc28ef26 f63a 4bc3 b357 93ab34cd6d9b (2050)\$MonthNo (2084)	H\$LocalDateTable cc28ef26 f63a 4bc3 b357 93ab34cd6d9b (2050)\$MonthNo (2084)	Not available in source extraction	2	Warehouse design consideration	PARTIAL	Import/partition metadata from Tabular; LookML does not model partitions 1:1.	Ensure warehouse table refresh covers this source; no LookML partition object.
H\$LocalDateTable cc28ef26 f63a 4bc3 b357 93ab34cd6d9b (2050)\$Month (2085)	H\$LocalDateTable cc28ef26 f63a 4bc3 b357 93ab34cd6d9b (2050)\$Month (2085)	Not available in source extraction	2	Warehouse design consideration	PARTIAL	Import/partition metadata from Tabular; LookML does not model partitions 1:1.	Ensure warehouse table refresh covers this source; no LookML partition object.
H\$LocalDateTable cc28ef26 f63a 4bc3 b357 93ab34cd6d9b (2050)\$QuarterNo (2086)	H\$LocalDateTable cc28ef26 f63a 4bc3 b357 93ab34cd6d9b (2050)\$QuarterNo (2086)	Not available in source extraction	2	Warehouse design consideration	PARTIAL	Import/partition metadata from Tabular; LookML does not model partitions 1:1.	Ensure warehouse table refresh covers this source; no LookML partition object.
H\$LocalDateTable cc28ef26 f63a 4bc3 b357 93ab34cd6d9b (2050)\$Quarter (2087)	H\$LocalDateTable cc28ef26 f63a 4bc3 b357 93ab34cd6d9b (2050)\$Quarter (2087)	Not available in source extraction	2	Warehouse design consideration	PARTIAL	Import/partition metadata from Tabular; LookML does not model partitions 1:1.	Ensure warehouse table refresh covers this source; no LookML partition object.
H\$LocalDateTable cc28ef26 f63a 4bc3 b357 93ab34cd6d9b (2050)\$Day (2088)	H\$LocalDateTable cc28ef26 f63a 4bc3 b357 93ab34cd6d9b (2050)\$Day (2088)	Not available in source extraction	2	Warehouse design consideration	PARTIAL	Import/partition metadata from Tabular; LookML does not model partitions 1:1.	Ensure warehouse table refresh covers this source; no LookML partition object.
U\$LocalDateTable cc28ef26 f63a 4bc3 b357 93ab34cd6d9b (2050)\$Date Hierarchy (2104)	U\$LocalDateTable cc28ef26 f63a 4bc3 b357 93ab34cd6d9b (2050)\$Date Hierarchy (2104)	Not available in source extraction	2	Warehouse design consideration	PARTIAL	Import/partition metadata from Tabular; LookML does not model partitions 1:1.	Ensure warehouse table refresh covers this source; no LookML partition object.

Table	Partition	Source	Mode	Recommended LookML	Mapping Status	Comments	Suggestion
H\$LocalDateTable c04ce649 6e25 466f 9bbc faabfec0fe29 (2053)\$Date (2089)	H\$LocalDateTable c04ce649 6e25 466f 9bbc faabfec0fe29 (2053)\$Date	Not available in source extraction	2	Warehouse design consideration	PARTIAL	Import/partition metadata from Tabular; LookML does not model partitions 1:1.	Ensure warehouse table refresh covers this source; no LookML partition object.
H\$LocalDateTable c04ce649 6e25 466f 9bbc faabfec0fe29 (2053)\$Year (2090)	H\$LocalDateTable c04ce649 6e25 466f 9bbc faabfec0fe29 (2053)\$Year	Not available in source extraction	2	Warehouse design consideration	PARTIAL	Import/partition metadata from Tabular; LookML does not model partitions 1:1.	Ensure warehouse table refresh covers this source; no LookML partition object.
H\$LocalDateTable c04ce649 6e25 466f 9bbc faabfec0fe29 (2053)\$MonthNo (2091)	H\$LocalDateTable c04ce649 6e25 466f 9bbc faabfec0fe29 (2053)\$MonthNo (2091)	Not available in source extraction	2	Warehouse design consideration	PARTIAL	Import/partition metadata from Tabular; LookML does not model partitions 1:1.	Ensure warehouse table refresh covers this source; no LookML partition object.
H\$LocalDateTable c04ce649 6e25 466f 9bbc faabfec0fe29 (2053)\$Month (2092)	H\$LocalDateTable c04ce649 6e25 466f 9bbc faabfec0fe29 (2053)\$Month (2092)	Not available in source extraction	2	Warehouse design consideration	PARTIAL	Import/partition metadata from Tabular; LookML does not model partitions 1:1.	Ensure warehouse table refresh covers this source; no LookML partition object.
H\$LocalDateTable c04ce649 6e25 466f 9bbc faabfec0fe29 (2053)\$QuarterNo (2093)	H\$LocalDateTable c04ce649 6e25 466f 9bbc faabfec0fe29 (2053)\$QuarterNo (2093)	Not available in source extraction	2	Warehouse design consideration	PARTIAL	Import/partition metadata from Tabular; LookML does not model partitions 1:1.	Ensure warehouse table refresh covers this source; no LookML partition object.
H\$LocalDateTable c04ce649 6e25 466f 9bbc faabfec0fe29 (2053)\$Quarter (2094)	H\$LocalDateTable c04ce649 6e25 466f 9bbc faabfec0fe29 (2053)\$Quarter (2094)	Not available in source extraction	2	Warehouse design consideration	PARTIAL	Import/partition metadata from Tabular; LookML does not model partitions 1:1.	Ensure warehouse table refresh covers this source; no LookML partition object.
H\$LocalDateTable c04ce649 6e25 466f 9bbc faabfec0fe29 (2053)\$Day (2095)	H\$LocalDateTable c04ce649 6e25 466f 9bbc faabfec0fe29 (2053)\$Day (2095)	Not available in source extraction	2	Warehouse design consideration	PARTIAL	Import/partition metadata from Tabular; LookML does not model partitions 1:1.	Ensure warehouse table refresh covers this source; no LookML partition object.

Table	Partition	Source	Mode	Recommended LookML	Mapping Status	Comments	Suggestion
U\$LocalDateTable c04ce649 6e25 466f 9bbc faabfec0fe29 (2053)\$Date Hierarchy (2105)	U\$LocalDateTable c04ce649 6e25 466f 9bbc faabfec0fe29 (2053)\$Date Hierarchy (2105)	Not available in source extraction	2	Warehouse design consideration	PARTIAL	Import/partition metadata from Tabular; LookML does not model partitions 1:1.	Ensure warehouse table refresh covers this source; no LookML partition object.

Section 11 - Sort-By Columns

Table	Column	Sort By Column	Recommended LookML	Mapping Status	Comments	Suggestion
-	-	-	NONE_IN_SOURCE	NONE_IN_SOURCE	No Sort By Column metadata extracted.	If needed later, use order_by_field in LookML.

Section 12 - Formatting / Display Metadata

Table	Object	Power BI Format	Recommended LookML	Mapping Status	Comments	Suggestion
Date	Date	General Date	value_format / value_format_name	PARTIAL	Power BI format string captured on column.	Map to LookML value_format_name where standard; else custom value_format.
Date	MonthStartDate	General Date	value_format / value_format_name	PARTIAL	Power BI format string captured on column.	Map to LookML value_format_name where standard; else custom value_format.
Date	MonthEndDate	General Date	value_format / value_format_name	PARTIAL	Power BI format string captured on column.	Map to LookML value_format_name where standard; else custom value_format.
Employee	date	General Date	value_format / value_format_name	PARTIAL	Power BI format string captured on column.	Map to LookML value_format_name where standard; else custom value_format.
Employee	TermDate	General Date	value_format / value_format_name	PARTIAL	Power BI format string captured on column.	Map to LookML value_format_name where standard; else custom value_format.
-	display_folders	NONE_IN_SOURCE	group_label / view labels	NONE_IN_SOURCE	No display folder entries in extraction.	Optional group_label in next phase.
Employee / BU / Date	measures	Not available in source extraction (format_string null on dax_measures)	value_format_name on measures	BLOCKED	Measure format strings not present in Phase 1 DAX extract.	Infer percent/decimal from measure names in implementation phase; confirm in Power BI UI if needed.

Section 13 - Auto Date Tables

Internal Table	Columns	Hierarchy	Recommended LookML Treatment	Mapping Status	Comments	Suggestion
DateTableTemplate_92fd358c-bb4c-4d52-9f5b-e9a59dc2315d	Date, Year, MonthNo, Month, QuarterNo, Quarter, Day	Date Hierarchy	SKIP_INTERNAL	SKIP_INTERNAL	Power BI auto date table with Calendar(...) DAX; not a business calendar.	Replace auto-date behavior with business Date view + Looker timeframes / PoP.
LocalDateTable_6f19fed3-1fc0-4f7a-878d-34aca93d6782	Date, Year, MonthNo, Month, QuarterNo, Quarter, Day	Date Hierarchy	SKIP_INTERNAL	SKIP_INTERNAL	Power BI auto date table with Calendar(...) DAX; not a business calendar.	Replace auto-date behavior with business Date view + Looker timeframes / PoP.
LocalDateTable_c04ce649-6e25-466f-9bbc-faabfec0fe29	Date, Year, MonthNo, Month, QuarterNo, Quarter, Day	Date Hierarchy	SKIP_INTERNAL	SKIP_INTERNAL	Power BI auto date table with Calendar(...) DAX; not a business calendar.	Replace auto-date behavior with business Date view + Looker timeframes / PoP.
LocalDateTable_c9dde99e-7ac1-4e8e-a5f2-c5ffc41d9cac	Date, Year, MonthNo, Month, QuarterNo, Quarter, Day	Date Hierarchy	SKIP_INTERNAL	SKIP_INTERNAL	Power BI auto date table with Calendar(...) DAX; not a business calendar.	Replace auto-date behavior with business Date view + Looker timeframes / PoP.
LocalDateTable_cc28ef26-f63a-4bc3-b357-93ab34cd6d9b	Date, Year, MonthNo, Month, QuarterNo, Quarter, Day	Date Hierarchy	SKIP_INTERNAL	SKIP_INTERNAL	Power BI auto date table with Calendar(...) DAX; not a business calendar.	Replace auto-date behavior with business Date view + Looker timeframes / PoP.
LocalDateTable_d2ea5b26-668d-4c17-b228-695669b066	Date, Year, MonthNo, Month, QuarterNo, Quarter, Day	Date Hierarchy	SKIP_INTERNAL	SKIP_INTERNAL	Power BI auto date table with Calendar(...) DAX; not a business calendar.	Replace auto-date behavior with business Date view + Looker timeframes / PoP.

a6

Section 14 - Annotations / Other Tabular Metadata

Object	Metadata Type	Power BI Value	LookML Equivalent	Mapping Status	Comments	Suggestion
perspectives	perspectives	NONE_IN_SOURCE	No LookML equivalent (Explore curation)	NONE_IN_SOURCE	No perspectives in PBIX.	Optionally hide explores/fields manually.
rls	security	NONE_IN_SOURCE	access_grant / sql_always_where	NONE_IN_SOURCE	No RLS roles.	No security mapping required from PBIX.
ols	security	NONE_IN_SOURCE	field-level access_grant	NONE_IN_SOURCE	No OLS.	N/A
model annotations	annotations	158 annotation records in 05_tmschema_extra_s.json	Not available in source extraction as LookML 1:1	PARTIAL	Large annotation set captured in Phase 1 JSON; mostly Power BI internal tags.	Review annotations JSON only if a specific business tag is needed; do not auto-migrate all.
__PBI_TimeIntelligenceEnabled	metadata	1	No direct equivalent	PARTIAL	PBIX metadata key/value.	Informational only for Looker.
PBIDesktopVersion	metadata	2.109.6661.0001 (Main)	No direct equivalent	PARTIAL	PBIX metadata key/value.	Informational only for Looker.

Object	Metadata Type	Power BI Value	LookML Equivalent	Mapping Status	Comments	Suggestion
PBI_QueryOrder	metadata	["BU","FP","PayType","SeparationReason","Date","Employee","Ethnicity","Gender","AgeGroup"]	No direct equivalent	PARTIAL	PBIX metadata key/value.	Informational only for Looker.
tmschema_model	model	Name=Model; Culture=en-US; DefaultMode=0	model connection / project settings	PARTIAL	Tabular model header metadata.	Set Looker connection separately; culture may affect formats.
variations	variations	5 records	No direct equivalent	PARTIAL	Field variations captured in TM extras.	Usually skip unless UI field variations matter.

Section 15 - Complex / Unmapped Objects

Object Type	Table	Object	Mapping Status	Why Direct Mapping Is Difficult	Dependency	Recommended Approach	KPI Impact	Priority
measure	Employee	EmpCount	COMPLEX	EmpCount uses FILTER(ALL(PeriodNumber), PeriodNumber = MAX(...)) latest-period pattern.	Date / filter context / parent measures	Use always_filter / liquid / SQL max-period filter; do not treat as plain COUNT.	Affects EmpCount, EmpCount SPLY, and Actives if Actives wraps EmpCount.	HIGH
measure	Employee	New Hires SPLY	COMPLEX	Uses SAMEPERIODLASTYEAR and requires date-filter context validation.	Date / filter context / parent measures	Review LookML time-based / PoP implementation and validate against Power BI KPI results.	Blocks YoY and SPLY-dependent KPIs until implemented.	HIGH
measure	Employee	Actives SPLY	COMPLEX	Uses SAMEPERIODLASTYEAR and requires date-filter context validation.	Date / filter context / parent measures	Review LookML time-based / PoP implementation and validate against Power BI KPI results.	Blocks YoY and SPLY-dependent KPIs until implemented.	HIGH
measure	Employee	Seps SPLY	COMPLEX	Uses SAMEPERIODLASTYEAR and requires date-filter context validation.	Date / filter context / parent measures	Review LookML time-based / PoP implementation and validate against Power BI KPI results.	Blocks YoY and SPLY-dependent KPIs until implemented.	HIGH

Object Type	Table	Object	Mapping Status	Why Direct Mapping Is Difficult	Dependency	Recommended Approach	KPI Impact	Priority
measure	Employee	EmpCount SPLY	COMPLEX	Uses SAMEPERIODLASTYEAR and requires date-filter context validation.	Date / filter context / parent measures	Review LookML time-based / PoP implementation and validate against Power BI KPI results.	Blocks YoY and SPLY-dependent KPIs until implemented.	HIGH
measure	Employee	Bad Hires SPLY	COMPLEX	Uses SAMEPERIODLASTYEAR and requires date-filter context validation.	Date / filter context / parent measures	Review LookML time-based / PoP implementation and validate against Power BI KPI results.	Blocks YoY and SPLY-dependent KPIs until implemented.	HIGH
measure	Employee	TO % Norm	COMPLEX	Uses ALL() to ignore Gender/Ethnicity filter context (TO % Norm pattern).	Date / filter context / parent measures	Implement via filtered measure / explore that ignores those dimensions; parity-test vs	Blocks TO % Norm and TO % Var.	HIGH
calculated_column	Date	MonthIncrementNumber	WAREHOUSE_REQUIRED	Uses model-wide MIN(Year) pattern - awkward as pure LookML.	Date.m / Date table	Materialize in warehouse Date table.	Feeds measures that reference this column	MEDIUM
power_query	Employee	Employee.m	WAREHOUSE_REQUIRED	Complex SQL + UNION actives/seps + transforms; largest ETL dependency.	inventory/04_m_raw/Employee.m	Port M SQL to warehouse view/table before any HR KPI LookML is runnable.	ALL Employee measures / KPIs	HIGH

Section 16 - Overall Object Mapping Summary

Power BI Object Type	Total	Direct Mapping	Partial	Complex	Warehouse Required	Skip Internal	Blocked
Tables	15	9	0	0	0	6	0
Columns	87	38	7	0	0	42	0
Measures	30	9	14	7	0	0	0
Calculated Columns	43	6	0	0	1	36	0
Calculated Tables	6	0	0	0	0	6	0
Relationships	8	8	0	0	0	0	0
Power Query	9	0	0	0	9	0	0
Hierarchies	7	0	1	0	0	6	0

Power BI Object Type	Total	Direct Mapping	Partial	Complex	Warehouse Required	Skip Internal	Blocked
RLS	0	0	0	0	0	1	0

Totals derived from Phase 1 extraction (gate `PASS`): tables=15, columns=87, measures=30, calculated_columns=43, calculated_tables=6, relationships=8, power_query=9, hierarchies=7, partitions=122, rls_roles=0.

Mapping Status Definitions (reference)

Status	Meaning
DIRECT	Clear one-to-one conceptual mapping
PARTIAL	Representable in LookML with extra design/validation
COMPLEX	Not safe as a simple LookML object
WAREHOUSE_REQUIRED	Prefer warehouse before LookML
SKIP_INTERNAL	Captured PBI internal; normally not migrated
BLOCKED	Required information missing from extraction
NONE_IN_SOURCE / NO_DIRECT_EQUIVALENT	Empty category or no LookML equivalent

Next Phase

This document is the **design/mapping layer only**.

The next phase will use this assessment to generate:

- 1. Warehouse SQL where required
- 2. LookML views
- 3. LookML measures
- 4. LookML joins
- 5. LookML model/explore
- 6. Security implementation
- 7. KPI parity testing

Those tasks are **not** performed in Phase 2.