

Phase 2: Power BI -> LookML Mapping Assessment

This PDF is the reviewable mapping layer only. It does NOT generate LookML or warehouse SQL. Use it to walk section-by-section through every extracted Power BI object and the recommended Looker destination for the next implementation phase.

How to review:

- 1) Section 16 first - overall Direct / Partial / Complex / Warehouse / Skip counts.
- 2) Section 15 - HIGH priority complex / blocked items (SPLY, EmpCount, Employee.m, TO % Norm).
- 3) Sections 1, 3, 6, 7 - views, measures, joins, Power Query destinations.
- 4) Sections 2/4 - columns and calculated columns.
- 5) Sections 8-14 - hierarchies, RLS, partitions, formats, auto dates, annotations.

Note: Very long DAX may be truncated in this PDF; full original DAX is in LOOKML_MAPPING_ASSESSMENT.md.

Phase: 2 - Power BI -> LookML mapping assessment only
Source inventory gate: `PASS`
Rule: Analysis and mapping only. No LookML, warehouse SQL, PDTs, or report migration in this phase.

Specialist agents (this Phase 2 run):

Agent	Role	Run ID	Source file
Agent A	Tables/Columns	<code>`50c88854-f6dc-4dcf-91e1-a341271cf74f`</code>	<code>`phase2_agents/01_tables_columns_mapping.md`</code>
Agent B	DAX (measures / calc columns / calc tables)	<code>`c0350563-a279-4e91-9675-4abd0cd0dd97`</code>	<code>`phase2_agents/02_dax_mapping.md`</code>
Agent C	Relationships / M / TM extras	<code>`2fca12df-73c6-4de1-92e6-c6ca845c3d94`</code>	<code>`phase2_agents/03_rels_m_tm_mapping.md`</code>
Agent D	Mapping Merger (this document)	this run	merges A+B+C + <code>`inventory/COMPLETENESS_GATE.json`</code>

Inputs used: specialist Phase 2 mapping files above, plus Phase 1 ``inventory/COMPLETENESS_GATE.json`` (status PASS). Content is merged from specialists only - nothing invented.

Section 1 - Tables -> LookML Views

Power BI Table	Table Type	Business/Internal	Recommended LookML Object	Suggested View Type	View	Mapping Status	Comments	Suggestion
AgeGroup	business	Business	view	Dimension		DIRECT	Dimension table joining to Employee for AgeGroup attributes.	Create dim view; seeds vs SQL per Power Query M tags.
BU	business	Business	view	Dimension		DIRECT	Dimension table joining to Employee for BU attributes.	Create dim view; seeds vs SQL per Power Query M tags.
Date	business	Business	view	Date		DIRECT	Business calendar / period dimension used by time intelligence and EmpCount.	Create date view with calendar dimension_group; expose PeriodNumber for EmpCount logic.

Power BI Table	Table Type	Business/Internal	Recommended LookML Object	Suggested View Type	Mapping Status	Comments	Suggestion
DateTableTemplate_92fd358c-bb4c-4d52-9f5b-e9a59dc2315d	calculated_table	Internal	view	Internal/Skip	SKIP_INTERNAL	Power BI auto date/time intelligence table; captured for completeness.	Do not create a business LookML view; use the business Date view + dimension_group for time.
Employee	business	Business	view	Fact	DIRECT	Primary fact: monthly employee snapshot grain (EmplID x date).	Create lookml view employee; point sql_table_name at warehouse table after M load.
Ethnicity	business	Business	view	Dimension	DIRECT	Dimension table joining to Employee for Ethnicity attributes.	Create dim view; seeds vs SQL per Power Query M tags.
FP	business	Business	view	Dimension	DIRECT	Dimension table joining to Employee for FP attributes.	Create dim view; seeds vs SQL per Power Query M tags.
Gender	business	Business	view	Dimension	DIRECT	Dimension table joining to Employee for Gender attributes.	Create dim view; seeds vs SQL per Power Query M tags.
LocalDateTable_6f19fed3-1fc0-4f7a-878d-34aca93d6782	calculated_table	Internal	view	Internal/Skip	SKIP_INTERNAL	Power BI auto date/time intelligence table; captured for completeness.	Do not create a business LookML view; use the business Date view + dimension_group for time.
LocalDateTable_c04ce649-6e25-466f-9bbc-faabfec0fe29	calculated_table	Internal	view	Internal/Skip	SKIP_INTERNAL	Power BI auto date/time intelligence table; captured for completeness.	Do not create a business LookML view; use the business Date view + dimension_group for time.
LocalDateTable_c9dde99e-7ac1-4e8e-a5f2-c5ffc41d9cac	calculated_table	Internal	view	Internal/Skip	SKIP_INTERNAL	Power BI auto date/time intelligence table; captured for completeness.	Do not create a business LookML view; use the business Date view + dimension_group for time.
LocalDateTable_cc28ef26-f63a-4bc3-b357-93ab34cd6d9b	calculated_table	Internal	view	Internal/Skip	SKIP_INTERNAL	Power BI auto date/time intelligence table; captured for completeness.	Do not create a business LookML view; use the business Date view + dimension_group for time.
LocalDateTable_d2ea5b26-668d-4c17-b228-695669b066a6	calculated_table	Internal	view	Internal/Skip	SKIP_INTERNAL	Power BI auto date/time intelligence table; captured for completeness.	Do not create a business LookML view; use the business Date view + dimension_group for time.
PayType	business	Business	view	Dimension	DIRECT	Dimension table joining to Employee for PayType attributes.	Create dim view; seeds vs SQL per Power Query M tags.
SeparationReason	business	Business	view	Dimension	DIRECT	Dimension table joining to Employee for SeparationReason attributes.	Create dim view; seeds vs SQL per Power Query M tags.

Section 2 - Columns -> LookML Dimensions

Phase 2 - LOOKML Mapping Assessment (review)

Power BI Table	Power BI Column	Data Type	Calculated?	Recommended LookML Object	LookML Type	Mapping Status	Comments	Suggestion
AgeGroup	AgeGroupID	6 (int64)	No	dimension	number	DIRECT	Source/business column maps to LookML dimension. Hidden in Power BI.	Map name/type; preserve labels; honor hidden/key if present.
AgeGroup	AgeGroup	2 (string)	No	dimension	string	DIRECT	Source/business column maps to LookML dimension.	Map name/type; preserve labels; honor hidden/key if present.
BU	BU	2 (string)	No	dimension	string	DIRECT	Source/business column maps to LookML dimension.	Map name/type; preserve labels; honor hidden/key if present.
BU	RegionSeq	2 (string)	No	dimension	string	DIRECT	Source/business column maps to LookML dimension.	Map name/type; preserve labels; honor hidden/key if present.
BU	VP	2 (string)	No	dimension	string	DIRECT	Source/business column maps to LookML dimension.	Map name/type; preserve labels; honor hidden/key if present.
BU	Region	1 (automatic)	Yes	dimension	string	PARTIAL	Calculated column - DAX expression present in extraction; map via warehouse or LookML SQL.	Prefer warehouse materialization or LookML dimension SQL; do not invent logic.
Date	Date	9 (datetime)	No	dimension	date_time	DIRECT	Source/business column maps to LookML dimension. Marked is_key in extraction.	Map name/type; preserve labels; honor hidden/key if present.
Date	Month	2 (string)	No	dimension	string	DIRECT	Source/business column maps to LookML dimension.	Map name/type; preserve labels; honor hidden/key if present.
Date	MonthNumber	6 (int64)	No	dimension	number	DIRECT	Source/business column maps to LookML dimension.	Map name/type; preserve labels; honor hidden/key if present.
Date	Period	2 (string)	No	dimension	string	DIRECT	Source/business column maps to LookML dimension.	Map name/type; preserve labels; honor hidden/key if present.
Date	PeriodNumber	6 (int64)	No	dimension	number	DIRECT	Source/business column maps to LookML dimension.	Map name/type; preserve labels; honor hidden/key if present.
Date	Qtr	6 (int64)	No	dimension	number	DIRECT	Source/business column maps to LookML dimension.	Map name/type; preserve labels; honor hidden/key if present.
Date	QtrNumber	2 (string)	No	dimension	string	DIRECT	Source/business column maps to LookML dimension.	Map name/type; preserve labels; honor hidden/key if present.
Date	Year	6 (int64)	No	dimension	number	DIRECT	Source/business column maps to LookML dimension.	Map name/type; preserve labels; honor hidden/key if present.
Date	Day	6 (int64)	No	dimension	number	DIRECT	Source/business column maps to LookML dimension.	Map name/type; preserve labels; honor hidden/key if present.
Date	MonthStartDate	9 (datetime)	No	dimension	date_time	DIRECT	Source/business column maps to LookML dimension.	Map name/type; preserve labels; honor hidden/key if present.
Date	MonthEndDate	9 (datetime)	No	dimension	date_time	DIRECT	Source/business column maps to LookML dimension.	Map name/type; preserve labels; honor hidden/key if present.
Date	MonthIncrementNumber	1 (automatic)	Yes	dimension	number	WAREHOUSE_REQUIRED	Calculated column uses model-wide MIN(Year) pattern - awkward as pure LookML.	Materialize in warehouse Date table; do not invent LookML-only logic.

Phase 2 - LOOKML Mapping Assessment (review)

Power BI Table	Power BI Column	Data Type	Calculated?	Recommended LookML Object	LookML Type	Mapping Status	Comments	Suggestion
DateTableTemplate_92fd358c-bb4c-4d52-9f5b-e9a59dc2315d	Date	datetime64[ns]	No	dimension	date_time	SKIP_INTERNAL	Column on internal auto date table.	Skip direct migration; use business Date view + dimension_group.
DateTableTemplate_92fd358c-bb4c-4d52-9f5b-e9a59dc2315d	Year	1 (automatic)	Yes	dimension	number	SKIP_INTERNAL	Column on internal auto date table.	Skip direct migration; use business Date view + dimension_group.
DateTableTemplate_92fd358c-bb4c-4d52-9f5b-e9a59dc2315d	MonthNo	1 (automatic)	Yes	dimension	number	SKIP_INTERNAL	Column on internal auto date table.	Skip direct migration; use business Date view + dimension_group.
DateTableTemplate_92fd358c-bb4c-4d52-9f5b-e9a59dc2315d	Month	1 (automatic)	Yes	dimension	string	SKIP_INTERNAL	Column on internal auto date table.	Skip direct migration; use business Date view + dimension_group.
DateTableTemplate_92fd358c-bb4c-4d52-9f5b-e9a59dc2315d	QuarterNo	1 (automatic)	Yes	dimension	number	SKIP_INTERNAL	Column on internal auto date table.	Skip direct migration; use business Date view + dimension_group.
DateTableTemplate_92fd358c-bb4c-4d52-9f5b-e9a59dc2315d	Quarter	1 (automatic)	Yes	dimension	string	SKIP_INTERNAL	Column on internal auto date table.	Skip direct migration; use business Date view + dimension_group.
DateTableTemplate_92fd358c-bb4c-4d52-9f5b-e9a59dc2315d	Day	1 (automatic)	Yes	dimension	number	SKIP_INTERNAL	Column on internal auto date table.	Skip direct migration; use business Date view + dimension_group.
Employee	date	9 (datetime)	No	dimension	date_time	DIRECT	Source/business column maps to LookML dimension. Hidden in Power BI.	Map name/type; preserve labels; honor hidden/key if present.
Employee	EmplID	6 (int64)	No	dimension	number	DIRECT	Source/business column maps to LookML dimension. Hidden in Power BI.	Map name/type; preserve labels; honor hidden/key if present.
Employee	Gender	2 (string)	No	dimension	string	DIRECT	Source/business column maps to LookML dimension. Hidden in Power BI.	Map name/type; preserve labels; honor hidden/key if present.
Employee	Age	6 (int64)	No	dimension	number	DIRECT	Source/business column maps to LookML dimension. Hidden in Power BI.	Map name/type; preserve labels; honor hidden/key if present.
Employee	EthnicGroup	2 (string)	No	dimension	string	DIRECT	Source/business column maps to LookML dimension. Hidden in Power BI.	Map name/type; preserve labels; honor hidden/key if present.
Employee	FP	2 (string)	No	dimension	string	DIRECT	Source/business column maps to LookML dimension. Hidden in Power BI.	Map name/type; preserve labels; honor hidden/key if present.
Employee	TermDate	9 (datetime)	No	dimension	date_time	DIRECT	Source/business column maps to LookML dimension. Hidden in Power BI.	Map name/type; preserve labels; honor hidden/key if present.
Employee	isNewHire	1 (automatic)	Yes	dimension	number	PARTIAL	Calculated column - DAX expression present in extraction; map via warehouse or LookML SQL.	Prefer warehouse materialization or LookML dimension SQL; do not invent logic.
Employee	BU	2 (string)	No	dimension	string	DIRECT	Source/business column maps to LookML dimension. Hidden in Power BI.	Map name/type; preserve labels; honor hidden/key if present.

Phase 2 - LOOKML Mapping Assessment (review)

Power BI Table	Power BI Column	Data Type	Calculated?	Recommended LookML Object	LookML Type	Mapping Status	Comments	Suggestion
Employee	HireDate	9 (datetime)	No	dimension	date_time	DIRECT	Source/business column maps to LookML dimension. Hidden in Power BI.	Map name/type; preserve labels; honor hidden/key if present.
Employee	PayTypeID	2 (string)	No	dimension	string	DIRECT	Source/business column maps to LookML dimension. Hidden in Power BI.	Map name/type; preserve labels; honor hidden/key if present.
Employee	TermReason	2 (string)	No	dimension	string	DIRECT	Source/business column maps to LookML dimension. Hidden in Power BI.	Map name/type; preserve labels; honor hidden/key if present.
Employee	AgeGroupID	1 (automatic)	Yes	dimension	number	PARTIAL	Calculated column - DAX expression present in extraction; map via warehouse or LookML SQL.	Prefer warehouse materialization or LookML dimension SQL; do not invent logic.
Employee	TenureDays	8 (double)	Yes	dimension	number	PARTIAL	Calculated column - DAX expression present in extraction; map via warehouse or LookML SQL.	Prefer warehouse materialization or LookML dimension SQL; do not invent logic.
Employee	TenureMonths	1 (automatic)	Yes	dimension	number	PARTIAL	Calculated column - DAX expression present in extraction; map via warehouse or LookML SQL.	Prefer warehouse materialization or LookML dimension SQL; do not invent logic.
Employee	BadHires	8 (double)	Yes	dimension	number	PARTIAL	Calculated column - DAX expression present in extraction; map via warehouse or LookML SQL.	Prefer warehouse materialization or LookML dimension SQL; do not invent logic.
Ethnicity	Ethnic Group	2 (string)	No	dimension	string	DIRECT	Source/business column maps to LookML dimension. Hidden in Power BI.	Map name/type; preserve labels; honor hidden/key if present.
Ethnicity	Ethnicity	2 (string)	No	dimension	string	DIRECT	Source/business column maps to LookML dimension.	Map name/type; preserve labels; honor hidden/key if present.
FP	FP	2 (string)	No	dimension	string	DIRECT	Source/business column maps to LookML dimension.	Map name/type; preserve labels; honor hidden/key if present.
FP	FPDesc	2 (string)	No	dimension	string	DIRECT	Source/business column maps to LookML dimension.	Map name/type; preserve labels; honor hidden/key if present.
Gender	ID	2 (string)	No	dimension	string	DIRECT	Source/business column maps to LookML dimension. Hidden in Power BI.	Map name/type; preserve labels; honor hidden/key if present.
Gender	Gender	2 (string)	No	dimension	string	DIRECT	Source/business column maps to LookML dimension.	Map name/type; preserve labels; honor hidden/key if present.
Gender	Sort	6 (int64)	No	dimension	number	DIRECT	Source/business column maps to LookML dimension. Hidden in Power BI.	Map name/type; preserve labels; honor hidden/key if present.
LocalDateTable_6f19fed3-1fc0-4f7a-878d-34aca93d6782	Date	datetime64[ns]	No	dimension	date_time	SKIP_INTERNAL	Column on internal auto date table.	Skip direct migration; use business Date view + dimension_group.
LocalDateTable_6f19fed3-1fc0-4f7a-878d-34aca93d6782	Year	1 (automatic)	Yes	dimension	number	SKIP_INTERNAL	Column on internal auto date table.	Skip direct migration; use business Date view + dimension_group.

Phase 2 - LOOKML Mapping Assessment (review)

Power BI Table	Power BI Column	Data Type	Calculated?	Recommended LookML Object	LookML Type	Mapping Status	Comments	Suggestion
LocalDateTable_6f19fed3-1fc0-4f7a-878d-34aca93d6782	MonthNo	1 (automatic)	Yes	dimension	number	SKIP_INTERNAL	Column on internal auto date table.	Skip direct migration; use business Date view + dimension_group.
LocalDateTable_6f19fed3-1fc0-4f7a-878d-34aca93d6782	Month	1 (automatic)	Yes	dimension	string	SKIP_INTERNAL	Column on internal auto date table.	Skip direct migration; use business Date view + dimension_group.
LocalDateTable_6f19fed3-1fc0-4f7a-878d-34aca93d6782	QuarterNo	1 (automatic)	Yes	dimension	number	SKIP_INTERNAL	Column on internal auto date table.	Skip direct migration; use business Date view + dimension_group.
LocalDateTable_6f19fed3-1fc0-4f7a-878d-34aca93d6782	Quarter	1 (automatic)	Yes	dimension	string	SKIP_INTERNAL	Column on internal auto date table.	Skip direct migration; use business Date view + dimension_group.
LocalDateTable_6f19fed3-1fc0-4f7a-878d-34aca93d6782	Day	1 (automatic)	Yes	dimension	number	SKIP_INTERNAL	Column on internal auto date table.	Skip direct migration; use business Date view + dimension_group.
LocalDateTable_c04ce649-6e25-466f-9bbc-faabfec0fe29	Date	datetime64[ns]	No	dimension	date_time	SKIP_INTERNAL	Column on internal auto date table.	Skip direct migration; use business Date view + dimension_group.
LocalDateTable_c04ce649-6e25-466f-9bbc-faabfec0fe29	Year	1 (automatic)	Yes	dimension	number	SKIP_INTERNAL	Column on internal auto date table.	Skip direct migration; use business Date view + dimension_group.
LocalDateTable_c04ce649-6e25-466f-9bbc-faabfec0fe29	MonthNo	1 (automatic)	Yes	dimension	number	SKIP_INTERNAL	Column on internal auto date table.	Skip direct migration; use business Date view + dimension_group.
LocalDateTable_c04ce649-6e25-466f-9bbc-faabfec0fe29	Month	1 (automatic)	Yes	dimension	string	SKIP_INTERNAL	Column on internal auto date table.	Skip direct migration; use business Date view + dimension_group.
LocalDateTable_c04ce649-6e25-466f-9bbc-faabfec0fe29	QuarterNo	1 (automatic)	Yes	dimension	number	SKIP_INTERNAL	Column on internal auto date table.	Skip direct migration; use business Date view + dimension_group.
LocalDateTable_c04ce649-6e25-466f-9bbc-faabfec0fe29	Quarter	1 (automatic)	Yes	dimension	string	SKIP_INTERNAL	Column on internal auto date table.	Skip direct migration; use business Date view + dimension_group.
LocalDateTable_c04ce649-6e25-466f-9bbc-faabfec0fe29	Day	1 (automatic)	Yes	dimension	number	SKIP_INTERNAL	Column on internal auto date table.	Skip direct migration; use business Date view + dimension_group.
LocalDateTable_c9dde99e-7ac1-4e8e-a5f2-c5ffc41d9cac	Date	datetime64[ns]	No	dimension	date_time	SKIP_INTERNAL	Column on internal auto date table.	Skip direct migration; use business Date view + dimension_group.

Phase 2 - LOOKML Mapping Assessment (review)

Power BI Table	Power BI Column	Data Type	Calculated?	Recommended LookML Object	LookML Type	Mapping Status	Comments	Suggestion
LocalDateTable_c9dde99e-7ac1-4e8e-a5f2-c5ffc41d9cac	Year	1 (automatic)	Yes	dimension	number	SKIP_INTERNAL	Column on internal auto date table.	Skip direct migration; use business Date view + dimension_group.
LocalDateTable_c9dde99e-7ac1-4e8e-a5f2-c5ffc41d9cac	MonthNo	1 (automatic)	Yes	dimension	number	SKIP_INTERNAL	Column on internal auto date table.	Skip direct migration; use business Date view + dimension_group.
LocalDateTable_c9dde99e-7ac1-4e8e-a5f2-c5ffc41d9cac	Month	1 (automatic)	Yes	dimension	string	SKIP_INTERNAL	Column on internal auto date table.	Skip direct migration; use business Date view + dimension_group.
LocalDateTable_c9dde99e-7ac1-4e8e-a5f2-c5ffc41d9cac	QuarterNo	1 (automatic)	Yes	dimension	number	SKIP_INTERNAL	Column on internal auto date table.	Skip direct migration; use business Date view + dimension_group.
LocalDateTable_c9dde99e-7ac1-4e8e-a5f2-c5ffc41d9cac	Quarter	1 (automatic)	Yes	dimension	string	SKIP_INTERNAL	Column on internal auto date table.	Skip direct migration; use business Date view + dimension_group.
LocalDateTable_c9dde99e-7ac1-4e8e-a5f2-c5ffc41d9cac	Day	1 (automatic)	Yes	dimension	number	SKIP_INTERNAL	Column on internal auto date table.	Skip direct migration; use business Date view + dimension_group.
LocalDateTable_cc28ef26-f63a-4bc3-b357-93ab34cd6d9b	Date	datetime64[ns]	No	dimension	date_time	SKIP_INTERNAL	Column on internal auto date table.	Skip direct migration; use business Date view + dimension_group.
LocalDateTable_cc28ef26-f63a-4bc3-b357-93ab34cd6d9b	Year	1 (automatic)	Yes	dimension	number	SKIP_INTERNAL	Column on internal auto date table.	Skip direct migration; use business Date view + dimension_group.
LocalDateTable_cc28ef26-f63a-4bc3-b357-93ab34cd6d9b	MonthNo	1 (automatic)	Yes	dimension	number	SKIP_INTERNAL	Column on internal auto date table.	Skip direct migration; use business Date view + dimension_group.
LocalDateTable_cc28ef26-f63a-4bc3-b357-93ab34cd6d9b	Month	1 (automatic)	Yes	dimension	string	SKIP_INTERNAL	Column on internal auto date table.	Skip direct migration; use business Date view + dimension_group.
LocalDateTable_cc28ef26-f63a-4bc3-b357-93ab34cd6d9b	QuarterNo	1 (automatic)	Yes	dimension	number	SKIP_INTERNAL	Column on internal auto date table.	Skip direct migration; use business Date view + dimension_group.
LocalDateTable_cc28ef26-f63a-4bc3-b357-93ab34cd6d9b	Quarter	1 (automatic)	Yes	dimension	string	SKIP_INTERNAL	Column on internal auto date table.	Skip direct migration; use business Date view + dimension_group.
LocalDateTable_cc28ef26-f63a-4bc3-b357-93ab34cd6d9b	Day	1 (automatic)	Yes	dimension	number	SKIP_INTERNAL	Column on internal auto date table.	Skip direct migration; use business Date view + dimension_group.

Power BI Table	Power BI Column	Data Type	Calculated?	Recommended LookML Object	LookML Type	Mapping Status	Comments	Suggestion
LocalDateTable_d2ea5b26-668d-4c17-b228-695669b066a6	Date	datetime64[ns]	No	dimension	date_time	SKIP_INTERNAL	Column on internal auto date table.	Skip direct migration; use business Date view + dimension_group.
LocalDateTable_d2ea5b26-668d-4c17-b228-695669b066a6	Year	1 (automatic)	Yes	dimension	number	SKIP_INTERNAL	Column on internal auto date table.	Skip direct migration; use business Date view + dimension_group.
LocalDateTable_d2ea5b26-668d-4c17-b228-695669b066a6	MonthNo	1 (automatic)	Yes	dimension	number	SKIP_INTERNAL	Column on internal auto date table.	Skip direct migration; use business Date view + dimension_group.
LocalDateTable_d2ea5b26-668d-4c17-b228-695669b066a6	Month	1 (automatic)	Yes	dimension	string	SKIP_INTERNAL	Column on internal auto date table.	Skip direct migration; use business Date view + dimension_group.
LocalDateTable_d2ea5b26-668d-4c17-b228-695669b066a6	QuarterNo	1 (automatic)	Yes	dimension	number	SKIP_INTERNAL	Column on internal auto date table.	Skip direct migration; use business Date view + dimension_group.
LocalDateTable_d2ea5b26-668d-4c17-b228-695669b066a6	Quarter	1 (automatic)	Yes	dimension	string	SKIP_INTERNAL	Column on internal auto date table.	Skip direct migration; use business Date view + dimension_group.
LocalDateTable_d2ea5b26-668d-4c17-b228-695669b066a6	Day	1 (automatic)	Yes	dimension	number	SKIP_INTERNAL	Column on internal auto date table.	Skip direct migration; use business Date view + dimension_group.
PayType	PayTypeID	2 (string)	No	dimension	string	DIRECT	Source/business column maps to LookML dimension. Hidden in Power BI.	Map name/type; preserve labels; honor hidden/key if present.
PayType	PayType	2 (string)	No	dimension	string	DIRECT	Source/business column maps to LookML dimension.	Map name/type; preserve labels; honor hidden/key if present.
SeparationReason	SeparationTypeID	2 (string)	No	dimension	string	DIRECT	Source/business column maps to LookML dimension. Hidden in Power BI.	Map name/type; preserve labels; honor hidden/key if present.
SeparationReason	SeparationReason	2 (string)	No	dimension	string	DIRECT	Source/business column maps to LookML dimension.	Map name/type; preserve labels; honor hidden/key if present.

Section 3 - Measures -> LookML Measures

Table	Measure	Original DAX	Recommended LookML Object	Suggested Measure	Mapping Status	Complexity	Comments	Suggestion	KPI Impact
Employee	EmpCount	CALCULATE(COUNT([EmpID]), FILTER(ALL('Date'[PeriodNumber]), 'Date'[PeriodNumber] = MAX('Date'[PeriodNumber])))	measure	count_distinct	COMPLEX	COMPLEX	EmpCount uses FILTER(ALL(PeriodNumber), PeriodNumber = MAX(...)) latest-period pattern.	Use always_filter / liquid / SQL max-period filter; do not treat as plain COUNT.	Affects EmpCount, EmpCount SPLY, and Actives if Actives wraps EmpCount.

Phase 2 - LOOKML Mapping Assessment (review)

Table	Measure	Original DAX	Recommended LookML Object	Suggested Measure	Mapping Status	Complexity	Comments	Suggestion	KPI Impact
Employee	Seps	CALCULATE(COUNT([EmplID]), FILTER(Employee, NOT(ISBLANK(Employee[TermDate]))))	measure	count_distinct	PARTIAL	MODERATE	CALCULATE COUNT with FILTER where TermDate is not blank. Employee.m UNION supplies TermDate only on sep rows.	Filtered count_distinct on EmplID where TermDate is not null; confirm with Employee.m active/sep union grain.	Separations KPI.
Employee	Actives	CALCULATE([EmpCount], FILTER(Employee, ISBLANK(Employee[TermDate])))	measure	count_distinct	PARTIAL	MODERATE	CALCULATE([EmpCount], ISBLANK(TermDate)). Depends on EmpCount latest-period logic and Employee.m active rows	Filtered EmpCount / count where TermDate is null; resolve EmpCount COMPLEX pattern first.	Actives KPI; blocked until EmpCount period logic is designed.
Employee	New Hires	SUM([isNewHire])	measure	sum	DIRECT	SIMPLE	Additive sum over a column/flag.	Implement as type:sum on the corresponding dimension/flag.	Core volume KPI.
Employee	AVG Tenure Days	AVERAGE([TenureDays])	measure	average	DIRECT	SIMPLE	Average aggregation.	Implement as type:average (apply ROUND in SQL/LookML if needed).	Average KPI.
Employee	AVG Tenure Months	ROUND([AVG Tenure Days]/30, 1)-1	measure	average	PARTIAL	SIMPLE	Derived from another measure with ROUND arithmetic.	Implement as type:number referencing base average measure; confirm rounding parity.	Tenure months KPI.
Employee	AVG Age	ROUND(AVERAGE([Age]), 0)	measure	average	DIRECT	SIMPLE	Average aggregation.	Implement as type:average (apply ROUND in SQL/LookML if needed).	Average KPI.
Employee	Sum of BadHires	SUM([BadHires])	measure	sum	DIRECT	SIMPLE	Additive sum over a column/flag.	Implement as type:sum on the corresponding dimension/flag.	Core volume KPI.
Employee	New Hires SPLY	CALCULATE([New Hires],SAMEPERIODLASTYEAR('Date'[Date]))	measure	number	COMPLEX	COMPLEX	Uses SAMEPERIODLASTYEAR and requires date-filter context validation.	Review LookML time-based / PoP implementation and validate against Power BI KPI results.	Blocks YoY and SPLY-dependent KPIs until implemented.
Employee	Actives SPLY	CALCULATE([Actives],SAMEPERIODLASTYE AR('Date'[Date]))	measure	number	COMPLEX	COMPLEX	Uses SAMEPERIODLASTYEAR and requires date-filter context validation.	Review LookML time-based / PoP implementation and validate against Power BI KPI results.	Blocks YoY and SPLY-dependent KPIs until implemented.
Employee	Seps SPLY	CALCULATE([Seps],SAMEPERIODLASTYEA R('Date'[Date]))	measure	number	COMPLEX	COMPLEX	Uses SAMEPERIODLASTYEAR and requires date-filter context validation.	Review LookML time-based / PoP implementation and validate against Power BI KPI results.	Blocks YoY and SPLY-dependent KPIs until implemented.
Employee	EmpCount SPLY	CALCULATE(COUNT([EmplID]), FILTER(ALL('Date'[PeriodNumber]), 'Date'[PeriodNumber] = MAX('Date'[PeriodNumber])),SAMEPERIODLA STYEAR('Date'[Date]))	measure	number	COMPLEX	COMPLEX	Uses SAMEPERIODLASTYEAR and requires date-filter context validation.	Review LookML time-based / PoP implementation and validate against Power BI KPI results.	Blocks YoY and SPLY-dependent KPIs until implemented.

Phase 2 - LOOKML Mapping Assessment (review)

Table	Measure	Original DAX	Recommended LookML Object	Suggested Measure	Mapping Status	Complexity	Comments	Suggestion	KPI Impact
Employee	Seps YoY Var	[Seps]-[Seps SPLY]	measure	number	PARTIAL	SIMPLE	Arithmetic on parent measures that include blocked SPLY/Norm parents.	Keep formula ready; light up only after parent SPLY/Norm measures work.	Dependent KPI until parents resolve.
Employee	Actives YoY Var	[Actives]-[Actives SPLY]	measure	number	PARTIAL	SIMPLE	Arithmetic on parent measures that include blocked SPLY/Norm parents.	Keep formula ready; light up only after parent SPLY/Norm measures work.	Dependent KPI until parents resolve.
Employee	New Hires YoY Var	[New Hires]-[New Hires SPLY]	measure	number	PARTIAL	SIMPLE	Arithmetic on parent measures that include blocked SPLY/Norm parents.	Keep formula ready; light up only after parent SPLY/Norm measures work.	Dependent KPI until parents resolve.
Employee	Seps YoY % Change	DIVIDE([Seps YoY Var], [Seps SPLY])	measure	number	PARTIAL	SIMPLE	Arithmetic on parent measures that include blocked SPLY/Norm parents.	Keep formula ready; light up only after parent SPLY/Norm measures work.	Dependent KPI until parents resolve.
Employee	Actives YoY % Change	DIVIDE([Actives YoY Var], [Actives SPLY])	measure	number	PARTIAL	SIMPLE	Arithmetic on parent measures that include blocked SPLY/Norm parents.	Keep formula ready; light up only after parent SPLY/Norm measures work.	Dependent KPI until parents resolve.
Employee	New Hires YoY % Change	DIVIDE([New Hires YoY Var], [New Hires SPLY])	measure	number	PARTIAL	SIMPLE	Arithmetic on parent measures that include blocked SPLY/Norm parents.	Keep formula ready; light up only after parent SPLY/Norm measures work.	Dependent KPI until parents resolve.
Employee	Bad Hires SPLY	CALCULATE([Sum of BadHires],SAMEPERIODLASTYEAR('Date'[Date]))	measure	number	COMPLEX	COMPLEX	Uses SAMEPERIODLASTYEAR and requires date-filter context validation.	Review LookML time-based / PoP implementation and validate against Power BI KPI results.	Blocks YoY and SPLY-dependent KPIs until implemented.
Employee	Bad Hires YoY Var	[Sum of BadHires]-[Bad Hires SPLY]	measure	number	PARTIAL	SIMPLE	Arithmetic on parent measures that include blocked SPLY/Norm parents.	Keep formula ready; light up only after parent SPLY/Norm measures work.	Dependent KPI until parents resolve.
Employee	Bad Hires YoY % Change	DIVIDE([Bad Hires YoY Var], [Bad Hires SPLY])	measure	number	PARTIAL	SIMPLE	Arithmetic on parent measures that include blocked SPLY/Norm parents.	Keep formula ready; light up only after parent SPLY/Norm measures work.	Dependent KPI until parents resolve.
Employee	TO %	DIVIDE([Seps], [Actives])	measure	number	DIRECT	SIMPLE	Ratio of existing measures; maps to SAFE_DIVIDE pattern in LookML.	Implement as type:number with SAFE_DIVIDE; format as percent.	Ratio KPI.
Employee	TO % Norm	CALCULATE([TO %], all(Gender[Gender]), ALL(Ethnicity[Ethnicity]))	measure	number	COMPLEX	COMPLEX	Uses ALL() to ignore Gender/Ethnicity filter context (TO % Norm pattern).	Implement via filtered measure / explore that ignores those dimensions; parity-test vs Power BI.	Blocks TO % Norm and TO % Var.
Employee	TO % Var	[TO %]-[TO % Norm]	measure	number	PARTIAL	SIMPLE	Arithmetic on parent measures that include blocked SPLY/Norm parents.	Keep formula ready; light up only after parent SPLY/Norm measures work.	Dependent KPI until parents resolve.
Employee	Sep%ofActive	DIVIDE([Seps],[Actives])	measure	number	DIRECT	SIMPLE	Ratio of existing measures; maps to SAFE_DIVIDE pattern in LookML.	Implement as type:number with SAFE_DIVIDE; format as percent.	Ratio KPI.

Table	Measure	Original DAX	Recommended LookML Object	Suggested Measure	Mapping Status	Complexity	Comments	Suggestion	KPI Impact
Employee	Sep%ofSMLYActiv es	DIVIDE([Seps SPLY],[Actives SPLY])	measure	number	PARTIAL	SIMPLE	Arithmetic on parent measures that include blocked SPLY/Norm parents.	Keep formula ready; light up only after parent SPLY/Norm measures work.	Dependent KPI until parents resolve.
Employee	BadHire%ofActive s	DIVIDE([Sum of BadHires],[Actives])	measure	number	DIRECT	SIMPLE	Ratio of existing measures; maps to SAFE_DIVIDE pattern in LookML.	Implement as type:number with SAFE_DIVIDE; format as percent.	Ratio KPI.
Employee	BadHire%ofActive SPLY	DIVIDE([Bad Hires SPLY],[Actives SPLY])	measure	number	PARTIAL	SIMPLE	Arithmetic on parent measures that include blocked SPLY/Norm parents.	Keep formula ready; light up only after parent SPLY/Norm measures work.	Dependent KPI until parents resolve.
BU	Count of BU	COUNTA('BU'[BU])	measure	count_distinct	DIRECT	SIMPLE	COUNTA on BU dimension key.	Implement as count/count_distinct on BU; validate grain.	Dimension count KPI.
Date	Count of Date	COUNTA('Date'[Date])	measure	count_distinct	DIRECT	SIMPLE	COUNTA on Date calendar key.	Implement as count/count_distinct on Date; rarely used as HR KPI.	Calendar count KPI.

Section 4 - Calculated Columns -> LookML Dimensions / Other

Table	Calculated Column	Original DAX	Recommended LookML Object	Mapping Status	Complexity	Comments	Suggestion	Dependency
BU	Region	mid([RegionSeq], 3,15)	dimension	DIRECT	SIMPLE	MID/SUBSTR of RegionSeq - simple string derivation.	LookML SUBSTR or warehouse column Region.	BU.m
Date	MonthIncrementNumb er	([Year]-MIN([Year]))*12 +[MonthNumber]	warehouse calculation	WAREHOUSE_ REQUIRED	MODERATE	Uses model-wide MIN(Year) pattern - awkward as pure LookML.	Materialize in warehouse Date table.	Date.m / Date table
Employee	isNewHire	IF(YEAR([date]) = YEAR([HireDate]) && MONTH([date])=MONTH([HireDate]), 1)	dimension	DIRECT	SIMPLE	Flags hire month vs snapshot date. Employee.m provides HireDate (shifted SenDate) and monthly date grain.	Prefer warehouse CASE; LookML dimension acceptable for prototype.	Employee.m (HireDate, date)
Employee	AgeGroupID	IF([Age]<30, 1, IF([Age]<50, 2, 3))	dimension	DIRECT	SIMPLE	Buckets Age for AgeGroup join. Employee.m supplies Age adjusted by snapshot year.	Prefer warehouse CASE or LookML; join to AgeGroup seed.	Employee.m (Age)
Employee	TenureDays	IF([date]-[HireDate]<0,[HireDate]-[date],[date]-[HireDate])	dimension	DIRECT	SIMPLE	Abs days between snapshot date and HireDate. Depends on Employee.m date/HireDate columns.	Materialize in warehouse for large Employee; else LookML SQL.	Employee.m (date, HireDate)
Employee	TenureMonths	CEILING([TenureDays]/30, 1) -1	dimension	DIRECT	SIMPLE	Derived from TenureDays (CEILING/30 - 1).	Warehouse column after TenureDays; confirm CEILING parity.	Employee calculated TenureDays / Employee.m

Phase 2 - LOOKML Mapping Assessment (review)

Table	Calculated Column	Original DAX	Recommended LookML Object	Mapping Status	Complexity	Comments	Suggestion	Dependency
Employee	BadHires	IF(OR((((HireDate]-[TermDate])*-1)>=61,ISBLANK([TermDate])),0,1)	dimension	DIRECT	SIMPLE	1 if terminated within 61 days of hire; 0 if active (blank TermDate) or longer tenure. Employee.m sets TermDate null on active UNION	Warehouse CASE using HireDate/TermDate from Employee.m.	Employee.m (HireDate, TermDate)
DateTableTemplate_92fd358c-bb4c-4d52-9f5b-e9a59dc2315d	Year	YEAR([Date])	no direct equivalent	SKIP_INTERNAL	SIMPLE	Calculated column on auto date table.	Skip; use business Date model.	Auto date table
DateTableTemplate_92fd358c-bb4c-4d52-9f5b-e9a59dc2315d	MonthNo	MONTH([Date])	no direct equivalent	SKIP_INTERNAL	SIMPLE	Calculated column on auto date table.	Skip; use business Date model.	Auto date table
DateTableTemplate_92fd358c-bb4c-4d52-9f5b-e9a59dc2315d	Month	FORMAT([Date], "MMMM")	no direct equivalent	SKIP_INTERNAL	SIMPLE	Calculated column on auto date table.	Skip; use business Date model.	Auto date table
DateTableTemplate_92fd358c-bb4c-4d52-9f5b-e9a59dc2315d	QuarterNo	INT((([MonthNo] + 2) / 3))	no direct equivalent	SKIP_INTERNAL	SIMPLE	Calculated column on auto date table.	Skip; use business Date model.	Auto date table
DateTableTemplate_92fd358c-bb4c-4d52-9f5b-e9a59dc2315d	Quarter	"Qtr " & [QuarterNo]	no direct equivalent	SKIP_INTERNAL	SIMPLE	Calculated column on auto date table.	Skip; use business Date model.	Auto date table
DateTableTemplate_92fd358c-bb4c-4d52-9f5b-e9a59dc2315d	Day	DAY([Date])	no direct equivalent	SKIP_INTERNAL	SIMPLE	Calculated column on auto date table.	Skip; use business Date model.	Auto date table
LocalDateTable_6f19fed3-1fc0-4f7a-878d-34aca93d6782	Year	YEAR([Date])	no direct equivalent	SKIP_INTERNAL	SIMPLE	Calculated column on auto date table.	Skip; use business Date model.	Auto date table
LocalDateTable_6f19fed3-1fc0-4f7a-878d-34aca93d6782	MonthNo	MONTH([Date])	no direct equivalent	SKIP_INTERNAL	SIMPLE	Calculated column on auto date table.	Skip; use business Date model.	Auto date table
LocalDateTable_6f19fed3-1fc0-4f7a-878d-34aca93d6782	Month	FORMAT([Date], "MMMM")	no direct equivalent	SKIP_INTERNAL	SIMPLE	Calculated column on auto date table.	Skip; use business Date model.	Auto date table
LocalDateTable_6f19fed3-1fc0-4f7a-878d-34aca93d6782	QuarterNo	INT((([MonthNo] + 2) / 3))	no direct equivalent	SKIP_INTERNAL	SIMPLE	Calculated column on auto date table.	Skip; use business Date model.	Auto date table
LocalDateTable_6f19fed3-1fc0-4f7a-878d-34aca93d6782	Quarter	"Qtr " & [QuarterNo]	no direct equivalent	SKIP_INTERNAL	SIMPLE	Calculated column on auto date table.	Skip; use business Date model.	Auto date table
LocalDateTable_6f19fed3-1fc0-4f7a-878d-34aca93d6782	Day	DAY([Date])	no direct equivalent	SKIP_INTERNAL	SIMPLE	Calculated column on auto date table.	Skip; use business Date model.	Auto date table

Phase 2 - LOOKML Mapping Assessment (review)

Table	Calculated Column	Original DAX	Recommended LookML Object	Mapping Status	Complexity	Comments	Suggestion	Dependency
LocalDateTable_d2ea5b26-668d-4c17-b228-695669b066a6	Year	YEAR([Date])	no direct equivalent	SKIP_INTERNA L	SIMPLE	Calculated column on auto date table.	Skip; use business Date model.	Auto date table
LocalDateTable_d2ea5b26-668d-4c17-b228-695669b066a6	MonthNo	MONTH([Date])	no direct equivalent	SKIP_INTERNA L	SIMPLE	Calculated column on auto date table.	Skip; use business Date model.	Auto date table
LocalDateTable_d2ea5b26-668d-4c17-b228-695669b066a6	Month	FORMAT([Date], "MMMM")	no direct equivalent	SKIP_INTERNA L	SIMPLE	Calculated column on auto date table.	Skip; use business Date model.	Auto date table
LocalDateTable_d2ea5b26-668d-4c17-b228-695669b066a6	QuarterNo	INT(([MonthNo] + 2) / 3)	no direct equivalent	SKIP_INTERNA L	SIMPLE	Calculated column on auto date table.	Skip; use business Date model.	Auto date table
LocalDateTable_d2ea5b26-668d-4c17-b228-695669b066a6	Quarter	"Qtr " & [QuarterNo]	no direct equivalent	SKIP_INTERNA L	SIMPLE	Calculated column on auto date table.	Skip; use business Date model.	Auto date table
LocalDateTable_d2ea5b26-668d-4c17-b228-695669b066a6	Day	DAY([Date])	no direct equivalent	SKIP_INTERNA L	SIMPLE	Calculated column on auto date table.	Skip; use business Date model.	Auto date table
LocalDateTable_c9dde99e-7ac1-4e8e-a5f2-c5ffc41d9cac	Year	YEAR([Date])	no direct equivalent	SKIP_INTERNA L	SIMPLE	Calculated column on auto date table.	Skip; use business Date model.	Auto date table
LocalDateTable_c9dde99e-7ac1-4e8e-a5f2-c5ffc41d9cac	MonthNo	MONTH([Date])	no direct equivalent	SKIP_INTERNA L	SIMPLE	Calculated column on auto date table.	Skip; use business Date model.	Auto date table
LocalDateTable_c9dde99e-7ac1-4e8e-a5f2-c5ffc41d9cac	Month	FORMAT([Date], "MMMM")	no direct equivalent	SKIP_INTERNA L	SIMPLE	Calculated column on auto date table.	Skip; use business Date model.	Auto date table
LocalDateTable_c9dde99e-7ac1-4e8e-a5f2-c5ffc41d9cac	QuarterNo	INT(([MonthNo] + 2) / 3)	no direct equivalent	SKIP_INTERNA L	SIMPLE	Calculated column on auto date table.	Skip; use business Date model.	Auto date table
LocalDateTable_c9dde99e-7ac1-4e8e-a5f2-c5ffc41d9cac	Quarter	"Qtr " & [QuarterNo]	no direct equivalent	SKIP_INTERNA L	SIMPLE	Calculated column on auto date table.	Skip; use business Date model.	Auto date table
LocalDateTable_c9dde99e-7ac1-4e8e-a5f2-c5ffc41d9cac	Day	DAY([Date])	no direct equivalent	SKIP_INTERNA L	SIMPLE	Calculated column on auto date table.	Skip; use business Date model.	Auto date table
LocalDateTable_cc28ef26-f63a-4bc3-b357-93ab34cd6d9b	Year	YEAR([Date])	no direct equivalent	SKIP_INTERNA L	SIMPLE	Calculated column on auto date table.	Skip; use business Date model.	Auto date table

Table	Calculated Column	Original DAX	Recommended LookML Object	Mapping Status	Complexity	Comments	Suggestion	Dependency
LocalDateTable_cc28ef26-f63a-4bc3-b357-93ab34cd6d9b	MonthNo	MONTH([Date])	no direct equivalent	SKIP_INTERNAL	SIMPLE	Calculated column on auto date table.	Skip; use business Date model.	Auto date table
LocalDateTable_cc28ef26-f63a-4bc3-b357-93ab34cd6d9b	Month	FORMAT([Date], "MMMM")	no direct equivalent	SKIP_INTERNAL	SIMPLE	Calculated column on auto date table.	Skip; use business Date model.	Auto date table
LocalDateTable_cc28ef26-f63a-4bc3-b357-93ab34cd6d9b	QuarterNo	INT(([MonthNo] + 2) / 3)	no direct equivalent	SKIP_INTERNAL	SIMPLE	Calculated column on auto date table.	Skip; use business Date model.	Auto date table
LocalDateTable_cc28ef26-f63a-4bc3-b357-93ab34cd6d9b	Quarter	"Qtr " & [QuarterNo]	no direct equivalent	SKIP_INTERNAL	SIMPLE	Calculated column on auto date table.	Skip; use business Date model.	Auto date table
LocalDateTable_cc28ef26-f63a-4bc3-b357-93ab34cd6d9b	Day	DAY([Date])	no direct equivalent	SKIP_INTERNAL	SIMPLE	Calculated column on auto date table.	Skip; use business Date model.	Auto date table
LocalDateTable_c04ce649-6e25-466f-9bbc-faabfec0fe29	Year	YEAR([Date])	no direct equivalent	SKIP_INTERNAL	SIMPLE	Calculated column on auto date table.	Skip; use business Date model.	Auto date table
LocalDateTable_c04ce649-6e25-466f-9bbc-faabfec0fe29	MonthNo	MONTH([Date])	no direct equivalent	SKIP_INTERNAL	SIMPLE	Calculated column on auto date table.	Skip; use business Date model.	Auto date table
LocalDateTable_c04ce649-6e25-466f-9bbc-faabfec0fe29	Month	FORMAT([Date], "MMMM")	no direct equivalent	SKIP_INTERNAL	SIMPLE	Calculated column on auto date table.	Skip; use business Date model.	Auto date table
LocalDateTable_c04ce649-6e25-466f-9bbc-faabfec0fe29	QuarterNo	INT(([MonthNo] + 2) / 3)	no direct equivalent	SKIP_INTERNAL	SIMPLE	Calculated column on auto date table.	Skip; use business Date model.	Auto date table
LocalDateTable_c04ce649-6e25-466f-9bbc-faabfec0fe29	Quarter	"Qtr " & [QuarterNo]	no direct equivalent	SKIP_INTERNAL	SIMPLE	Calculated column on auto date table.	Skip; use business Date model.	Auto date table
LocalDateTable_c04ce649-6e25-466f-9bbc-faabfec0fe29	Day	DAY([Date])	no direct equivalent	SKIP_INTERNAL	SIMPLE	Calculated column on auto date table.	Skip; use business Date model.	Auto date table

Section 5 - Calculated Tables

Power BI Table	Original DAX	Recommended LookML	Mapping Status	Comments	Suggestion	Dependency
DateTableTemplate_92fd358c-bb4c-4d52-9f5b-e9a59dc2315d	Calendar(Date(2015,1,1), Date(2015,1,1))	no direct equivalent	SKIP_INTERNAL	Power BI auto-generated date table (Calendar DAX).	Skip LookML view; rely on business Date + Looker timeframes.	Power BI time intelligence

Power BI Table	Original DAX	Recommended LookML	Mapping Status	Comments	Suggestion	Dependency
LocalDateTable_6f19fed3-1fc0-4f7a-878d-34aca93d6782	Calendar(Date(Year(MIN('Date'[Date])), 1, 1), Date(Year(MAX('Date'[Date])), 12, 31))	no direct equivalent	SKIP_INTERNAL	Power BI auto LocalDateTable driven by Date column range.	Skip LookML view; rely on business Date + Looker timeframes.	Date.m / Date table
LocalDateTable_d2ea5b26-668d-4c17-b228-695669b066a6	Calendar(Date(Year(MIN('Date'[MonthStartDate])), 1, 1), Date(Year(MAX('Date'[MonthStartDate])), 12, 31))	no direct equivalent	SKIP_INTERNAL	Power BI auto LocalDateTable driven by Date column range.	Skip LookML view; rely on business Date + Looker timeframes.	Date.m / Date table
LocalDateTable_c9dde99e-7ac1-4e8e-a5f2-c5ffc41d9cac	Calendar(Date(Year(MIN('Date'[MonthEndDate])), 1, 1), Date(Year(MAX('Date'[MonthEndDate])), 12, 31))	no direct equivalent	SKIP_INTERNAL	Power BI auto LocalDateTable driven by Date column range.	Skip LookML view; rely on business Date + Looker timeframes.	Date.m / Date table
LocalDateTable_cc28ef26-f63a-4bc3-b357-93ab34cd6d9b	Calendar(Date(Year(MIN('Employee'[TermDate])), 1, 1), Date(Year(MAX('Employee'[TermDate])), 12, 31))	no direct equivalent	SKIP_INTERNAL	Power BI auto LocalDateTable driven by Employee date column range.	Skip LookML view; rely on business Date + Looker timeframes.	Employee.m date bounds (HireDate/Term Date)
LocalDateTable_c04ce649-6e25-466f-9bbc-faabfec0fe29	Calendar(Date(Year(MIN('Employee'[HireDate])), 1, 1), Date(Year(MAX('Employee'[HireDate])), 12, 31))	no direct equivalent	SKIP_INTERNAL	Power BI auto LocalDateTable driven by Employee date column range.	Skip LookML view; rely on business Date + Looker timeframes.	Employee.m date bounds (HireDate/Term Date)

Section 6 - Relationships -> LookML Joins

From Table	From Column	To Table	To Column	Cardinality	Cross Filter	Active	Recommended LookML Join	LookML Relationship	Mapping Status	Comments
Employee	date	Date	Date	M:1	Single	true	left_outer on explore	many_to_one	DIRECT	Fact->dim date; single-direction filter matches Looker left_outer.
Employee	FP	FP	FP	M:1	Single	true	left_outer on explore	many_to_one	DIRECT	Standard dim join on FP key.
Employee	EthnicGroup	Ethnicity	Ethnic Group	M:1	Single	true	left_outer on explore	many_to_one	DIRECT	Column names differ ('EthnicGroup' vs 'Ethnic Group') - align in sql_on.
Employee	Gender	Gender	ID	M:1	Single	true	left_outer on explore	many_to_one	DIRECT	Fact holds Gender codes that match dim 'ID' (not display label).
Employee	PayTypeID	PayType	PayTypeID	M:1	Single	true	left_outer on explore	many_to_one	DIRECT	Standard dim join.
Employee	BU	BU	BU	M:1	Single	true	left_outer on explore	many_to_one	DIRECT	Standard dim join on market/BU key.
Employee	AgeGroupID	AgeGroup	AgeGroupID	M:1	Single	true	left_outer on explore	many_to_one	DIRECT	AgeGroupID is calculated on Employee in model; join still M:1 to seed dim.
Employee	TermReason	SeparationReason	SeparationTypeID	M:1	Single	true	left_outer on explore	many_to_one	DIRECT	Fact 'TermReason' stores SeparationTypeID values.

Section 7 - Power Query / M -> Looker Data Layer

Power Query	M file	Tags	Recommended Destination	Mapping Status	Comments (M delta vs base tables)
BU	`04_m_raw/BU.m`	sql_database, query_reference	Warehouse SQL	WAREHOUSE_REQUIRED	Not a raw `hr.bu` dump: `SELECT DISTINCT` with aliases `market->BU`, `REGIONTITLE->Region` then M rename `**Region->RegionSeq**`, `MARKETDIRECTOR->VP`. If base `hr.bu` has UNIT/other columns, model shape is this 3-col p...
FP	`04_m_raw/FP.m`	sql_database, query_reference	Review	PARTIAL	`SELECT [HR].[FP].*` + type cast only. If warehouse `HR.FP` already matches `FP`/'FPDesc', LookML can point at base; else thin SQL/view for types.
PayType	`04_m_raw/PayType.m`	sql_database, query_reference	Warehouse SQL	WAREHOUSE_REQUIRED	Built from `**[HR].[PayGroup]**`, not a PayType table: `DISTINCT PayTypeID, [Hrly-Salaried] AS PayType`. Label column and grain may not exist as-is on base PayGroup.
SeparationReason	`04_m_raw/SeparationReason.m`	sql_database, query_reference	Warehouse SQL	WAREHOUSE_REQUIRED	From `**[HR].[TermReason]**`: `DISTINCT SeparationTypeID, [Vol-Invol] AS SeparationReason`. Renames source columns; not a 1:1 table copy.
Date	`04_m_raw/Date.m`	sql_database, query_reference	Review	PARTIAL	`SELECT [HR].[Date].*` + casts. If warehouse `HR.Date` already has Date/Month/Period/Qtr/Year/MonthStart/End, Review only; M adds no business transforms.
Employee	`04_m_raw/Employee.m`	sql_database, append_union, query_reference, transformation_heavy	Warehouse SQL	WAREHOUSE_REQUIRED	`**Not**` base `AllEmps`. M SQL adds: month-start spine via Date join; `**dateadd(+1 year)**` on Date/HireDate/TermDate; `**Gender remap**` `M->C` else `D`; `**Age as-of**` formula; PayTypeID via PayGroup; BU via Market/UNIT;...
Ethnicity	`04_m_raw/Ethnicity.m`	embedded_seed, query_reference	Seed	WAREHOUSE_REQUIRED	Entire dim is `**embedded**` `Table.FromRows` (no SQL source). Not on any base table - load seed (Ethnic Group, Ethnicity).
Gender	`04_m_raw/Gender.m`	embedded_seed, query_reference	Seed	WAREHOUSE_REQUIRED	Embedded seed (ID, Gender, Sort). Not on SQL Server - required for join keys `C`/'D' used by Employee M.
AgeGroup	`04_m_raw/AgeGroup.m`	embedded_seed, query_reference	Seed	WAREHOUSE_REQUIRED	Embedded seed (AgeGroupID, AgeGroup). Not on SQL Server; needed once AgeGroupID calc column exists.

Section 8 - Hierarchies

Table	Hierarchy	Levels (ordinal)	Recommended Approach	LookML	Mapping Status	Comments
Date	YQM	0 Year(Year) > 1 QtrNumber(QtrNumber) > 2 PeriodNumber(PeriodNumber)	drill_fields / dimensions	ordered	PARTIAL	Only `**business**` hierarchy; approximate with drill_fields on Date view.

Table	Hierarchy	Levels (ordinal)	Recommended Approach	LookML	Mapping Status	Comments
DateTableTemplate_92fd358c-bb4c-4d52-9f5b-e9a59dc2315d	Date Hierarchy	Year > Quarter > Month > Day	timeframes on date	business	SKIP_INTERNAL	Auto-date hierarchy.
LocalDateTable_6f19fed3-1fc0-4f7a-878d-34aca93d6782	Date Hierarchy	Year > Quarter > Month > Day	timeframes on date	business	SKIP_INTERNAL	Auto-date hierarchy.
LocalDateTable_d2ea5b26-668d-4c17-b228-695669b066a6	Date Hierarchy	Year > Quarter > Month > Day	timeframes on date	business	SKIP_INTERNAL	Auto-date hierarchy.
LocalDateTable_c9dde99e-7ac1-4e8e-a5f2-c5ffc41d9cac	Date Hierarchy	Year > Quarter > Month > Day	timeframes on date	business	SKIP_INTERNAL	Auto-date hierarchy.
LocalDateTable_cc28ef26-f63a-4bc3-b357-93ab34cd6d9b	Date Hierarchy	Year > Quarter > Month > Day	timeframes on date	business	SKIP_INTERNAL	Auto-date hierarchy.
LocalDateTable_c04ce649-6e25-466f-9bbc-faabfec0fe29	Date Hierarchy	Year > Quarter > Month > Day	timeframes on date	business	SKIP_INTERNAL	Auto-date hierarchy.

Section 9 - RLS / Security

RLS	Status	Comments
-	NONE_IN_SOURCE	No RLS roles, role memberships, or column permissions in `05_tmschema_extras.json` (`rls=0`, `ols=0`, `role_memberships=0`, `column_permissions=0`).

Section 10 - Partitions

Table / Group	Partition Name	Type	Mode	Recommended Treatment	Mapping Status	Comments
BU	BU	4 (M)	0 (Import)	Warehouse refresh / view	PARTIAL	M partition = BU query. LookML has no partition object.
FP	FP	4	0	Warehouse refresh / view	PARTIAL	M partition = FP query.
PayType	PayGroup	4	0	Warehouse refresh / view	PARTIAL	Partition **Name** is `PayGroup` (source query name); table is PayType.
SeparationReason	TermReason	4	0	Warehouse refresh / view	PARTIAL	Partition **Name** is `TermReason`; table is SeparationReason.
Date	Date	4	0	Warehouse refresh / view	PARTIAL	M partition = Date query.
Employee	Employee	4	0	Warehouse refresh / view	PARTIAL	Heavy M partition; drives fact grain.
Ethnicity	Ethnicity	4	0	Seed load	PARTIAL	Embedded M partition.

Table / Group	Partition Name	Type	Mode	Recommended Treatment	Mapping Status	Comments
Gender	Gender	4	0	Seed load	PARTIAL	Embedded M partition.
AgeGroup	AgeGroup	4	0	Seed load	PARTIAL	Embedded M partition.
(internals)	-	-	-	SKIP_INTERNAL	SKIP_INTERNAL	**113** remaining partitions: 6 auto-date table partitions + 87 `H\$` attribute-hierarchy + 7 `U\$` user-hierarchy + 13 `R\$` relationship storage. Not migrated.

Section 11 - Sort-By Columns

Table	Column	Sort By Column	Status	Comments
-	-	-	NONE_IN_SOURCE	`sort_by_columns` list empty in TM extras. Note: Gender seed has a `Sort` **column** but no SortByColumn metadata linking another column to it.

Section 12 - Formatting / Display Metadata

Table	Object	Power BI Format	Recommended LookML Formatting	Mapping Status	Comments
Date	Date	General Date	value_format_name: date	PARTIAL	Column format_string from TM extras.
Date	MonthStartDate	General Date	value_format_name: date	PARTIAL	Column format_string.
Date	MonthEndDate	General Date	value_format_name: date	PARTIAL	Column format_string.
Employee	date	General Date	value_format_name: date	PARTIAL	Column format_string.
Employee	TermDate	General Date	value_format_name: date	PARTIAL	Column format_string.
(display_folders)	-	-	group_label	NONE_IN_SOURCE	`display_folders` empty.
(PBI_FormatHint)	various columns/measures	{ "isGeneralNumber": true } ` x 18 annotations	value_format_name: decimal	PARTIAL	Annotation hints only; not full format strings.

Section 13 - Auto Date Tables

Internal Table	Columns	Hierarchy	Recommended Treatment	Mapping Status	Comments
DataTableTemplate_92fd358c-bb4c-4d52-9f5b-e9a59dc2315d	Date, Year, MonthNo, Month, QuarterNo, Quarter, Day	Date Hierarchy	SKIP_INTERNAL	SKIP_INTERNAL	Template auto calendar; use business `Date` + Looker timeframes.
LocalDateTable_6f19fed3-1fc0-4f7a-878d-34aca93d6782	Date, Year, MonthNo, Month, QuarterNo, Quarter, Day	Date Hierarchy	SKIP_INTERNAL	SKIP_INTERNAL	Local date for `Date[Date]` variation.
LocalDateTable_d2ea5b26-668d-4c17-b228-695669b066a6	Date, Year, MonthNo, Month, QuarterNo, Quarter, Day	Date Hierarchy	SKIP_INTERNAL	SKIP_INTERNAL	Local date for `Date[MonthStartDate]`.

Internal Table	Columns	Hierarchy	Recommended Treatment	Mapping Status	Comments
LocalDateTable_c9dde99e-7ac1-4e8e-a5f2-c5ffc41d9cac	Date, Year, MonthNo, Month, QuarterNo, Quarter, Day	Date Hierarchy	SKIP_INTERNAL	SKIP_INTERNAL	Local date for `Date[MonthEndDate]`.
LocalDateTable_cc28ef26-f63a-4bc3-b357-93ab34cd6d9b	Date, Year, MonthNo, Month, QuarterNo, Quarter, Day	Date Hierarchy	SKIP_INTERNAL	SKIP_INTERNAL	Local date for `Employee[TermDate]`.
LocalDateTable_c04ce649-6e25-466f-9bbc-faabfec0fe29	Date, Year, MonthNo, Month, QuarterNo, Quarter, Day	Date Hierarchy	SKIP_INTERNAL	SKIP_INTERNAL	Local date for `Employee[HireDate]`.

Section 14 - Annotations / Other Tabular Metadata

Object	Metadata Type	Power BI Value	LookML Equivalent	Mapping Status	Comments
perspectives	perspectives	-	Explore curation	NONE_IN_SOURCE	Empty (`perspectives=0`).
rls / ols	security	-	access_grant sql_always_where	NONE_IN_SOURCE	Empty (see §4).
connections	other.connections	-	Looker connection	NONE_IN_SOURCE	Empty array.
aggregations	other.aggregations	-	aggregate_table	NONE_IN_SOURCE	Empty array.
annotations (bulk)	annotations	158 records	No 1:1	PARTIAL	Mostly `SummarizationSetBy` (87), `TemplateId` (42), `PBI_FormatHint` (18), auto-date flags - do not auto-migrate.
__PBI_TimeIntelligenceEnabled	metadata	1	-	PARTIAL	Informational; prefer business Date + PoP patterns.
__PBI_LegacyCustomDateTable	annotation	true (on Date)	-	PARTIAL	Confirms business Date is custom calendar, not auto-date.
PBIDesktopVersion	metadata	2.109.6661.0001 (Main)	-	PARTIAL	Informational.
PBI_QueryOrder	metadata	BU, FP, PayType, SeparationReason, Date, Employee, Ethnicity, Gender, AgeGroup	-	PARTIAL	Refresh/order hint only.
cultures	cultures	en-US	locale / value formats	PARTIAL	One culture row.
variations	variations	5 (Datex3, Employee TermDate/HireDate)	No direct equivalent	SKIP_INTERNAL	Tie date columns to LocalDateTable hierarchies; skip with auto dates.
attribute_hierarchies	attribute_hierarchies	102	-	SKIP_INTERNAL	Engine storage; not business objects.
linguistic_metadata_present	other	true	-	PARTIAL	Present but not required for LookML.

Section 15 - Complex / Unmapped Objects

Object Type	Table	Object	Mapping Status	Why Direct Mapping Is Difficult	Dependency	Recommended Approach	KPI Impact	Priority
measure	Employee	EmpCount	COMPLEX	EmpCount uses FILTER(ALL(PeriodNumber), PeriodNumber = MAX(...)) latest-period pattern.	Date / filter context / parent measures	Use always_filter / liquid / SQL max-period filter; do not treat as plain COUNT.	Affects EmpCount, EmpCount SPLY, and Actives if Actives wraps EmpCount.	HIGH
measure	Employee	New Hires SPLY	COMPLEX	Uses SAMEPERIODLASTYEAR and requires date-filter context validation.	Date / filter context / parent measures	Review LookML time-based / PoP implementation and validate against Power BI KPI results.	Blocks YoY and SPLY-dependent KPIs until implemented.	HIGH
measure	Employee	Actives SPLY	COMPLEX	Uses SAMEPERIODLASTYEAR and requires date-filter context validation.	Date / filter context / parent measures	Review LookML time-based / PoP implementation and validate against Power BI KPI results.	Blocks YoY and SPLY-dependent KPIs until implemented.	HIGH
measure	Employee	Seps SPLY	COMPLEX	Uses SAMEPERIODLASTYEAR and requires date-filter context validation.	Date / filter context / parent measures	Review LookML time-based / PoP implementation and validate against Power BI KPI results.	Blocks YoY and SPLY-dependent KPIs until implemented.	HIGH
measure	Employee	EmpCount SPLY	COMPLEX	Uses SAMEPERIODLASTYEAR and requires date-filter context validation.	Date / filter context / parent measures	Review LookML time-based / PoP implementation and validate against Power BI KPI results.	Blocks YoY and SPLY-dependent KPIs until implemented.	HIGH
measure	Employee	Bad Hires SPLY	COMPLEX	Uses SAMEPERIODLASTYEAR and requires date-filter context validation.	Date / filter context / parent measures	Review LookML time-based / PoP implementation and validate against Power BI KPI results.	Blocks YoY and SPLY-dependent KPIs until implemented.	HIGH
measure	Employee	TO % Norm	COMPLEX	Uses ALL() to ignore Gender/Ethnicity filter context (TO % Norm pattern).	Date / filter context / parent measures	Implement via filtered measure / explore that ignores those dimensions; parity-test vs Power BI.	Blocks TO % Norm and TO % Var.	HIGH

Object Type	Table	Object	Mapping Status	Why Direct Mapping Is Difficult	Dependency	Recommended Approach	KPI Impact	Priority
calculated_column	Date	MonthIncrementNumber	WAREHOUSE_REQUIRED	Uses model-wide MIN(Year) pattern - awkward as pure LookML.	Date.m / Date table	Materialize in warehouse Date table.	Feeds measures that reference this column	MEDIUM
power_query	Employee	`04_m_raw/Employee.m`	WAREHOUSE_REQUIRED	**Not** base `AllEmps`. M SQL adds: month-start spine via Date join; **dateadd(+1 year)** on Date/HireDate/TermDate; **Gender remap** `M->C` else `D`; **Age as-of** formula; PayTypeID via PayGroup; BU via Market/UNIT;...	`04_m_raw/Employee.m`	Port M to Warehouse SQL before LookML KPIs.	ALL Employee measures / KPIs	HIGH

Derived from specialist rows marked COMPLEX / WAREHOUSE_REQUIRED (and Employee.m as critical warehouse dependency).

Section 16 - Overall Object Mapping Summary

Power BI Object Type	Total	Direct Mapping	Partial	Complex	Warehouse Required	Skip Internal	Blocked
Tables	15	9	0	0	0	6	0
Columns	87	38	6	0	1	42	0
Measures	30	9	14	7	0	0	0
Calculated Columns	43	6	0	0	1	36	0
Calculated Tables	6	0	0	0	0	6	0
Relationships	8	8	0	0	0	0	0
Power Query	9	0	2	0	7	0	0
Hierarchies	7	0	1	0	0	6	0
RLS	0	0	0	0	0	1	0

Totals derived from Phase 1 extraction (gate `PASS`): tables=15, columns=87, measures=30, calculated_columns=43, calculated_tables=6, relationships=8, power_query=9, hierarchies=7, partitions=122, rls_roles=0.

Mapping Status Definitions (reference)

Status	Meaning
DIRECT	Clear one-to-one conceptual mapping
PARTIAL	Representable in LookML with extra design/validation
COMPLEX	Not safe as a simple LookML object
WAREHOUSE_REQUIRED	Prefer warehouse before LookML
SKIP_INTERNAL	Captured PBI internal; normally not migrated

Status	Meaning
BLOCKED	Required information missing from extraction
NONE_IN_SOURCE / NO_DIRECT_EQUIVALENT	Empty category or no LookML equivalent

Next Phase

This document is the **design/mapping layer only**.

The next phase will use this assessment to generate:

1. Warehouse SQL where required 2. LookML views 3. LookML measures 4. LookML joins 5. LookML model/explore 6. Security implementation 7. KPI parity testing

Those tasks are **not** performed in Phase 2.