

```
mysql> insert into salaryrough (salary,name,email) values (40000,'sweekriti','sweeti@gmail.com'),(48000,'sweekar','sweet@gmail.com'),(60000,'bashanta','bashanta@gmail.com'),(55000,'Bipina','bipina@gmail.com'),(55000,'bipin','bipin@gmail.com');
Query OK, 5 rows affected (0.054 sec)
Records: 5 Duplicates: 0 Warnings: 0

mysql> insert into salaryrough values(7,40000,'kriti','kriti@gmail.com');
Query OK, 1 row affected (0.051 sec)

mysql> insert into salaryrough (salary,name,email) values (40000,'swostika','swostika@gmail.com');
Query OK, 1 row affected (0.065 sec)
```

```
mysql> select * FROM salaryrough;
```

id	salary	name	email
7	40000	kriti	kriti@gmail.com
10	40000	sweekriti	sweeti@gmail.com
11	48000	sweekar	sweet@gmail.com
12	60000	bashanta	bashanta@gmail.com
13	55000	Bipina	bipina@gmail.com
14	55000	bipin	bipin@gmail.com
15	40000	swostika	swostika@gmail.com

7 rows in set (0.028 sec)

```
mysql> select id,salary,name from salaryrough;
```

id	salary	name
7	40000	kriti
10	40000	sweekriti
11	48000	sweekar
12	60000	bashanta
13	55000	Bipina
14	55000	bipin
15	40000	swostika

7 rows in set (0.010 sec)

```
mysql> select first_name as name from salaryrough;
```

name
kriti
sweekriti
sweekar
bashanta
Bipina
bipin
swostika

7 rows in set (0.007 sec)

```
mysql> select distinct salary from salaryrough;
```

salary
40000
48000
60000
55000

```
mysql> select id,first_name,email,salary*12 as annual_salary from salaryrough;
```

id	first_name	email	annual_salary
7	kriti	kriti@gmail.com	480000
10	sweekriti	sweeti@gmail.com	480000
11	sweekar	sweet@gmail.com	576000
12	bashanta	bashanta@gmail.com	720000
13	Bipina	bipina@gmail.com	660000
14	bipin	bipin@gmail.com	660000
15	swostika	swostika@gmail.com	480000

7 rows in set (0.008 sec)

```
mysql> select * FROM salaryrough where salary<50000;
```

id	salary	first_name	email
7	40000	kriti	kriti@gmail.com
10	40000	sweekriti	sweeti@gmail.com
11	48000	sweekar	sweet@gmail.com
15	40000	swostika	swostika@gmail.com

4 rows in set (0.008 sec)

```
mysql> select * FROM salaryrough where salary>50000;
```

id	salary	first_name	email
12	60000	bashanta	bashanta@gmail.com
13	55000	Bipina	bipina@gmail.com
14	55000	bipin	bipin@gmail.com

3 rows in set (0.034 sec)

```
mysql> select * FROM salaryrough where salary=40000;
```

id	salary	first_name	email
7	40000	kriti	kriti@gmail.com
10	40000	sweekriti	sweeti@gmail.com
15	40000	swostika	swostika@gmail.com

3 rows in set (0.011 sec)

```
mysql> |
```

```
mysql> select * FROM salaryrough where salary>4500 and id>13;
```

id	salary	first_name	email
14	55000	bipin	biping@gmail.com
15	40000	swostika	swostika@gmail.com
16	35000	sonu	sonu@gmail.com

3 rows in set (0.035 sec)

```
mysql> select * FROM salaryrough where salary>=55000;
```

id	salary	first_name	email
12	60000	bashanta	bashanta@gmail.com
13	55000	Bipina	bipina@gmail.com
14	55000	bipin	bipin@gmail.com

3 rows in set (0.012 sec)

```
mysql> select * FROM salaryrough where salary!=40000;
```

id	salary	first_name	email
11	48000	sweekar	sweet@gmail.com
12	60000	bashanta	bashanta@gmail.com
13	55000	Bipina	bipina@gmail.com
14	55000	bipin	bipin@gmail.com

4 rows in set (0.011 sec)

```
mysql> select * FROM salaryrough where salary<=40000;
```

id	salary	first_name	email
7	40000	kriti	kriti@gmail.com
10	40000	sweekriti	sweeti@gmail.com
15	40000	swostika	swostika@gmail.com
16	35000	sonu	sonu@gmail.com

4 rows in set (0.008 sec)

```
mysql> select * FROM salaryrough where salary=60000 or id<=11;
```

id	salary	first_name	email
7	40000	kriti	kriti@gmail.com
10	40000	sweekriti	sweeti@gmail.com
11	48000	sweekar	sweet@gmail.com
12	60000	bashanta	bashanta@gmail.com

4 rows in set (0.009 sec)

```
mysql> select * from salaryrough where not (salary=40000 or salary=55000);
```

id	salary	first_name	email
11	48000	sweekar	sweet@gmail.com
12	60000	bashanta	bashanta@gmail.com
16	35000	sonu	sonu@gmail.com

3 rows in set (0.010 sec)

