

Host 192.168.0.0 is up Information:

Address	State	Hostname	Filtered
192.168.0.0	up	N/A	True

Ports Information:

Port ID	Protocol	State	Reason	Reason TTL	Service Name	Product	Version	Extra Info	Device Type	Method	Conf	CPE
N/A	N/A	filtered	N/A	N/A	N/A	N/A	N/A	Count: 100, Reason: net-unreachable, Count: 100	N/A	N/A	N/A	N/A

Host 192.168.0.1 is up Information:

Address	State	Hostname	Filtered
192.168.0.1	up	N/A	False

Ports Information:

Port ID	Protocol	State	Reason	Reason TTL	Service Name	Product	Version	Extra Info	Device Type	Method	Conf	CPE
22	tcp	open	syn-ack	0	ssh	OpenSSH	6.2	protocol 2.0	N/A	probed	10	cpe:/a:openbsd:openssh:6.2
88	tcp	open	syn-ack	0	kerberos-sec	Heimdal Kerberos	N/A	server time: 2015-08-14 18:54:26 Z	N/A	probed	10	cpe:/a:heimdal:kerberos
548	tcp	open	syn-ack	0	afp	N/A	N/A	N/A	N/A	table	3	N/A
N/A	N/A	closed	N/A	N/A	N/A	N/A	N/A	Count: 97, Reason: conn - refused, Count: 97	N/A	N/A	N/A	N/A

Host 192.168.0.2 is up Information:

Address	State	Hostname	Filtered
192.168.0.2	up	N/A	False

Ports Information:

Port ID	Protocol	State	Reason	Reason TTL	Service Name	Product	Version	Extra Info	Device Type	Method	Conf	CPE
3306	tcp	open	syn-ack	0	mysql	MySQL	5.0.54	N/A	N/A	probed	3	N/A
N/A	N/A	closed	N/A	N/A	N/A	N/A	N/A	Count: 99, Reason: connection refused, Count: 99	N/A	N/A	N/A	N/A

Host 192.168.0.3 is up Information:

Address	State	Hostname	Filtered
192.168.0.3	up	N/A	True

Ports Information:

Port ID	Protocol	State	Reason	Reason TTL	Service Name	Product	Version	Extra Info	Device Type	Method	Conf	CPE
N/A	N/A	filtered	N/A	N/A	N/A	N/A	N/A	Count: 100, Reason: net-unreachable, Count: 100	N/A	N/A	N/A	N/A

Host 192.168.0.4 is up Information:

Address	State	Hostname	Filtered
192.168.0.4	up	N/A	False

Ports Information:

Port ID	Protocol	State	Reason	Reason TTL	Service Name	Product	Version	Extra Info	Device Type	Method	Conf	CPE
22	tcp	open	syn-ack	0	ssh	OpenSSH	6.2	protocol 2.0	N/A	probed	10	cpe:/a:openbsd:openssh:6.2
8080	tcp	open	syn-ack	0	http	XBM C Web Media Manager	N/A	N/A	media device	probed	10	cpe:/o:linux:linux_kernel
N/A	N/A	closed	N/A	N/A	N/A	N/A	N/A	Count: 98, Reason: conn - refused, Count: 98	N/A	N/A	N/A	N/A

Host 192.168.0.5 is up Information:

Address	State	Hostname	Filtered
192.168.0.5	up	N/A	True

Ports Information:

Port ID	Protocol	State	Reason	Reason TTL	Service Name	Product	Version	Extra Info	Device Type	Method	Conf	CPE
N/A	N/A	filtered	N/A	N/A	N/A	N/A	N/A	Count: 100, Reason: net-unreaches, Count: 100	N/A	N/A	N/A	N/A

Host 192.168.0.6 is up Information:

Address	State	Hostname	Filtered
192.168.0.6	up	N/A	True

Ports Information:

Port ID	Protocol	State	Reason	Reason TTL	Service Name	Product	Version	Extra Info	Device Type	Method	Conf	CPE
N/A	N/A	filtered	N/A	N/A	N/A	N/A	N/A	Count: 100, Reason: net-unreaches, Count: 100	N/A	N/A	N/A	N/A

Host 192.168.0.7 is up Information:

Address	State	Hostname	Filtered
192.168.0.7	up	N/A	True

Ports Information:

Port ID	Protocol	State	Reason	Reason TTL	Service Name	Product	Version	Extra Info	Device Type	Method	Conf	CPE
N/A	N/A	filtered	N/A	N/A	N/A	N/A	N/A	Count: 100, Reason: net-unreaches, Count: 97	N/A	N/A	N/A	N/A

Host 192.168.0.8 is up Information:

Address	State	Hostname	Filtered
192.168.0.8	up	N/A	False

Ports Information:

Port ID	Protocol	Status	Reason	Reason TTL	Service Name	Product	Version	Extra Info	Device Type	Method	Conf	CPE
80	tcp	open	syn-ack	0	http	Apache httpd	2.4.16	protocol 2.0	N/A	probed	10	cpe:/a:openbsd:openssh:6.2
443	tcp	open	syn-ack	0	http	Apache httpd	2.4.16	protocol 2.0	N/A	probed	10	cpe:/a:openbsd:openssh:6.2
8080	tcp	open	syn-ack	0	http	nginx	1.9.4	protocol 2.0	N/A	probed	10	cpe:/a:openbsd:openssh:6.2
N/A	N/A	closed	N/A	N/A	N/A	N/A	N/A	Count: 97, Reason: connection refused, Count: 97	N/A	N/A	N/A	N/A