

HW 10

Message Logging

Log Info

254 messages
192 user messages
60 errors
No warnings
188 info
script.js 188

(index)	name	old	new
0	'Happiness'	50	47
1	'Weight'	50	45
2	'Discipline'	50	52

Array(3)
Image Updated
script.js:185

Log Warning

▶ Play button is disabled due to values being too low script.js:124
▶ Play button is disabled due to values being too low script.js:124
▶ Exercise button is disabled due to values being too low script.js:134

Log Error

37 messages
31 user messages
6 errors
rem.png 6
No warnings
31 info
No verbose

▶ GET https://bashiho.github.io/Comp484-HW-10/rem.png 404 (Not Found) script.js:184
▶ GET https://bashiho.github.io/Comp484-HW-10/rem.png 404 (Not Found) script.js:184
▶ GET https://bashiho.github.io/Comp484-HW-10/rem.png 404 (Not Found) script.js:184
▶ GET https://bashiho.github.io/Comp484-HW-10/rem.png 404 (Not Found) script.js:184
▶ GET https://bashiho.github.io/Comp484-HW-10/rem.png 404 (Not Found) script.js:184
▶ GET https://bashiho.github.io/Comp484-HW-10/rem.png 404 (Not Found) script.js:184

Log Table

(index)	name	old	new
0	'Happiness'	50	47
1	'Weight'	50	45
2	'Discipline'	50	52

Array(3)

Log Group

▼ Disabled Buttons	script.js:153
Play Button,	script.js:155
Exercise Button,	script.js:155

Log Custom

Rem is happy	script.js:179
--------------	-------------------------------

Messages Logged by Browser

404

✖ ▶ GET https://bashiho.github.io/Comp484-HW-10/rem.png 404 (Not Found)	script.js:184 ⓘ
---	---------------------------------

TypeError

✖ Uncaught TypeError: console.warning is not a function
at updateButtons (script.js:144:13)
at checkAndUpdatePetInfoInHtml (script.js:79:5)
at HTMLButtonElement.clickedTrainButton (script.js:43:3)
)
at HTMLButtonElement.dispatch (jquery-2.2.1.min.js:3:7516)
at r.handle (jquery-2.2.1.min.js:3:5597)

Violation

[Violation] Forced reflow while executing JavaScript took 30ms
--

Filter Messages

Filter by Log Level

141 messages

120 user messages

21 errors

3 warnings

117 info

No verbose

Updated pet information [script.js:113](#)

Successfully completed: play [script.js:52](#)

[script.js:61](#)

(index)	name	old	new
0	'Happiness'	50	53
1	'Weight'	50	48
2	'Discipline'	50	46

Array(3)

Image Updated [script.js:185](#)

Disabled Buttons [script.js:153](#)

Updated pet information [script.js:113](#)

Played [script.js:32](#)

Successfully completed: play [script.js:52](#)

[script.js:61](#)

(index)	name	old	new
0	'Happiness'	53	56
1	'Weight'	48	46
2	'Discipline'	46	42

Array(3)

Image Updated [script.js:185](#)

Disabled Buttons [script.js:153](#)

Updated pet information [script.js:113](#)

Played [script.js:32](#)

Successfully completed: play [script.js:52](#)

[script.js:61](#)

(index)	name	old	new
0	'Happiness'	56	59
1	'Weight'	46	44
2	'Discipline'	42	38

141 messages

120 user messages

21 errors

3 warnings


117 info

No verbose


Play button is disabled due to values being too low [script.js:124](#)

Play button is disabled due to values being too low [script.js:124](#)


Exercise button is disabled due to values being too low [script.js:134](#)




Filter by Text



Filter by Regular Expression



Filter by message Source



The screenshot shows the Chrome DevTools Console with the filter set to 'source:console-api'. The messages displayed are:


- Updated pet information [script.js:113](#)
- Successfully completed: play [script.js:52](#)
- [script.js:61](#)

(index)	name	old	new
0	'Happiness'	50	53
1	'Weight'	50	48
2	'Discipline'	50	46

▶ Array(3)

- Image Updated [script.js:185](#)

Filter by User Messages



The screenshot shows the Chrome DevTools Console with the filter set to 'User Messages'. The left sidebar shows the message counts: 141 messages, 120 user messages (selected), 21 errors, 3 warnings, 117 info, and No verbose. The messages displayed are:

- Updated pet information [script.js:113](#)
- Successfully completed: play [script.js:52](#)
- [script.js:61](#)

(index)	name	old	new
0	'Happiness'	50	53
1	'Weight'	50	48
2	'Discipline'	50	46

▶ Array(3)

- Image Updated [script.js:185](#)
- ▼ Disabled Buttons [script.js:153](#)
- Updated pet information [script.js:113](#)
- Played [script.js:32](#)
- Successfully completed: play [script.js:52](#)
- [script.js:61](#)

(index)	name	old	new
0	'Happiness'	53	56
1	'Weight'	48	46
2	'Discipline'	46	42

▶ Array(3)

Reproduce Bug

Improper checks allow happiness value to fall into the negatives when that is not intentional.



Successfully completed: train
Name: **Rem**
Weight: **32 pounds**
Happiness: **-3 tail wags (per min)**
Discipline: **89**

Treat

Play

Exercise


Train

Previous Actions (most recent first):

Trained,
Trained,
Trained,
Trained,
Trained,

Get Familiar with Sources UI

Use Sources UI to find [script.js](#) to inspect it and place breakpoints.



```
40 }
41
42 function clickedTrainButton() {
43   checkAndUpdatePetInfoInHtml("train", -5, 2, 5);
44   console.log("Trained");
45   $("<p>Trained, </p>").prependTo(".history-list");
46 }
47
48 // uses checkWeightAndHappinessBeforeUpdating to check if values are safe,
49 function checkAndUpdatePetInfoInHtml(action, happinessChange, weightChange) {
50   var change = checkWeightAndHappinessBeforeUpdating(action, happinessChange, weightChange);
51   if(change){
52     console.log("Successfully completed: " + action);
53     $('.warning').text("Successfully completed: " + action);
54     happiness = Number(pet_info['happiness'])
55     weight = Number(pet_info['weight'])
56     discipline = Number(pet_info['discipline'])
57     pet_info['happiness'] = happiness + happinessChange;
58     pet_info['weight'] = weight + weightChange;
59     pet_info['discipline'] = discipline + discChange;
60     // Console Table example, prints table of old and new values
61     console.table([
62       {
63         name: 'Happiness',
64         old: happiness,
65         new: pet_info['happiness']
66       },
67       {
68         name: 'Weight',
69         old: weight,
70         new: pet_info['weight']
71       },
72       {
73         name: 'Discipline',
74         old: discipline,
75         new: pet_info['discipline']
76       }
77     ])
```

Pause Code with a BreakPoint

Pause at certain points to check variables and evaluate the state of the app.

Paused in debugger

This is your Giga Pet



Successfully completed: treat
Name: Rem
Weight: 32 pounds
Happiness: -3 tail wags (per min)
Discipline: 89

Treat

Play

Exercise

Train

Previous Actions (most recent first):
Trained,
Trained,
Trained,
Trained,
Trained,

PageWorkspace>>

script.js X

top

bashiho.github.io

Comp484-HW-10

images

Comp484-HW-10/

script.js

style.css

Plasma Integration

code.jquery.com

40

41

42

43

44

45

46

47

48

49

50

51

52

53

54

55

56

57

58

59

60

61

62

63

64

65

66

67

}

function clickedTrainBut

checkAndUpdatePetInfoI

console.log("Trained")

\$("#<p>Trained, </p>").

}

// uses checkWeightAndHa

function checkAndUpdateP

var change = checkWeig

if(change){

console.log("Success

\$('.warning').text("

happiness = Number(p

weight = Number(pet_

discipline = Number(

pet_info['happiness'

pet_info['weight'] =

pet_info['discipline

// Console Table exa

console.table([

{

name: 'Happiness

old: happiness,

new: pet_info['h

},

],

{

<> Line 78, Column 5 Coverage

Paused on breakpoint

Breakpoints

Pause on uncaught exceptions

Pause on caught exceptions

script.js

updateImage(); 78

updateButtons(); 79

updatePetInfoInHtml(... 80

Call Stack

Console

1 Issue: 1

597 messages

504 user messages

93 errors

8 warnings

496 info

Local

this: Window

action: "treat"

change: true

discChange: 0

happinessChange: 5

weightChange: 5

Global

Window

script.js...

Array

(3)

script.js...

Image

Updated

script.js...

Disabled

Set a line-of-code breakpoint


```
56     discipline = Number(pet_info['discipline'])
57     pet_info['happiness'] = happiness + happinessChange;
58     pet_info['weight'] = weight + weightChange;
59     pet_info['discipline'] = discipline + discChange;
60     // Console Table example, prints table of old and new values
61     console.table([
62         {
63             name: 'Happiness',
64             old: happiness,
65             new: pet_info['happiness']
66         },
67         {
68             name: 'Weight',
69             old: weight,
70             new: pet_info['weight']
71         },
72         {
73             name: 'Discipline',
74             old: discipline,
75             new: pet_info['discipline']
76         }
77     ]);
78     updateImage();
79     updateButtons();
80     updatePetInfoInHtml(happinessChange, weightChange);
81 }
82 }
83 }
```

Check variable values

Scope Pane


```
▼ Scope
▼ Local
  ▶ this: Window
    action: "treat"
    change: true
    discChange: 0
    happinessChange: 5
    weightChange: 5
  ▶ Global
    Window
```

Watch Expression



The Console

Check the values after executing an action in the console



Apply a Fix

Add checks to prevent actions that would lower the values too much.

```
// Checks if values are safe to use before acting, returns true if safe , returns false and prints warning otherwise
function checkWeightAndHappinessBeforeUpdating(action, happinessChange, weightChange, discChange) {
  let issues = ""
  if(Number(pet_info['happiness']) + happinessChange < 0){
    | issues += "happiness ";
  }
  if(Number(pet_info['discipline']) + discChange < 0){
    | issues += "discipline ";
  }
  if(Number(pet_info['weight']) + weightChange <= 0){
    | issues += "weight ";
  }
}
```