

BASIC PROBABILITY: THEORY

Master of Logic, University of Amsterdam, 2016

TEACHERS Christian Schaffner and Philip Schulz TA Bas Cornelissen

Homework problem set 3

Your homework must be handed in **electronically via Moodle before Wednesday September 19th, 21:00h**. This deadline is strict and late submissions are graded with a 0. The lowest of your homework grades will be dropped. You are strongly encouraged to work together on the exercises, including the homework. However, after this discussion phase, you have to write down and submit your own individual solution. Numbers alone are never sufficient, always motivate your answers.

Problem 1: Expectation and variance (1pt)

Suppose X is a random variable with $E[X] = 5$ and $\text{Var}[X] = 7$.

- (a) **0.5pt** Compute $E[(2 + X)^2]$
- (b) **0.5pt** Compute $\text{Var}(4 + 3X)$.

Problem 2: A probability urn (2.5pt)

A jar contains r red and b blue balls. Balls are taken out randomly until a blue ball is first drawn. At that point the experiment stops. Each drawn ball is put back before picking a new one.

- (a) **1pt** What is the probability that you will draw exactly k balls?
- (b) **1.5pt** What is the probability that you will draw *at least* k balls? *Hint: if you can't find a solution directly, look up the geometric progression.*

Problem 3: Another probability urn (2.5pt)

Assume that k balls are randomly picked (without replacement) from an urn containing N balls labelled from 1 to N . Let X be the largest label present in a draw. For example: if you have drawn balls $\{1, 15, 9, 3, 14\}$ then X takes on the value 15. Find an expression for the cumulative distribution function.

Problem 4: Two coins and a die (4pt)

You have two (fair) coins and a (fair) 4-sided die. Let X be the number of heads after flipping the two coins and let Y be the result of rolling the die. Let Z be the average of X and Y .

- (a) **1.5pt** Find the standard deviation of X , Y and Z .
- (b) **1pt** Draw a graph of the probability mass function and the cumulative distribution function.
- (c) **1.5pt** You play the following game. If $2X \geq Y$, you win X^2 euros and otherwise you lose 1 euro. What is your expected total gain or loss after playing this game 40 times?