

# CogniCare 5-Day Patient Report

A gentle overview of care routines, reminders, and recent conversations.

Patient: patient patient

Report period: May 3 – May 8, 2026

Generated: May 8, 2026 at 9:55 PM

## Patient Profile

|                   |                        |
|-------------------|------------------------|
| Full Name         | patient patient        |
| Date of Birth     | December 1, 1949       |
| Gender            | Male                   |
| Diagnosis Stage   | Moderate               |
| Address           | Amman                  |
| Contact Number    | +9627923459            |
| Emergency Contact | emergency1 - 123456799 |

## Care at a Glance

A quick snapshot before reading the full details below.

|                                             |
|---------------------------------------------|
| Meals: 1 confirmed · 1 missed · 1 unknown   |
| Medications: 2 unknown                      |
| Activities: 1 unknown                       |
| Conversations reviewed: 76                  |
| Repeated question noticed: “who is my son?” |

## Behavioral Overview

Based on recorded conversations — describes recent engagement, mood signals, and care patterns.

During the available interactions from the last 5 days, the patient asked several repeated questions about aspirin, Panadol/acetaminophen, medication dosage, anxiety disorder, and family identity, including asking who their son is and stating in Arabic that they forgot their son. The repeated medication questions may suggest uncertainty about current medicines or concern about side effects, and the family-identity questions could indicate a moment of confusion worth monitoring. There was also no timely confirmation after a snack reminder, which means intake was not confirmed rather than definitely missed. The data is limited to a short cluster of interactions, so these observations should be interpreted gently and reviewed alongside caregiver observations.

## Care Adherence Summary

*How care routines were tracked and confirmed during this period.*

**Meals:** 1 confirmed · 1 missed · 1 unknown

**Medication · Panadol:** Unknown

**Medication · Aspirin:** Unknown

**Activity · Swim:** Unknown

*Unknown means the patient did not explicitly confirm completion during recorded conversations or reminders. It does not necessarily mean the task was missed.*

## Meal Details

Meals scheduled during this period with confirmation status.

| Meal   | Scheduled Time | Status    | Notes                           |
|--------|----------------|-----------|---------------------------------|
| Lunch  | 1:00 PM        | Unknown   | No explicit confirmation found  |
| Dinner | 6:00 PM        | Confirmed | Confirmed in conversation       |
| Snack  | 6:40 PM        | Missed    | Patient indicated not completed |

Unknown: No explicit confirmation was found in recorded conversations.

## Medication Details

Medications scheduled during this period with confirmation status.

| Medication | Scheduled Time | Status  | Notes                          |
|------------|----------------|---------|--------------------------------|
| Panadol    | 12:17 AM       | Unknown | No explicit confirmation found |
| Aspirin    | 12:00 AM       | Unknown | No explicit confirmation found |

Unknown: No explicit confirmation was found in recorded conversations.

## Activity Details

Activities scheduled during this period with confirmation status.

| Activity | Scheduled Time | Status  | Notes                          |
|----------|----------------|---------|--------------------------------|
| Swim     | 11:00 AM       | Unknown | No explicit confirmation found |

Unknown: No explicit confirmation was found in recorded conversations.

## Worth Noticing — Repeated Questions

*These questions came up more than once and may suggest the patient is seeking reassurance.*

The patient asked “who is my son?” 6 times. A gentle reassurance or reminder may be helpful.

The patient asked “[Scheduled reminder — patient was not typing]” 3 times. A gentle reassurance or reminder may be helpful.

The patient asked “what are my meals today” 3 times. A gentle reassurance or reminder may be helpful.

The patient asked “what is aspirin” 2 times. A gentle reassurance or reminder may be helpful.

The patient asked “what is anxiety disorder” 2 times. A gentle reassurance or reminder may be helpful.