




The image shows the ThingsBoard web interface. The top header includes the 'ThingsBoard' logo, a 'Home' button, and user information for 'tenant@thingsboard.org'. The left sidebar contains navigation links: Home, Alarms, Dashboards, Entities (with sub-links for Devices, Assets, Entity views, Gateways), Profiles, Customers, Rule chains, Edge management, Advanced features, Resources, Notification center, and Mobile center. The main content area is divided into several widgets. The 'Devices' widget shows 109 inactive and 100 active devices, totaling 209. The 'Alarms' widget shows 0 critical alarms. The 'Activity' widget shows a history of 1 event. The 'Usage' widget shows usage statistics for various entities. A 'Get started' section on the right provides a 5-step guide: 1. Create device, 2. Connect device, 3. Create dashboard, 4. Configure alarm rules, 5. Create alarm. At the bottom right, there's a 'Connect mobile app' section with QR codes for the App Store and Google Play.

Gordon

BETA

Containers

Images

Volumes

Kubernetes

Builds

Models

MCP Toolkit

BETA

Docker Hub

Docker Scout

Extensions

Upgrade plan

Containers / thingsboard

thingsboard

107ae5f45886

thingsboard/tb-postgres:latest

1884:1883 5683:5683 (UDP) Show all ports (4)

STATUS

Running (14 minutes ago)

Logs

Inspect

Bind mounts

Exec

Files

Stats

dynamicQueryInvocationTime = [0], alarmQueryInvocationCnt = [0], alarmQueryInvocationTime = [0]
2026-05-04 09:31:17,441 [TB-Scheduling-5] INFO o.t.s.s.DefaultTbEntityDataSubscriptionService - Stats:
regularQueryInvocationCnt = [0], regularQueryInvocationTime = [0], dynamicQueryCnt = [6] dynamicQueryInvocationCnt = [0],
dynamicQueryInvocationTime = [0], alarmQueryInvocationCnt = [0], alarmQueryInvocationTime = [0]
2026-05-04 09:31:25,387 [sql-log-2-thread-1] INFO o.t.s.dao.sql.TbSqlBlockingQueue - Queue-0 [TS] queueSize [0] totalAdded
[9] totalSaved [9] totalFailed [0]
2026-05-04 09:31:25,387 [sql-log-2-thread-1] INFO o.t.s.dao.sql.TbSqlBlockingQueue - Queue-1 [TS] queueSize [0] totalAdded
[5] totalSaved [5] totalFailed [0]
2026-05-04 09:31:25,412 [sql-log-2-thread-1] INFO o.t.s.dao.sql.TbSqlBlockingQueue - Queue-0 [TS Latest] queueSize [0]
totalAdded [9] totalSaved [9] totalFailed [0]
2026-05-04 09:31:25,412 [sql-log-2-thread-1] INFO o.t.s.dao.sql.TbSqlBlockingQueue - Queue-1 [TS Latest] queueSize [0]
totalAdded [5] totalSaved [5] totalFailed [0]
2026-05-04 09:31:27,442 [TB-Scheduling-11] INFO o.t.s.s.DefaultTbEntityDataSubscriptionService - Stats:
regularQueryInvocationCnt = [0], regularQueryInvocationTime = [0], dynamicQueryCnt = [6] dynamicQueryInvocationCnt = [0],
dynamicQueryInvocationTime = [0], alarmQueryInvocationCnt = [0], alarmQueryInvocationTime = [0]
2026-05-04 09:31:37,443 [TB-Scheduling-13] INFO o.t.s.s.DefaultTbEntityDataSubscriptionService - Stats:
regularQueryInvocationCnt = [0], regularQueryInvocationTime = [0], dynamicQueryCnt = [6] dynamicQueryInvocationCnt = [0],
dynamicQueryInvocationTime = [0], alarmQueryInvocationCnt = [0], alarmQueryInvocationTime = [0]
2026-05-04 09:31:47,443 [TB-Scheduling-12] INFO o.t.s.s.DefaultTbEntityDataSubscriptionService - Stats:
regularQueryInvocationCnt = [0], regularQueryInvocationTime = [0], dynamicQueryCnt = [6] dynamicQueryInvocationCnt = [6],
dynamicQueryInvocationTime = [8], alarmQueryInvocationCnt = [0], alarmQueryInvocationTime = [0]

Engine running

RAM 3.96 GB CPU 1.00% Disk: 7.72 GB used (limit 1006.85 GB)

Update available

Gordon

BETA

Containers

Images

Volumes

Kubernetes

Builds

Models

MCP Toolkit

BETA

Docker Hub

Docker Scout

Extensions

Upgrade plan

Containers Give feedback

Container CPU usage

8.70% / 1600% (16 CPUs available)

Container memory usage

2.13GB / 7.26GB

Show charts

Search

Only show running containers

		Name	Container ID	Image	Port(s)	CPU (%)	Last start	Actions
☐	☐	interesting_vara	734a06d98214	hivemq/hiv	1883:1883	0%		
☐	☐	jovial_ritchie	839b8e8d259b	hivemq/hiv	1883:1883	0%		
☐	☐	dazzling_austin	769b1fedf75e	hivemq/hiv	1883:1883 Show all ports (2)	0%	19 days a	
☐	☒	campus-pulse	-	-	-	8.7%	9 minutes	
☐	☒	thingsboard	107ae5f45886	thingsboar	1884:1883 Show all ports (4)	7.98%	16 minutes	
☐	☒	hivemq	55d522bcf2ba	hivemq/hiv	1883:1883 Show all ports (3)	0.72%	9 minutes	

Showing 6 items

Engine running

RAM 3.96 GB CPU 1.25% Disk: 7.72 GB used (limit 1006.85 GB)

Update available

```
main.py M X activate_devices.py U settings.yml M engine.py M mock_mqtt_manager.py U
main.py
1 """
2 main.py - Entry point for Campus Pulse IoT simulation.
3
4 Delegates to engine.run_engine() after setting up coap server exception handling

Problems Output Debug Console Terminal Ports
4 May 12:04:39 - [info] Loading palette nodes
4 May 12:04:40 - [info] Settings file : C:\Users\Lenovo\.node-red\settings.js
4 May 12:04:40 - [info] Context store : 'default' [module=memory]
4 May 12:04:40 - [info] User directory : C:\Users\Lenovo\.node-red
4 May 12:04:40 - [warn] Projects disabled : editorTheme.projects.enabled=false
4 May 12:04:40 - [info] Flows file : C:\Users\Lenovo\.node-red\flows.json
4 May 12:04:40 - [info] Creating new flow file
4 May 12:04:40 - [warn]

-----
Your flow credentials file is encrypted using a system-generated key.

If the system-generated key is lost for any reason, your credentials
file will not be recoverable, you will have to delete it and re-enter
your credentials.

You should set your own key using the 'credentialSecret' option in
your settings file. Node-RED will then re-encrypt your credentials
file using your chosen key the next time you deploy a change.
-----
4 May 12:04:40 - [info] Server now running at http://127.0.0.1:1880/
4 May 12:04:40 - [warn] Encrypted credentials not found
4 May 12:04:40 - [info] Starting flows
4 May 12:04:40 - [info] Started flows
4 May 12:05:59 - [info] Installing module: node-red-contrib-coap, version: 0.8.0
4 May 12:06:05 - [info] Installed module: node-red-contrib-coap
4 May 12:06:05 - [info] Added node types:
4 May 12:06:05 - [info] - node-red-contrib-coap:coap-server
4 May 12:06:05 - [info] - node-red-contrib-coap:coap in
4 May 12:06:05 - [info] - node-red-contrib-coap:coap response
4 May 12:06:05 - [info] - node-red-contrib-coap:coap request
4 May 12:06:37 - [info] Stopping flows
```

```
main.py M X activate_devices.py U settings.yml M engine.py M mock_mqtt_manager.py U
main.py
1 """
2 main.py - Entry point for Campus Pulse IoT simulation.
3
4 Delegates to engine.run_engine() after setting up coap server exception handling

Problems Output Debug Console Terminal Ports
✓ node-4-03 activated
Activating node-4-04...
[node-4-04] Message published
[node-4-04] Connected to ThingsBoard MQTT
✓ node-4-04 activated
Activating node-4-05...
[node-4-05] Message published
[node-4-05] Connected to ThingsBoard MQTT
✓ node-4-05 activated
Activating node-4-06...
[node-4-06] Message published
[node-4-06] Connected to ThingsBoard MQTT
✓ node-4-06 activated
Activating node-4-07...
[node-4-07] Message published
[node-4-07] Connected to ThingsBoard MQTT
✓ node-4-07 activated
Activating node-4-08...
[node-4-08] Message published
[node-4-08] Connected to ThingsBoard MQTT
✓ node-4-08 activated
Activating node-4-09...
[node-4-09] Message published
[node-4-09] Connected to ThingsBoard MQTT
✓ node-4-09 activated
Activating node-4-10...
[node-4-10] Message published
[node-4-10] Connected to ThingsBoard MQTT
✓ node-4-10 activated

Finished! Activated 100/100 devices
Devices should now appear as active in ThingsBoard.
PS C:\Users\Lenovo\campus-pulse>
```