

Universidade do Minho

Escola de Engenharia

John Very Longname Doe

A Very Long and Impressive
Thesis Title with a Forced Line Break





Universidade do Minho

Escola de Engenharia

John Very Longname Doe

A Very Long and Impressive
Thesis Title with a Forced Line Break

Doctorate Thesis ⟨PhD Program Name⟩ ⟨Speciality Name⟩

Word developed under the supervision of:

Mary Doe Adviser Name
John Doe Co-Adviser Name
John Doe other Co-Adviser Name

COPYRIGHT AND TERMS OF USE OF THIS WORK BY A THIRD PARTY

This is academic work that can be used by third parties as long as internationally accepted rules and good practices regarding copyright and related rights are respected.

Accordingly, this work may be used under the license provided below.

If the user needs permission to make use of the work under conditions not provided for in the indicated licensing, they should contact the author through the RepositoriUM of Universidade do Minho.

License granted to the users of this work



Creative Commons Atribuição-NãoComercial-Compartilhalgual 4.0 Internacional CC BY-NC-SA 4.0

https://creativecommons.org/licenses/by-nc-sa/4.0/deed.pt

Acknowledgements

Acknowledgments are personal text and should be a free expression of the author.

However, without any intention of conditioning the form or content of this text, I would like to add that it usually starts with academic thanks (instructors, etc.); then institutional thanks (Research Center, Department, Faculty, University, FCT / MEC scholarships, etc.) and, finally, the personal ones (friends, family, etc.).

But I insist that there are no fixed rules for this text, and it must, above all, express what the author feels.

STATEMENT OF INTEGRITY	
I hereby declare having conducted this academic work with integrity. I confirm that I have no giarism or any form of undue use of information or falsification of results along the process leaded aboration.	•
I further declare that I have fully acknowledged the Code of Ethical Conduct of the Unive Minho.	ersidade do

"You cannot teach a man anything; you can only help him discover it in himself." (Galileo)

Resumo

Um Título de Tese Longo e com uma Mudança de Linha Forçada

Independentemente da língua em que a dissertação esteja redigida, é necessário um resumo na

mesma língua do texto principal e outro resumo noutra língua. Pressupõe-se que as duas línguas em

questão sejam o português e o inglês.

Os resumos devem aparecer primeiro na língua do texto principal e depois na outra língua. Por

exemplo, se a dissertação for redigida em português, o resumo em português aparecerá primeiro, seguido

do resumo em inglês (abstract), seguido do texto principal em português. Se a dissertação for redigida

em inglês, o resumo em inglês (abstract aparecerá primeiro, seguido do resumo em português, seguido

do texto principal em inglês.

Na versão धिन्X o template NOVAthesis irá ordenar automaticamente os dois resumos tendo em con-

sideração a língua do texto principal. É possível alterar este comportamento adicionando

\abstractorder(<MAIN LANG>):={<LANG 1>,...,<LANG N>}

à zona de customização no preâmbulo do documento, e.g.,

\abstractorder(de):={de,en,it}

Os resumos não devem ultrapassar uma página e, de forma genérica, devem responder às seguintes

questões (é essencial adaptá-los às práticas habituais da sua área científica):

1. Qual é o problema?

2. Porque é que é um problema interessante/desafiante?

3. Qual é a proposta de abordagem/solução?

4. Quais são as consequências/resultados da solução proposta?

Palavra-chave: Palavra-chave 1, Palavra-chave 2, Palavra-chave 3, ...

۷İ

Abstract

A Very Long and Impressive Thesis Title with a Forced Line Break

Regardless of the language in which the dissertation is written, a summary is required in the same

language as the main text and another summary in another language. It is assumed that the two languages

in question are Portuguese and English.

The abstracts should appear first in the language of the main text and then in the other language. For

example, if the dissertation is written in Portuguese the abstract in Portuguese will appear first, then the

abstract in English, followed by the main text in Portuguese. If the dissertation is written in English, the abstract in English will appear first, then the abstract in Portuguese, followed by the main text in English.

In the MFX version, the NOVAthesis template will automatically order the two abstracts taking into

account the language of the main text. You may change this behaviour by adding

\abstractorder(<MAIN LANG>):={<LANG 1>,...,<LANG N>}

to the customization area in the document preamble, e.g.,

\abstractorder(de):={de,en,it}

The abstracts should not exceed one page and, in a generic way, should answer the following questions

(it is essential to adapt to the usual practices of your scientific area):

1. What is the problem?

2. Why is this problem interesting/challenging?

3. What is the proposed approach/solution?

4. What results (implications/consequences) from the solution?

Keywords: Keyword 1, Keyword 2, Keyword 3, ...

νii

Contents

Lis	st of F	igures experience of the second secon	X
Lig	st of T	ables	хi
GI	ossar	y	xii
Ac	ronyr	ns	xiii
Sy	mbols	5	xiv
1	Intro	oduction	1
	1.1	If You Use this Template	1
	1.2	The NOVAthesis template	1
	1.3	Getting Started	3
		1.3.1 Using Overleaf	3
		1.3.2 Using a Local 🗠 X Installation	4
	1.4	Getting Help	4
		1.4.1 Google	4
		1.4.2 Group Support	4
		1.4.3 Reporting Problems	5
	1.5	Donations	5
	1.6	Disclaimer	5
2	NOV	Athesis Template User's Manual	6
	2.1	Introduction	6
	2.2	Folder Structure	7
	2.3	novathesis.cls Class Options	8
	2.4	Additional considerations about the class options	10

		CC	ONTENTS
		2.4.1 The main language	10
		2.4.2 Class of Text	10
		2.4.3 Printing	11
		2.4.4 Font Size	11
		2.4.5 Text Encoding	11
		2.4.6 Examples	12
	2.5	How to Write Using 哲武	12
	2.6	Example glossary, acronyms, and symbols	12
3	A Sh	nort 上XEX Tutorial with Examples	13
	3.1	Document Structure	13
	3.2	Dealing with Bibliography	13
	3.3	Inserting Tables	13
	3.4	Importing Images	13
	3.5	Floats, Figures and Captions	13
	3.6	Text Formatting	15
	3.7	Generating PDFs from ETEX	15
		3.7.1 Generating PDFs with pdflatex	15
		3.7.2 Dealing with Images	16
		3.7.3 Creating Source Files Compatible with both latex and pdflatex	16
	3.8	Equações	18
Bil	bliogr	raphy	22
Δn	nandi	icas	

24

26

A NOVAthesis covers showcase

I Annex 1 Lorem Ipsum

Annexes

List of Figures

1	The NOVAthesis project web page in GitHub	2
2	A figure with two sub-figures!	14
3	Imagem em formato bitmap (JPG)	19
4	Imagem em formato PDF vectorial	20
5	Exemplo de utilização de subbottom	21

List of Tables

1	'a at wall the accompany	17
	est results summarv	1/
_	oot loodito odifiifidi yi i i i i i i i i i i i i i i i i i	_,

Glossary

computer

An electronic device which is capable of receiving information (data) in a particular form and of performing a sequence of operations in accordance with a predetermined but variable set of procedural instructions (program) to produce a result in the form of information or signals. This is a test that adds a citation [2] to the glossary! 12

Acronyms

aaa acornym aaa 12aab acornym aab 12aba acornym aba 12

abbrev abbreviation of a longer text 12

bbb acornym bbb 12

DI Department of Computer Science and Informatics 1

FCT NOVA School of Science and Technology 1

NOVA NOVA University Lisbon 1

NOVAthesis NOVAthesis LaTeX template 1, 3, 4, 5, 6, 7, 8

novathesis.cls novathesis.cls class 6, 7, 8

xpto xpto xpto xpto xpto 12

Symbols

- π the numerical value of pi 12
- r the radius of a circle 12

Introduction

This work is licensed under the EEX Project Public License v1.3c. To view a copy of this license, visit LaTeXprojectpubliclicense.

This is the *NOVAthesis* Let X template version v6.2.0 from 2021-04-05.

1.1 If You Use this Template...

This Chapter presents an introduction to the template and how it is organized. In the next chapter you can find some specific instructions. Please read the next sections carefully.

Someone spent a few dozens of hours working on this template to make your life easier and to allow you to be more productive. Those working hours were not paid and were "stolen" from family. If you use this template, please go to the project web page in GitGub and:

- 1. Cite it [6] in your thesis/disseration, any place you think it makes sense.
- 2. Give the project a star (marked with a red ellipse at the top-right in Figure 1); and
- 3. Make a small donation (marked with a red ellipse at the bottom-left in Figure 1).

1.2 The NOVAthesis template

The NOVAthesis LaTeX template (NOVAthesis) was initially directed to the PhD and MSc students thesis at Department of Computer Science and Informatics (DI) of the NOVA School of Science and Technology (FCT) of the NOVA University Lisbon (NOVA), Portugal, but currently (v5.2.1) it supports other degrees and Schools, namely:

NOVA University Lisbon





Figure 1: The NOVAthesis project web page in GitHub.



• University of Lisbon



Instituto Superior Técnico (IST-UL)

Faculdade de Ciências (FC-UL)

• Instituto Politécnico de Lisboa



Instituto Superior de Engenharia de Lisboa (ISEL-IPL)

• Instituto Politécnico de Setúbal



Escola Superior de Tecnologia de Setúbal (ESTS-IPS)

• Escola Superior de Enfermagem do Porto (ESEP)



Escola Superior de Enfermagem do Porto (ESEP)

The NOVAthesis **ET-X** template also supports the following degrees from Universities' Consortia:



Erasmus Mundus Masters Program in Geospatial Technologies

1.3 Getting Started

The template provides an easy to use setting for you to write your thesis/dissertation in **EIFX**:

- Select your school;
- Fill your thesis metadata (title, research field, etc) in the file "template.tex";
- Create your thesis/dissertation contents using the files in folder "Chapters"; and
- Process using you favorite AFX processor (pdfAFX, X=AFX or LuaAFX).

1.3.1 Using Overleaf

CHAPTER 1. INTRODUCTION


If you do not have an account in Overleaf, you must create one first.


Once you have an account, please access the NOVAthesis LaTeX template in Overleaf and select the green button *Open as Template*.

Please note that the version currently available in Overleaf (v4.1.3) is outdated. A new version will be submitted to Overleaf soon.

1.3.2 Using a Local ETEX Installation

Just access the NOVAthesis LaTeX template in GitHub, select the green button *Code* and then *download* (or *clone*) the template. You will always get the latest version of the template (currently v5.1.8).





1.4 Getting Help

Please do not send me emails! I will not answer them!

1.4.1 Google

Remember, when looking for hints or help, *Google is your best friend*! And if you prefix your Google query with "LaTeX", your fist link will most probably direct you to tex.stackexchange.com.

1.4.2 Group Support

To get directed help on the NOVAthesis LaTeX template please join:

- the NOVAtheis Facebook group, or
- the NOVAthesis Google group.

There were huge changes from version 4.x.y to version 5.a.b so, please, **always** state the version number you are using when asking for help.

1.4.3 Reporting Problems

If you just need some help, see above Subsection 1.4.1 and Subsection 1.4.2.

If you believe you found a bug or if you need some improvement in the template, please fill an issue in github at https://github.com/joaomlourenco/novathesis/issues.

1.5 Donations

This template is the result of hundreds (yes! *may hundreds*!) of hours of work from the main developer. If you think this template really made you life easier while writing your thesis, please consider **making a donation**. We will keep a list thanking to all the identified donors that identify themselves in the "Add special instructions to the seller" box.

Donors 2020

João Carvalho, David Romão, DisplayersereStream, and António Estêvão.

Donors 2019

Jorge Barreto and Raissa Almeida.

1.6 Disclaimer

Although this template is endorsed by the FCT-NOVA and even linked from its web site, this is still not an official template. This template exists to make your life easier and we do our best to make the NOVAthesis template compliant to the supported Schools' regulations, but in the end of the line you and only you are accountable for both the look and the contents of the document you submit as your thesis/dissertation.

NOVAthesis Template User's Manual

This manual is outdated and must be revised!

2.1 Introduction

This chapter describes how to use the NOVAthesis LaTeX template (NOVAthesis) and the novathesis.cls class (novathesis.cls) file.

Let's start with some simple suggestions: [7, 11].

- 1. No! You don't have to use this template to write your thesis. You don't even have to use **MEX**. However, writing a thesis is serious stuff, and which tool you shall use to write it is not a decision to make lighthearted.
- 2. 上X is hard enough by itself. This template aims at making your life easier, but not easy. If you choose to use this template to write your thesis, you are very welcome. However, don't expect me to provide you help with 上X. Look for help with your friends (you have some friends, don't you?), or search the web, or try even to read some book(s) on 上X. In the end you will certainly find the experience rewarding.
- 3. So, don't forget, when you come to the point of "How do I do this with MEX?" look for help! Google is your best friend.
- 4. If you believe the difficulty is related with the NOVAthesis template itself (and not with MEX), please **do not** send me an email asking for help. Please look for help in the NOVAthesis Google Group (URL) and the NOVAthesis Facebook group (URL). If you can't find help there from previous posts/messages, then post your own question. Hopefully someone will answer you.

Now, let's go to a major issue for Windows users. Characters have to be encoded in files as numbers, and that is how character encodings were born. ASCII and EBCDIC standards are long lost in the past. The world now uses UTF-8. Well, not all the world... Windows is still stick in its *codepages*, and "latin1"

is what windows uses as the codepage for Western Europe. This messes up with the template. Please be sure you use an editor with UTF-8 support. Go to the preferences/options/... of your text editor and set up its default file encoding as UTF-8.

2.2 Folder Structure

The NOVAthesis template is organized into files and folders. At the main level it includes the following files and folders:

novathesis.cls	file	The main class file. It will include additional files from				
		NOVAthesisFiles folder.				
template.tex	file	The main user file. Use this file as the main file for your thesis.				
bibliography.bib	file	An example of a bibliography file. You may have has many as you want.				
template.pdf	file	A possible result of applying pdf to the template.tex file. The				
		template supports multiple types of documents (e.g., MSc disserta-				
		tion, PhD thesis,) and multiple Schools (e.g., FCT-NOVA, FCSH-				
		NOVA, IST-UL, FC-UL,) and each will produce different results.				
Chapters	folder	Examples of thesis chapters. Replace them with your own chapters.				
Examples	folder	Some more examples of the use of the template for different docu-				
		ment types and Schools.				
Scripts folder Some (possibly useful) scripts for Unix-based systems (Linux, N						
		OSx). If you are a windows user, ignore this folder (you may safely				
		delete it if you want).				
NOVAthesisFiles	folder	Additional files for the novathesis.cls file. Unless you know what you				
		are doing, avoid messing up with the files and folders inside this folder				
		(except for deleting the unused Schools, see below).				

The NOVAthesisFiles folder contains additional files and folders that complement the main novathesis.cls file. These are:

README.txt	file	A file that should be read! :)			
fix-babel.tex	file	Simple fixes to the babel package.			
lang-text.ldf	file	Translations of important strings used in the template. Currently fully			
		supported are Portuguese and English, but French is on the way. If you			
		add translations for your own language, please be so kind and send them			
		to me. Thank you!			
options.tex	file	Processing of novathesis.cls options. Don't mess with this!			
packages.tex	file	Additional packages to be loaded into the NOVAthesis template. You			
		should not mess with this!			
spine.tex file		This file is loaded only if the option spine=true, and includes the type-			
		setting of the book spine.			
ChapStyles folder		Contains a lot of files, one for each chapter style. If you really know what			
you are doing, you m		you are doing, you may add your own chapter style here.			
FontStyles folder Contains a few files, one for each set of fonts (main text font, chapter		Contains a few files, one for each set of fonts (main text font, chapter font,			
		section font, subsection font, etc). If you really know what you are doing,			
		you may add your own set here.			
Schools	folder	Configuration files for each school. This folder is organized into subfold-			
		ers, one for each university. You may safely delete all the subfolders			
		except the one for your University. Then open the subfolder of your Uni-			
		versity and you may safely delete all the subfolders except the one for			
		your School/Faculty.			
A		3 (1 1 m 1 2 1 m 2 m 2 m 2 m (1 1 m 1 m 1 m 1 m 1 m 1 m 1 m 1 m 1			

As stated above, the Schools folder contains per-university folders and per-school (faculty) subfolders. Currently these are the available folders:

ul/ist	folder	The folder for the <i>Instituto Superior Técnico</i> of the <i>University of Lisbon</i> .		
nova / fcsh	folder	The folder for the Faculty of Human and Social Sciences of the NOVA		
		University of Lisbon.		
nova / fct	folder	The folder for the Faculty of Sciences and Technology of the NOVA Univer-		
		sity of Lisbon.		
nova / novaims	folder	The folder for the Information and Management School of the NOVA Uni-		
		versity of Lisbon.		

2.3 novathesis.cls Class Options

The novathesis.cls can be customized with the options listed below.

docdegree=OPT phd(*), phdplan, phdprop, msc, mscplan, bsc

The type of the document: PhD Thesis (default), PhD Plan, PhD Proposal, MSc Dissertation, MSc Plan, BSc Report

school=OPT nova/fct(*), nova/fcsh, nova/ims, ul/ist, ul/fc

The name of the school. This option changes the typesetting of the cover and some School specific formating, like margins, fonts, paragraph spacing and indentation, etc...

lang=OPT en(*), pt

The main language for the document. Currently only Portuguese and English are supported. Other languages are expected to be support in forthcoming versions.

fontstyle=OPT bookman, charter, fourier, kpfonts(*), mathpazo1, mathpazo2, newcent

The font set to be used in the document. Please note that a font set include definitions for the main text, headings, maths, etc.

chapstyle=OPT bianchi, bluebox, brotherton, dash, default, elegant(*), ell, ger, hansen, ist, jenor, lyhne, madsen, pedersen, veelo, vz14, vz34, vz43

The chapter style, i.e., the look of the chapter beginning.

converlang=OPT en, pt(*)

The language to be used when typesetting the cover page.

otherlistsat=OPT front(*), back

Where to put the other lists besides the table of contents. The default is (front) before the main text. But some scientific areas prefer them at the end of the document (back), just before the Appendixes.

statement=OPT true, false(*)

Include or don't include the contents of the "statement" file. The default is for this file to be ignored (if it exists).

linkscolor=OPT darkblue(*), black

The color for all the hyperlinks in the PDF file. The "media=paper" option (see below) will override this option to "black"

spine=OPT true, false(*)

Generate the book spine and the last page in the PDF.

biblatex=OPT OPT={list of options for biblatex}

Customize biblatex, the bibliography management system used in this class. Probably you will want to change the value of the biblatex "style" option. For other customizations of biblatex check its manual.

memoir=OPT OPT={list of options for memoir}

Customize the base class memoir. The memoir manual should be the first document to be consulted when looking for "**how can I do this?**" You may what to change the base font size from 11pt to a smaller (10pt) or larger (12pt) size. Also, remember to change the "draft" to final when your document is finished.

media=OPT screen(*), paper

Behavior to be customized in the school options/configuration. Expected definitions for screen are: left and right margins are equal and use colored links. Expected definitions for paper are: left and right margins are different and use black links.

2.4 Additional considerations about the class options

In this section we will provide some additional considerations about some of the customizations available as class options.

2.4.1 The main language

The choice of the main language with the option "lang=OPT" affects:

- The order of the summaries. First is printed the abstract in the main language and then in the foreign language. This means that if your main language for the document in English, you will see first the "abstract" (in English) and then the "resumo" (in Portuguese). If you switch the main language for the document for Portuguese, it will also automatically switch the order of the summaries to "resumo" and then "abstract".
- The names for document sectioning. E.g., "Chapter" vs. "Capítulo", "Table of Contents" vs. "Índice", "Figure" vs. "Figura", etc.
- The type of documents in the bibliography. E.g., "Technical Report" vs. "Relatório Técnico", "PhD Thesis" vs. "Tese de Doutoramento", etc.

No mater which language you chose, you will always have the appropriate hyphenation rules according to the language at that point. You always get Portuguese hyphenation rules in the "Resumo", English hyphenation rules in the "Abstract", and then the main language hyphenation rules for the rest of the document.

2.4.2 Class of Text

You must choose the class of text for the document. The available options are:

1. **bsc** — BSc graduation report.

- *mscplan Preparation of MSc dissertation. This is a preliminary report graduate students at DI-FCT-NOVA must prepare to conclude the first semester of the two-semesters MSc work. The files specified by \ntdedicatoryfile and \acknowledgmentsfile are ignored, even if present, for this class of document.
- 3. **msc** MSc dissertation.
- 4. **phdprop** Proposal for a PhD work. The files specified by \ntdedicatoryfile and \acknowledgmentsfile are ignored, even if present, for this class of document.
- 5. **prepphd** Preparation of a PhD thesis. This is a preliminary report PhD students at DI-FCT-NOVA must prepare before the end of the third semester of PhD work. The files specified by \ntdedicatoryfile and \acknowledgmentsfile are ignored, even if present, for this class of document.
- 6. **phd** PhD dissertation.

2.4.3 Printing

You must choose how your document will be printed. The available options are:

- 1. **oneside** Single side page printing.
- 2. *twoside Double sided page printing.

2.4.4 Font Size

You must select the encoding for your text. The available options are:

- 1. **11pt** Eleven (11) points font size.
- 2. *12pt Twelve (12) points font size. You should really stick to 12pt...

2.4.5 Text Encoding

You must choose the font size for your document. The available options are:

- 1. **latin1** Use Latin-1 (ISO 8859-1) encoding. Most probably you should use this option if you use Windows;
- 2. **utf8** Use UTF8 encoding. Most probably you should use this option if you are not using Windows.

2.4.6 Examples

Let's have a look at a couple of examples:

• Preparation of PhD thesis, in portuguese, with 11pt size and to be printed single sided (I wonder why one would do this!)

\documentclass[prepphd,pt,11pt,oneside,latin1]{thesisdifct-nova}

MSc dissertation, in English, with 12pt size and to be printed double sided
 \documentclass[msc,en,12pt,twoside,utf8]{thesisdifct-nova}

2.5 How to Write Using LITEX

Please have a look at Chapter 3, where you may find many examples of MEXconstructs, such as Sectioning, inserting Figures and Tables, writing Equations, Theorems and algorithms, exhibit code listings, etc.

2.6 Example glossary, acronyms, and symbols

A Short ATFX Tutorial with Examples

This Chapter aims at exemplifying how to do common stuff with MEX. We also show some stuff which is not that common! ;)

Please, use these examples as a starting point, but you should always consider using the *Big Oracle* (aka, Google, your best friend) to search for additional information or al-ternative ways for achieving similar results.

3.1 Document Structure

3.2 Dealing with Bibliography

3.3 Inserting Tables

3.4 Importing Images

3.5 Floats, Figures and Captions

Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Ut purus elit, vestibulum ut, placerat ac, adipiscing vitae, felis. Curabitur dictum gravida mauris. Nam arcu libero, nonummy eget, consectetuer id, vulputate a, magna. Donec vehicula augue eu neque. Pellentesque habitant morbi tristique senectus et netus et malesuada fames ac turpis egestas. Mauris ut leo. Cras viverra metus rhoncus sem. Nulla et lectus vestibulum urna fringilla ultrices. Phasellus eu tellus sit amet tortor gravida placerat. Integer sapien est, iaculis in, pretium quis, viverra ac, nunc. Praesent eget sem vel leo ultrices bibendum. Aenean faucibus. Morbi dolor nulla, malesuada eu, pulvinar at, mollis ac, nulla. Curabitur auctor semper nulla. Donec varius orci eget risus. Duis nibh mi, congue eu, accumsan eleifend, sagittis quis, diam. Duis eget orci sit amet orci dignissim rutrum.

Nam dui ligula, fringilla a, euismod sodales, sollicitudin vel, wisi. Morbi auctor lorem non justo. Nam lacus libero, pretium at, lobortis vitae, ultricies et, tellus. Donec aliquet, tortor sed accumsan bibendum, erat ligula aliquet magna, vitae ornare odio metus a mi. Morbi ac orci et nisl hendrerit mollis. Suspendisse ut massa. Cras nec ante. Pellentesque a nulla. Cum sociis natoque penatibus et magnis dis parturient montes, nascetur ridiculus mus. Aliquam tincidunt urna. Nulla ullamcorper vestibulum turpis. Pellentesque cursus luctus mauris.

Nulla malesuada porttitor diam. Donec felis erat, congue non, volutpat at, tincidunt tristique, libero. Vivamus viverra fermentum felis. Donec nonummy pellentesque ante. Phasellus adipiscing semper elit. Proin fermentum massa ac quam. Sed diam turpis, molestie vitae, placerat a, molestie nec, leo. Maecenas lacinia. Nam ipsum ligula, eleifend at, accumsan nec, suscipit a, ipsum. Morbi blandit ligula feugiat magna. Nunc eleifend consequat lorem. Sed lacinia nulla vitae enim. Pellentesque tincidunt purus vel magna. Integer non enim. Praesent euismod nunc eu purus. Donec bibendum quam in tellus. Nullam cursus pulvinar lectus. Donec et mi. Nam vulputate metus eu enim. Vestibulum pellentesque felis eu massa.




Figure 2: A figure with two sub-figures!

And this is a small text that references the Figure 2 and its Subfigures 2(a) and 2(b).

Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Ut purus elit, vestibulum ut, placerat ac, adipiscing vitae, felis. Curabitur dictum gravida mauris. Nam arcu libero, nonummy eget, consectetuer id, vulputate a, magna. Donec vehicula augue eu neque. Pellentesque habitant morbi tristique senectus et netus et malesuada fames ac turpis egestas. Mauris ut leo. Cras viverra metus rhoncus sem. Nulla et lectus vestibulum urna fringilla ultrices. Phasellus eu tellus sit amet tortor gravida placerat. Integer sapien est, iaculis in, pretium quis, viverra ac, nunc. Praesent eget sem vel leo ultrices bibendum. Aenean faucibus. Morbi dolor nulla, malesuada eu, pulvinar at, mollis ac, nulla. Curabitur auctor semper nulla. Donec varius orci eget risus. Duis nibh mi, congue eu, accumsan eleifend, sagittis quis, diam. Duis eget orci sit amet orci dignissim rutrum.

Nam dui ligula, fringilla a, euismod sodales, sollicitudin vel, wisi. Morbi auctor lorem non justo. Nam lacus libero, pretium at, lobortis vitae, ultricies et, tellus. Donec aliquet, tortor sed accumsan bibendum, erat ligula aliquet magna, vitae ornare odio metus a mi. Morbi ac orci et nisl hendrerit mollis. Suspendisse ut massa. Cras nec ante. Pellentesque a nulla. Cum sociis natoque penatibus et magnis dis parturient montes, nascetur ridiculus mus. Aliquam tincidunt urna. Nulla ullamcorper vestibulum turpis. Pellentesque cursus luctus mauris.

Nulla malesuada porttitor diam. Donec felis erat, congue non, volutpat at, tincidunt tristique, libero. Vivamus viverra fermentum felis. Donec nonummy pellentesque ante. Phasellus adipiscing semper elit. Proin fermentum massa ac quam. Sed diam turpis, molestie vitae, placerat a, molestie nec, leo. Maecenas lacinia. Nam ipsum ligula, eleifend at, accumsan nec, suscipit a, ipsum. Morbi blandit ligula feugiat magna. Nunc eleifend consequat lorem. Sed lacinia nulla vitae enim. Pellentesque tincidunt purus vel magna. Integer non enim. Praesent euismod nunc eu purus. Donec bibendum quam in tellus. Nullam cursus pulvinar lectus. Donec et mi. Nam vulputate metus eu enim. Vestibulum pellentesque felis eu massa.

3.6 Text Formatting

3.7 Generating PDFs from LETEX

3.7.1 Generating PDFs with pdflatex

You may create PDF files either by using latex to generate a DVI file, and then use one of the many DVI-2-PDF converters, such as dvipdfm.

Alternatively, you may use pdflatex, which will immediately generate a PDF with no intermediate DVI or PS files. In some systems, such as Apple, PDF is already the default format for MEX. I strongly recommend you to use this approach, unless you have a very good argument to go for latex + dvipdfm.

A typical pass for a document with figures, cross-references and a bibliography would be:

```
$ pdflatex template
$ bibtex template
$ pdflatex template
```

\$ pdflatex template

You will notice that there is a new PDF file in the working directory called template.pdf. Simple:)

Please note that, to be sure all table of contents, cross-references and bibliographic citations are up-to-date, you must run latex once, then bibtex, and then latex twice.

3.7.2 Dealing with Images

You may process the same source files with both latex or pdflatex. But, if your text include images, you must be careful. latex and pdflatex accept images in different (exclusive) formats. For latex you may use EPS ou PS figures. For pdflatex you may use JPG, PNG or PDF figures. I strongly recommend you to use PDF figures in vectorial format (do not use bitmap images unless you have no other choice).

3.7.3 Creating Source Files Compatible with both latex and pdflatex

Do not include the extension of the file in the \includegraphics command. E.g., use \includegraphics{sonwman} and not

\includegraphics{sonwman.eps}.

If you use the first form, latex or pdflatex will add an appropriate file extension.

This means that, if you plan to use only pdflatex, you need only to keep (preferably) a PDF version of all the images. If you plan to use also latex, then you also need an EPS version of each image.

To be included in the sections above

Para fazer citações, deverá usar-se a chave da referência no ficheiro BibTeX. Se for uma única referência [2], usar um "~" para ligar o \cite{...} à palavra que o precede (...referência~\cite{Artho04}). Caso queira fazer múltiplas citações [8, 9, 7], deverá agrupá-las dentro de um úlnico \cite{...}.

Note que o ficheiro de bibliografia pode ter tantas entradas quantas quiser. Apenas aquelas cuja chave seja referenciada no texto é que serão incluidas na listagem de bibliografia.

Footnotes¹ will be numbered and shown in the bottom of the page.

A Tabela 1 ilustra alguns conceitos importantes associados à contrução de tabelas:

- i) Não usar linhas verticais;
- ii) A legenda deve ficar por cima da tabela;
- iii) Usar as macros \toprule, \midrule e \bottomrule para fazer a linha horizontal superior, interiores e inferior, respectivamente.

Test	Anomalies	Warnings	Correct	Categories	Missed
[3] Connection	2	2	1	С	1
[1] Coordinates'03	1	4	1	2B, 1C	0
[1] Local Variable	1	2	1	Α	0
[1] NASA	1	1	1	_	0
[2] Coordinates'04	1	4	1	<i>3C</i>	0
[2] Buffer	0	7	0	2A, 1B, 2C, 2D	0
[2] Double-Check	0	2	0	1A, 1B	0
[4] StringBuffer	1	0	0	_	1
[10] Account	1	1	1	_	0
[10] Jigsaw	1	2	1	С	0
[10] Over-reporting	0	2	0	1A, 1C	0
[10] Under-reporting	1	1	1	_	0
[5] Allocate Vector	1	2	1	С	0
Knight Moves	1	3	1	2B	0
Total	12	33	10	5A, 6B, 10C, 2D	2

Table 1: Test results summary.

As figuras a inserir no documento deverão ser de qualidade, preferencialmente em formato vectorial (PDF vectorial) e não em *bitmap* (PNG, JPG, etc). As imagens *bitmap* (Figura 3) não escalam bem e têm reflexos negativos na qualidade do seu documento. Pelo contrário, as imagens *vectoriais* Figura 4 escalam muito tanto quanto o necessário sem degradar a qualidade da imagem.

Só deve usar *screenshots* se não tive mesmo nenhuma alternativa. Em vez e gerar um *screenshot*, tente usar uma impressora virtual PDF e imprimir para um ficheiro PDF. Regra geral obterá um PDF

¹This is a simple footnote.

vetorial. Mesmo que o seu PDF contenha imagens, elas terão sempre qualidade maior ou igual à que obteria com um *screenshot*.

Para agregar várias figuras numa única... Poderá assim referenciar o conjunto como Figura 5 ou as sub-figuras separadamente como 5() e 5(a).

3.8 Equações

O LaTeX é uma ferramenta poderosa para escrever em estilo matemático. Permite inserir fórmulas no meio do texto como por exemplo esta: $ax^2 + bx + c = 0$. Também permite que as fórmulas sejam destacadas numa linha separada e centradas na página

$$x = \frac{-b \pm \sqrt{b^2 - 4ac}}{2a}$$

$$x = \frac{-b \pm \sqrt{b^2 - 4ac}}{2a}$$

ou numeradas

$$aaa$$
 (3.1)

que depois pode ser referida no texto como sendo a equação 3.1

aa

$$a$$
 (3.2)

$$b$$
 (3.3)

$$c$$
 (3.4)

(3.5)




Figure 3: Imagem em formato bitmap (JPG)




Figure 4: Imagem em formato PDF vectorial




Figure 5: Exemplo de utilização de subbottom

Bibliography

- [1] C. Artho, K. Havelund, and A. Biere. *High-Level Data Races*. 2003. url: citeseer.ist.psu.edu/artho03highlevel.html (cit. on p. 17).
- [2] C. Artho, K. Havelund, and A. Biere. "Using Block-Local Atomicity to Detect Stale-Value Concurrency Errors". In: *ATVA*. Ed. by F. Wang. Vol. 3299. Lecture Notes in Computer Science. Springer, 2004, pp. 150–164. isbn: 3-540-23610-4 (cit. on pp. xii, 17).
- [3] N. E. Beckman, K. Bierhoff, and J. Aldrich. "Verifying Correct Usage of Atomic Blocks and Typestate". In: SIGPLAN Not. 43.10 (2008), pp. 227–244. issn: 0362-1340. doi: http://doi.acm.org/10.1145/1449955.1449783 (cit. on p. 17).
- [4] C. Flanagan and S. N. Freund. "Atomizer: a dynamic atomicity checker for multithreaded programs". In: POPL '04: Proceedings of the 31st ACM SIGPLAN-SIGACT symposium on Principles of programming languages. Venice, Italy: ACM, 2004, pp. 256–267. isbn: 1-58113-729-X. doi: http://doi.acm.org/10.1145/964001.964023 (cit. on p. 17).
- [5] IBM's Concurrency Testing Repository (cit. on p. 17).
- [6] J. M. Lourenço. *The NOVAthesis Elex Template User's Manual.* NOVA University Lisbon. 2021. url: https://github.com/joaomlourenco/novathesis/raw/master/template.pdf (cit. on p. 1).
- [7] J. E. B. Moss. *Nested transactions: an approach to reliable distributed computing*. Cambridge, MA, USA: Massachusetts Institute of Technology, 1985. isbn: 0-262-13200-1 (cit. on pp. 6, 17).
- [8] N. Shavit and D. Touitou. "Software transactional memory". In: PODC '95: Proceedings of the four-teenth annual ACM symposium on Principles of distributed computing. Ottowa, Ontario, Canada: ACM, 1995, pp. 204–213. isbn: 0-89791-710-3. doi: http://doi.acm.org/10.1145/2249 64.224987 (cit. on p. 17).
- [9] A. Silberschatz, H. F. Korth, and S. Sudarshan. *Database System Concepts*. Fifth. McGraw-Hill, 2006. isbn: 007-124476-X (cit. on p. 17).

- [10] C. von Praun and T. R. Gross. "Static Detection of Atomicity Violations in Object-Oriented Programs". In: *Journal of Object Technology*. 2003, p. 2004 (cit. on p. 17).
- [11] F. Wang, ed. Automated Technology for Verification and Analysis: Second International Conference, ATVA 2004, Taipei, Taiwan, ROC, October 31-November 3, 2004. Proceedings. Vol. 3299. Lecture Notes in Computer Science. Springer, 2004. isbn: 3-540-23610-4 (cit. on p. 6).

NOVAthesis covers showcase
















Annex 1 Lorem Ipsum

Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Ut purus elit, vestibulum ut, placerat ac, adipiscing vitae, felis. Curabitur dictum gravida mauris. Nam arcu libero, nonummy eget, consectetuer id, vulputate a, magna. Donec vehicula augue eu neque. Pellentesque habitant morbi tristique senectus et netus et malesuada fames ac turpis egestas. Mauris ut leo. Cras viverra metus rhoncus sem. Nulla et lectus vestibulum urna fringilla ultrices. Phasellus eu tellus sit amet tortor gravida placerat. Integer sapien est, iaculis in, pretium quis, viverra ac, nunc. Praesent eget sem vel leo ultrices bibendum. Aenean faucibus. Morbi dolor nulla, malesuada eu, pulvinar at, mollis ac, nulla. Curabitur auctor semper nulla. Donec varius orci eget risus. Duis nibh mi, congue eu, accumsan eleifend, sagittis quis, diam. Duis eget orci sit amet orci dignissim rutrum.

Nam dui ligula, fringilla a, euismod sodales, sollicitudin vel, wisi. Morbi auctor lorem non justo. Nam lacus libero, pretium at, lobortis vitae, ultricies et, tellus. Donec aliquet, tortor sed accumsan bibendum, erat ligula aliquet magna, vitae ornare odio metus a mi. Morbi ac orci et nisl hendrerit mollis. Suspendisse ut massa. Cras nec ante. Pellentesque a nulla. Cum sociis natoque penatibus et magnis dis parturient montes, nascetur ridiculus mus. Aliquam tincidunt urna. Nulla ullamcorper vestibulum turpis. Pellentesque cursus luctus mauris.

Nulla malesuada porttitor diam. Donec felis erat, congue non, volutpat at, tincidunt tristique, libero. Vivamus viverra fermentum felis. Donec nonummy pellentesque ante. Phasellus adipiscing semper elit. Proin fermentum massa ac quam. Sed diam turpis, molestie vitae, placerat a, molestie nec, leo. Maecenas lacinia. Nam ipsum ligula, eleifend at, accumsan nec, suscipit a, ipsum. Morbi blandit ligula feugiat magna. Nunc eleifend consequat lorem. Sed lacinia nulla vitae enim. Pellentesque tincidunt purus vel magna. Integer non enim. Praesent euismod nunc eu purus. Donec bibendum quam in tellus. Nullam cursus pulvinar lectus. Donec et mi. Nam vulputate metus eu enim. Vestibulum pellentesque felis eu massa.

Quisque ullamcorper placerat ipsum. Cras nibh. Morbi vel justo vitae lacus tincidunt ultrices. Lorem ipsum dolor sit amet, consectetuer adipiscing elit. In hac habitasse platea dictumst. Integer tempus convallis augue. Etiam facilisis. Nunc elementum fermentum wisi. Aenean placerat. Ut imperdiet, enim sed gravida sollicitudin, felis odio placerat quam, ac pulvinar elit purus eget enim. Nunc vitae tortor. Proin

tempus nibh sit amet nisl. Vivamus quis tortor vitae risus porta vehicula.

Fusce mauris. Vestibulum luctus nibh at lectus. Sed bibendum, nulla a faucibus semper, leo velit ultricies tellus, ac venenatis arcu wisi vel nisl. Vestibulum diam. Aliquam pellentesque, augue quis sagittis posuere, turpis lacus congue quam, in hendrerit risus eros eget felis. Maecenas eget erat in sapien mattis porttitor. Vestibulum porttitor. Nulla facilisi. Sed a turpis eu lacus commodo facilisis. Morbi fringilla, wisi in dignissim interdum, justo lectus sagittis dui, et vehicula libero dui cursus dui. Mauris tempor ligula sed lacus. Duis cursus enim ut augue. Cras ac magna. Cras nulla. Nulla egestas. Curabitur a leo. Quisque egestas wisi eget nunc. Nam feugiat lacus vel est. Curabitur consectetuer.

