

Solicitante: VIVO- Projeto Escolas Rurais

NOC/Operador: Guilherme Henrique


Cliente: VIVO

Empresa
EMC Brasil

VSAT-ID
VIVO-PER-31362336-MG

Link kbps
256k/128k

Plataforma
VSAT



dvb rx show

Satellite (DVB) RX Configuration

Auto start : Enabled
Max Traffic MODCOD : 23 16APSK-9/10
RX watchdog : 15 minute

Idx	Pri	SymbRate[Mbps]	Freq[GHz]	Mode	PopId	SatId	Pos	SatName	Name
Enable									
* 0	0	30.000000	12.050000	DVB-S2	102	0	0.0 E		
Yes									
1	1	25.333333	12.050000	DVB-S2	4	0	0.0 E		
Yes									

Satellite (DVB) Receiver Status

Rx State : On

DVB State : Forward link up
Network : 1326, T14R Beam
Frequency : 12.049944 GHz
Symbol Rate : 29.999683 Msps
S2 ModCod
- receiving : 15 8PSK-5/6
- current max : 22 16APSK-8/9
Pilot : On
Frame length : Short
DVB S2 Mode : ACM
DVB S2 Stream type : MPEG-TS
Roll off : 0.20
SNR : 15.6 dB
Input Power : -35 dBm
dvb tx show

Satellite (DVB) TX Configuration

Auto start : Enabled
IDU Output Power : -20 dBm
IDU Max Output Power: 0.0 dBm
Default CW Frequency: 0.000000 GHz
ATM mode : VC-Mux
Header Compression : None

Satellite (DVB) Transmitter Status

State : On (DVB-RCS2)
IDU Output Power : -19.9 dBm
Es/No : 10.5 dB
Header Compression : Disabled
Timing correction : -106 us (247966 us)
Frequency correction: -50 Hz
#

The screenshot displays the SatLink VSAT web interface in a browser window. The interface includes a sidebar with navigation links (Status, Satellite, Statistics, Device, DHCP, Eventlog, Configuration, Satellite, IP, Static NAT, Lineup, Device, Help, Introduction, Status, Configuration) and a main content area showing device status for 'SatLink 2000'. The status table includes fields for Model, Software Version (16.0.1.57), LAN MAC Address (00:20:0e:10:49:91), DVB MAC Address (00:20:0e:10:49:91), System Up Time (0 days, 00:16:23), CPU Load (23%), System Name (VIVO-PER-31362336-MG), System Contact, and System Location (MG). Below the status table, there is a section for 'Estatísticas do Ping para 8.8.8.8' showing 59 packets sent, 59 received, 0 lost, and a round-trip time of approximately 803ms. A terminal window is open in the foreground, displaying a series of ping responses to 8.8.8.8, each showing a response time and TTL. The terminal also shows the command 'C:\Documents and Settings\Administrador>ipconfig'.

Arquivo Editar Exibir Histórico Favoritos Ferramentas Ajuda

SatLink VSAT x Telesat Crosspoll Test Results... x +

10.29.68.241/jvm/dwp/index_page.dwp

Prompt de comando

Resposta de 8.8.8.8: bytes=32 tempo=913ms TTL=48
Resposta de 8.8.8.8: bytes=32 tempo=1111ms TTL=48
Resposta de 8.8.8.8: bytes=32 tempo=1189ms TTL=48
Resposta de 8.8.8.8: bytes=32 tempo=2243ms TTL=48
Resposta de 8.8.8.8: bytes=32 tempo=1039ms TTL=48
Resposta de 8.8.8.8: bytes=32 tempo=3440ms TTL=48
Resposta de 8.8.8.8: bytes=32 tempo=2633ms TTL=48
Resposta de 8.8.8.8: bytes=32 tempo=1688ms TTL=48
Resposta de 8.8.8.8: bytes=32 tempo=1740ms TTL=48
Resposta de 8.8.8.8: bytes=32 tempo=2673ms TTL=48
Resposta de 8.8.8.8: bytes=32 tempo=933ms TTL=48
Resposta de 8.8.8.8: bytes=32 tempo=1776ms TTL=48
Resposta de 8.8.8.8: bytes=32 tempo=1130ms TTL=48
Resposta de 8.8.8.8: bytes=32 tempo=904ms TTL=48
Resposta de 8.8.8.8: bytes=32 tempo=1224ms TTL=48
Resposta de 8.8.8.8: bytes=32 tempo=2480ms TTL=48
Resposta de 8.8.8.8: bytes=32 tempo=1199ms TTL=48
Resposta de 8.8.8.8: bytes=32 tempo=1445ms TTL=48
Resposta de 8.8.8.8: bytes=32 tempo=1984ms TTL=48
Resposta de 8.8.8.8: bytes=32 tempo=1067ms TTL=48
Resposta de 8.8.8.8: bytes=32 tempo=1530ms TTL=48
Resposta de 8.8.8.8: bytes=32 tempo=1050ms TTL=48
Resposta de 8.8.8.8: bytes=32 tempo=2626ms TTL=48
Resposta de 8.8.8.8: bytes=32 tempo=946ms TTL=48
Resposta de 8.8.8.8: bytes=32 tempo=807ms TTL=48
Resposta de 8.8.8.8: bytes=32 tempo=1120ms TTL=48
Resposta de 8.8.8.8: bytes=32 tempo=2167ms TTL=48
Resposta de 8.8.8.8: bytes=32 tempo=2660ms TTL=48
Resposta de 8.8.8.8: bytes=32 tempo=2135ms TTL=48
Resposta de 8.8.8.8: bytes=32 tempo=1440ms TTL=48
Resposta de 8.8.8.8: bytes=32 tempo=2005ms TTL=48
Resposta de 8.8.8.8: bytes=32 tempo=833ms TTL=48
Resposta de 8.8.8.8: bytes=32 tempo=2604ms TTL=48
Resposta de 8.8.8.8: bytes=32 tempo=1339ms TTL=48
Resposta de 8.8.8.8: bytes=32 tempo=1605ms TTL=48
Resposta de 8.8.8.8: bytes=32 tempo=847ms TTL=48
Resposta de 8.8.8.8: bytes=32 tempo=800ms TTL=48
Resposta de 8.8.8.8: bytes=32 tempo=950ms TTL=48
Resposta de 8.8.8.8: bytes=32 tempo=906ms TTL=48
Resposta de 8.8.8.8: bytes=32 tempo=1820ms TTL=48
Resposta de 8.8.8.8: bytes=32 tempo=1446ms TTL=48
Resposta de 8.8.8.8: bytes=32 tempo=957ms TTL=48
Resposta de 8.8.8.8: bytes=32 tempo=2351ms TTL=48
Resposta de 8.8.8.8: bytes=32 tempo=1912ms TTL=48

Estatísticas do Ping para 8.8.8.8:
Pacotes: Enviados = 59, Recebidos = 59, Perdidos = 0 (0% de perda).
Aproximar um número redondo de vezes em milissegundos:
Mínimo = 803ms, Máximo = 3440ms, Média = 1587ms
Control-C
^C
C:\Documents and Settings\Administrador>ipconfig

You are logged in as install (2)

© Copyright 2006-2014 STM Group. All Rights Reserved.

Iniciar SatLink VSAT - Mozilla Fir... Prompt de comando tx rx - Paint tx rx 1 - Paint Nova pasta (3) 18:11

