


TERMO DE ACEITE TÉCNICO

Solicitante: PRODEMGE / SEE

NOC/Operadora: Pedro Bernardes Operadora/Cliente: Fabio Fernandes

GRE/Prodemge: João Antinossi Responsável/cliente: Sinara Cunha

> Consórcio **VSAT-ID** Porta kbps **Plataforma EMC/Vodanet** SEE-ALAS-22091 2Mbps **VSAT**



PRTG Traffic Grapher V6.2.0.907 - 13/10/2017 16:09:09

Satellite (DVB) RX Configuration Auto start : Enabled

Max Traffic MODCOD : 23 16APSK-9/10
RX watchdog : 15 minute

Idx Pri SymbRate[Msps] Freq[GHz] Mode PopId SatId Pos SatName Name

Enable

* 0 0 4.883300 12.176420 DVB-S2 104 0 0.0 E

Yes

1 0 0.0 E 11.962753 DVB-S2 2 16.667000 1

Yes

Satellite (DVB) Receiver Status _____

Rx State : On

: Forward link up DVB State

: 65281, Prodemge@Vodanet

requency
Symbol Rate
S2 ModCod : 12.176299 GHz : 4.882942 Msps

- receiving : 4 QPSK-1/2 - current max : 16 8PSK-8/9

: On Pilot Frame length : Short : ACM DVB S2 Stream type : MPEG-TS Roll off : 0.20 SNR : 16.0 dB Input Power : -28 dBm

```
Satellite (DVB) TX Configuration
_____
Auto start
                   : Enabled
IDU Output Power : -20 dBm
IDU Max Output Power: 0.0 dBm
ODU Output Power : 33.2 dBm
                   : 46.5 dBW
EIRP
Default CW Frequency: 0.000000 GHz
ATM mode : VC-Mux
Header Compression : UDP/IP
Satellite (DVB) Transmitter Status
_____
: On (DVB-I
IDU Output Power : -18.9 dBm
ODU Output Power : 33.4 dBm
                    : On (DVB-RCS2)
State
EIRP
                    : 46.7 dBW
Es/No
                    : 15.0 dB
\hbox{{\tt Header Compression}} \quad \hbox{: Disabled} \quad \hbox{{\tt - HC for RCS2 not supported by HUB}}
Timing correction : -365 us (281643 us)
Frequency correction: 90 Hz
System Information:
                   : SEE-ALAS-22091
   Name
    Location
                        : ALVORADA DE MINAS/MG
    Contact
   System Up time : 0 days, 00:10:20 CPU Load : 8%
    System time(UTC) : 13 October 2017 14:32:27
    Broadcast Message : not set
HW:
                       : SatLink 2000
    Model
                       : 120033
    HW ID
    Main board ID
                       : 120026 R6.2
MAC addresses:
   Ethernet (LAN) : 00:20:0e:10:4f:57
Satellite (DVB) : 00:20:0e:10:4f:57
NetAddr
            State MacAddr
     10.212.9.2 Dynamic 00:40:a7:18:42:6e 1
Pinging 10.212.9.1 with 32 bytes of data:
Reply from 10.212.9.1: bytes=32 time=576ms TTL=56
Reply from 10.212.9.1: bytes=32 time=561ms TTL=56
Reply from 10.212.9.1: bytes=32 time=607ms TTL=56
Reply from 10.212.9.1: bytes=32 time=569ms TTL=56
Reply from 10.212.9.1: bytes=32 time=560ms TTL=56
Reply from 10.212.9.1: bytes=32 time=665ms TTL=56
Reply from 10.212.9.1: bytes=32 time=574ms TTL=56
Reply from 10.212.9.1: bytes=32 time=544ms TTL=56
Reply from 10.212.9.1: bytes=32 time=567ms TTL=56
Reply from 10.212.9.1: bytes=32 time=666ms TTL=56
Ping statistics for 10.212.9.1:
    Packets: Sent = 10, Received = 10, Lost = 0 (0% loss),
Approximate round trip times in milli-seconds:
    Minimum = 544ms, Maximum = 666ms, Average = 588ms
```

Lista de sites acessados:
www.globo.com – ok
<u>www.yahoo.com</u> – ok
www.hotmail.com - ok
www.google.com – ok
www.educacao.mg.gov.br – ok
<u>www.prodemge.gov.br</u> – ok
Responsável pelo teste de navegação:
Nome: Sinara Cunha
Função: Secretaria
Identidade: MG 3777278