


## TERMO DE ACEITE TÉCNICO

Solicitante: PRODEMGE / SEE

NOC/Operadora: Paulo de Tarso Operadora/Cliente: JEAN POLINI

Responsável/cliente: FRANK SINATRA R. VIANA **GRE/Prodemge:** João Antinossi

> Consórcio Porta kbps Plataforma **VSAT-ID** SEE-BOAS-22105 EMC/Vodanet 2048/1024 **VSAT**



Satellite (DVB) RX Configuration

Auto start : Enabled
Max Traffic MODCOD : 23 16APSK-9/10
RX watchdog : 15 minute

Idx Pri SymbRate[Msps] Freq[GHz] Mode PopId SatId Pos SatName

Enable Name

\* 0 0 4.883300 12.176420 DVB-S2 104 0 0.0 E

Yes

Satellite (DVB) Receiver Status \_\_\_\_\_\_

Rx State

: On : Forward link up : 65281. Prodemo DVB State

Network : 65281, Prodemge@Vodanet

: 12.176269 GHz : 4.883025 Msps Frequency Symbol Rate : 4.883025 Msps

S2 ModCod

- receiving : 4 QPSK-1/2 - current max : 21 16APSK-5/6

Pilot : On Frame length : Short Frame Length : Shown DVB S2 Mode : ACM DVB S2 Stream type : MPEG-TS Roll off : 0.20 : 17.2 dB SNR Input Power : -36 dBm

```
Satellite (DVB) TX Configuration
______
Auto start : Enabled IDU Output Power : -20 dBm
IDU Max Output Power: 0.0 dBm
ODU Output Power : 33.2 dBm
                   : 46.5 dBW
Default CW Frequency: 0.000000 GHz
ATM mode : VC-Mux
Header Compression : UDP/IP
Satellite (DVB) Transmitter Status
State : On (DVB-RCS2)
IDU Output Power : -10.2 dBm
ODU Output Power : 33.2 dBm
EIRP
                   : 46.5 dBW
                   : 13.5 dB
Es/No
Header Compression : Disabled - HC for RCS2 not supported by HUB Timing correction : -440 us (281519 us)
Frequency correction: -50 Hz
# device show
System Information:
                       : SEE-BOAS-22105
    Name
                       : BONITO DE MINAS
    Location
    Contact
    System Up time : 0 days, 00:18:33 CPU Load : 15%
    System time(UTC)
                        : 09 November 2017 11:35:15
    Broadcast Message : not set
HW:
    Model
                       : SatLink 2000
    HW ID
                        : 120033
    Main board ID
                       : 120026 R6.2
    MAC addresses:
# arp show
              State
   NetAddr
                       MacAddr
   10.212.158.2 Dynamic 64:1c:67:62:2e:12 1
Pinging 10.212.158.1 with 32 bytes of data:
Reply from 10.212.158.1: bytes=32 time=530ms TTL=56
Reply from 10.212.158.1: bytes=32 time=562ms TTL=56
Reply from 10.212.158.1: bytes=32 time=631ms TTL=56
Reply from 10.212.158.1: bytes=32 time=529ms TTL=56
Reply from 10.212.158.1: bytes=32 time=530ms TTL=56
Reply from 10.212.158.1: bytes=32 time=726ms TTL=56
Reply from 10.212.158.1: bytes=32 time=550ms TTL=56
Reply from 10.212.158.1: bytes=32 time=746ms TTL=56
Reply from 10.212.158.1: bytes=32 time=535ms TTL=56
Reply from 10.212.158.1: bytes=32 time=543ms TTL=56
Ping statistics for 10.212.158.1:
   Packets: Sent = 10, Received = 10, Lost = 0 (0% loss),
Approximate round trip times in milli-seconds:
   Minimum = 529ms, Maximum = 746ms, Average = 588ms
```

ista de sites acessados:	
vww.globo.com – ok	
vww.hotmail.com – ok	
vww.google.com – ok	
vww.educacao.mg.gov.br – ok	
desponsável pelo teste de navegação: Jome: FRANK SINATRA R. VIANA Junção: Professor JASP 666397-5 Julefone: (38) 36256114 Jorário de funcionamento da escola: 07:00 as 22:10	