

EMC/Vodanet

TERMO DE ACEITE TÉCNICO

Plataforma

VSAT


Porta kbps

2Mbps

Solicitante: PRODEMGE / SEE NOC/Operadora: Ermínio Junior Operadora/Cliente Gustavo Oliveira Responsável/cliente Arlete Avelino Jorge GRE/Prodemge: João Antinossi Consórcio **VSAT-ID**

Port eth0 SEE-SEHA-22973 (10.215.172.1)

SEE-SEHA-22973



dvb tx show

Satellite (DVB) TX Configuration

Auto start : Enabled IDU Output Power : -20 dBm IDU Max Output Power: 0.0 dBm ODU Output Power : 33.2 dBm EIRP : 46.5 dBW

Default CW Frequency: 0.000000 GHz

ATM mode : VC-Mux Header Compression: UDP/IP

Satellite (DVB) Transmitter Status

: On (DVB-RCS2) IDU Output Power : -18.5 dBm ODU Output Power : 32.6 dBm : 45.9 dBW : 11.5 dB Es/No

Header Compression: Disabled - HC for RCS2 not supported by HUB

Timing correction : -186 us (280871 us)

Frequency correction: 130 Hz

dvb rx show

Satellite (DVB) RX Configuration

: Enabled Auto start

Max Traffic MODCOD : 23 16APSK-9/10

RX watchdog : 15 minute

```
Idx Pri SymbRate[Msps] Freq[GHz] Mode PopId SatId Pos SatName
Enable
* 0 0
                   12.176420 DVB-S2 104
                                             0.0E
       4.883300
 1 1 16.667000
                   11.962753 DVB-S2 2
                                            0 0.0 E
Satellite (DVB) Receiver Status
Rx State
              : On
DVB State
               : Forward link up
Network
               : 65281, Prodemge@Vodanet
Frequency
               : 12.176697 GHz
Symbol Rate
                : 4.882975 Msps
S2 ModCod
   - receiving : 4 QPSK-1/2
   - current max : 21 16APSK-5/6
Pilot
            : On
Frame length
                : Short
DVB S2 Mode
                  : ACM
DVB S2 Stream type : MPEG-TS
Roll off
             : 0.20
SNR
             : 16.3 dB
               : -30 dBm
Input Power
# arp show
             State MacAddr
 NetAddr
 10.215.172.2 Dynamic 64:1c:67:61:83:29 1
# device show
System Information:
                : SEE-SEHA-22973
  Name
  Location
                : SETUBINHA
  Contact
  System Up time
                   : 0 days, 00:09:02
  CPU Load
                  : 17%
  System time(UTC) : 28 November 2017 19:45:00
  Broadcast Message : not set
HW:
  Model
                : SatLink 2000
  HW ID
                 : 120033
  Main board ID
                   : 120026 R6.2
MAC addresses:
  Ethernet (LAN)
                   : 00:20:0e:10:58:ce
  Satellite (DVB) : 00:20:0e:10:58:ce
Pinging 10.215.172.1 with 32 bytes of data:
Reply from 10.215.172.1: bytes=32 time=551ms TTL=56
Reply from 10.215.172.1: bytes=32 time=553ms TTL=56
Reply from 10.215.172.1: bytes=32 time=528ms TTL=56
Reply from 10.215.172.1: bytes=32 time=538ms TTL=56
Reply from 10.215.172.1: bytes=32 time=581ms TTL=56
Reply from 10.215.172.1: bytes=32 time=523ms TTL=56
Reply from 10.215.172.1: bytes=32 time=521ms TTL=56
Reply from 10.215.172.1: bytes=32 time=644ms TTL=56
Reply from 10.215.172.1: bytes=32 time=539ms TTL=56
Reply from 10.215.172.1: bytes=32 time=621ms TTL=56
Ping statistics for 10.215.172.1:
  Packets: Sent = 10, Received = 10, Lost = 0 (0\% loss),
Approximate round trip times in milli-seconds:
  Minimum = 521ms, Maximum = 644ms, Average = 559ms
```

Name

Yes

Yes

www.hotmail.com

www.google.com

www.prodemge.gov.br

www.globo.com

www.youtube.com

Resp: Arlete Avelino Jorge Masp: 633869-3 Cargo: Vice-diretora Telefone:033-9-8801-1332

Funcionamento: 07:00-16:30 Onde ficou: No laboratório