


TERMO DE ACEITE TÉCNICO

Solicitante: PRODEMGE / SEE

NOC/Operadora: Guilherme Cunha Operadora/Cliente: Ederson Martins

GRE/Prodemge: João Antinossi Responsável/cliente: Soraya Jamel

> Consórcio **VSAT-ID** Porta kbps **Plataforma** 2048/1024 EMC/Vodanet SEE-ARAI-22750 **VSAT**



PRTG Traffic Grapher V6.2.0.907 - 15/11/2017 23:55:34

Satellite (DVB) RX Configuration ______ : Enabled Auto start

Max Traffic MODCOD : 23 16APSK-9/10 RX watchdog : 15 minute

Idx Pri SymbRate[Msps] Freq[GHz] Mode PopId SatId Pos SatName Name

Enable

* 0 0 4.883300 12.176420 DVB-S2 104 0 0.0 E

Yes

0 0.0 E 1 16.667000 11.962753 DVB-S2 2

Satellite (DVB) Receiver Status

Rx State : On

DVB State : Forward link up

: 65281, Prodemge@Vodanet Network

: 12.176338 GHz Frequency Symbol Rate : 4.883011 Msps

S2 ModCod

- receiving : 4 QPSK-1/2 - current max : 21 16APSK-5/6

Pilot : On Frame length : Short DVB S2 Mode : ACM DVB S2 Stream type : MPEG-TS Roll off : 0.20

```
SNR
                   : 14.8 dB
Input Power
                   : -36 dBm
Satellite (DVB) TX Configuration
-----
                   : Enabled
Auto start
IDU Output Power : -21 dBm
IDU Max Output Power: 0.0 dBm
ODU Output Power : 33.2 dBm
EIRP
                   : 46.5 dBW
Default CW Frequency: 0.000000 GHz
ATM mode : VC-Mux
Header Compression : UDP/IP
Satellite (DVB) Transmitter Status
_____
                   : On (DVB-RCS2)
State
: On (DVB-1
IDU Output Power : -14.7 dBm
ODU Output Power : 32.9 dBm
EIRP
                   : 46.2 dBW
Es/No
                   : 13.0 dB
\hbox{{\tt Header Compression}} \quad \hbox{{\tt :}} \quad \hbox{{\tt Disabled}} \quad \hbox{{\tt - HC for RCS2 not supported by HUB}}
Timing correction : -144 us (280695 us)
Frequency correction: 50 Hz
# System Information:
   Name
                       : SEE-ARAI-22750
   Location
                       : Araτuaφ - MG
   Contact
   System Up time : 0 days, 00:58:00 CPU Load : 9%
   System time(UTC) : 15 November 2017 23:01:07
   Broadcast Message : not set
HW:
                       : SatLink 2000
   Model
    HW ID
                       : 120033
   Main board ID
                       : 120026 R6.2
   MAC addresses:
   Ethernet (LAN)
#
  NetAddr
               State MacAddr
   10.214.56.2 Dynamic 1c:39:47:5b:e2:48 1
C:\Documents and Settings\Administrator.DVB-RCS.000>ping -n 15 10.214.56.1
Pinging 10.214.56.1 with 32 bytes of data:
Reply from 10.214.56.1: bytes=32 time=886ms TTL=56
Reply from 10.214.56.1: bytes=32 time=592ms TTL=56
Reply from 10.214.56.1: bytes=32 time=564ms TTL=56
Reply from 10.214.56.1: bytes=32 time=537ms TTL=56
Reply from 10.214.56.1: bytes=32 time=576ms TTL=56
Reply from 10.214.56.1: bytes=32 time=913ms TTL=56
Reply from 10.214.56.1: bytes=32 time=588ms TTL=56
Reply from 10.214.56.1: bytes=32 time=529ms TTL=56
Reply from 10.214.56.1: bytes=32 time=558ms TTL=56
Reply from 10.214.56.1: bytes=32 time=754ms TTL=56
Reply from 10.214.56.1: bytes=32 time=544ms TTL=56
Reply from 10.214.56.1: bytes=32 time=595ms TTL=56
```

```
Reply from 10.214.56.1: bytes=32 time=561ms TTL=56
Reply from 10.214.56.1: bytes=32 time=569ms TTL=56
Reply from 10.214.56.1: bytes=32 time=541ms TTL=56

Ping statistics for 10.214.56.1:
   Packets: Sent = 15, Received = 15, Lost = 0 (0% loss),
Approximate round trip times in milli-seconds:
   Minimum = 529ms, Maximum = 913ms, Average = 620ms
*Com chuva forte*
```

Lista de sites acessados:

www.globo.com - ok www.yahoo.com - ok www.hotmail.com - ok www.google.com - ok www.educacao.mg.gov.br - ok www.prodemge.gov.br - ok

RESPONSAVEL;SANDRA GUEDES OTONI CARGO;DIRETOR MASP;866.850-1 TEL;033-99132-4317 EDERSON MARTINS PIRES TEL 011 96495-7619