


TERMO DE ACEITE TÉCNICO

Solicitante: SES - Secretaria de Estado de Saúde de Minas Gerais

NOC/Operadora: Ermínio Alves Ribeiro Junior Operadora/Cliente: Gilvan Júnior

GRE/Prodemge: Aguinaldo de Matos Responsável/cliente: Roberta Cristina Silva

ConsórcioVSAT-IDPorta kbpsPlataformaSTM/VodanetSES-ITCU-6246384/153VSAT



Satellite (DVB) TX Configuration

Auto start : Enabled
IDU Output Power : -30 dBm
IDU Max Output Power: 0.0 dBm
ODU Output Power : max
EIRP : max

Default CW Frequency: 0.000000 GHz

ATM mode : VC-Mux

Header Compression : UDP/IP/DSM-CC

Satellite (DVB) Transmitter Status

State : On (TDMA)

IDU Output Power : -17.3 dBm

ODU Output Power : 33.6 dBm

EIRP : 46.9 dBW

Es/No : 12.0 dB

Header Compression : DSM-CC

Timing correction : 94 us (252347 us)

Frequency correction: -40 Hz

```
Satellite (DVB) RX Configuration
_____
Auto start : Enabled

Max MODCOD : 15 8PSK-5/6 (SNR threshold: 10.6 dB)

RX watchdog : 15 minute
Idx Pri SymbRate[Msps] Freq[GHz] Mode PopId Enable
* 0 0 45.000000 11.606250 DVB-S2 3 Yes
1 1 0.000000 0.000000 DVB-S2 2 Yes
Satellite (DVB) Receiver Status
_____
Rx State : On

DVB State : Forward link up

Network : 65281, Prodemge@Vodanet

Frequency : 11.606078 GHz

Symbol Rate : 44.999891 Msps
S2 ModCod
      - receiving : 4 QPSK-1/2
      - current max : 14 8PSK-3/4
               : On
: Sho
Pilot
Frame length
                    : Short
DVB S2 Mode
                    : ACM
Roll off
                    : 0.20
              : 11.7 dB
: -27 dBm
SNR
Input Power
IP DVB 10.148.6.226/32
Pinging 10.176.2.65 with 32 bytes of data:
Reply from 10.176.2.65: bytes=32 time=577ms TTL=62
Reply from 10.176.2.65: bytes=32 time=527ms TTL=62
Reply from 10.176.2.65: bytes=32 time=591ms TTL=62
Reply from 10.176.2.65: bytes=32 time=604ms TTL=62
Reply from 10.176.2.65: bytes=32 time=605ms TTL=62
Reply from 10.176.2.65: bytes=32 time=556ms TTL=62
Reply from 10.176.2.65: bytes=32 time=534ms TTL=62
Reply from 10.176.2.65: bytes=32 time=535ms TTL=62
Reply from 10.176.2.65: bytes=32 time=547ms TTL=62
Reply from 10.176.2.65: bytes=32 time=549ms TTL=62
Ping statistics for 10.176.2.65:
   Packets: Sent = 10, Received = 10, Lost = 0 (0% loss),
Approximate round trip times in milli-seconds:
    Minimum = 527ms, Maximum = 605ms, Average = 562ms
```

