


TERMO DE ACEITE TÉCNICO

Solicitante: PRODEMGE / SEE

NOC/Operadora: Wallace Teixeira Operadora/Cliente: Eduardo tadra

GRE/Prodemge: João Antinossi Responsável/cliente: Flavia eurides silva godoy

> Plataforma Consórcio **VSAT-ID** Porta kbps EMC/Vodanet SEE-JACU-22598 2MBPS **VSAT**



dvb rx show

Satellite (DVB) RX Configuration

Auto start : Enabled
Max Traffic MODCOD : 23 16APSK-9/10

: 15 minute RX watchdog

Idx Pri SymbRate[Msps] Freq[GHz] Mode PopId SatId Pos SatName Name

Enable

* 0 0 4.883300 12.176420 DVB-S2 104 0 0.0 E

Yes

1 1 16.667000 11.962753 DVB-S2 2 0 0.0 E

Yes

Satellite (DVB) Receiver Status _____

Rx State : On

DVB State

: Forward link up : 65281, Prodemge@Vodanet Network

Frequency : 12.176485 GHz Symbol Rate : 4.883029 Msps

S2 ModCod

- receiving : 21 16APSK-5/6 16APSK-5/6 - current max : 21

: On Pilot Frame length : Short DVB S2 Mode : ACM DVB S2 Stream type : MPEG-TS

```
Roll off
                    : 0.20
SNR
                    : 15.8 dB
Input Power
                    : -37 dBm
# dvb tx show
Satellite (DVB) TX Configuration
-----
Auto start
Auto start : Enabled IDU Output Power : -20 dBm
                    : Enabled
IDU Max Output Power: 0.0 dBm
ODU Output Power : 33.2 dBm EIRP · 46.5 dBw
                    : 46.5 dBW
EIRP
Default CW Frequency: 0.000000 GHz
ATM mode : VC-Mux
Header Compression : UDP/IP
Satellite (DVB) Transmitter Status
_____
State : On (DVB-RCS2)
IDU Output Power : -17.2 dBm
ODU Output Power : 32.8 dBm
EIRP
                    : 46.1 dBW
Es/No
                    : 11.0 dB
\hbox{{\tt Header Compression}} \quad \hbox{{\tt :}} \quad \hbox{{\tt Disabled}} \quad \hbox{{\tt - HC for RCS2 not supported by HUB}}
Timing correction : -124 us (281613 us)
Frequency correction: 70 Hz
# device show
System Information:
            : SEE-JACU-22598
   Name
    Location
                        : JAGUARUÇU
    Contact
                        :
    System Up time : 0 days, 00:39:53
CPU Load : 30%
System time(UTC) : 03 November 2017 22:16:15
    Broadcast Message : not set
HW:
    Model
                        : SatLink 2000
    HW ID
                        : 120033
    Main board ID
                        : 120026 R6.2
MAC addresses:
   Ethernet (LAN) : 00:20:0e:10:60:35
Satellite (DVB) : 00:20:0e:10:60:35
# arp show
   NetAddr State MacAddr
   10.214.189.2 Dynamic b8:70:f4:6e:b3:ab 1
Pinging 10.214.189.1 with 32 bytes of data:
Reply from 10.214.189.1: bytes=32 time=541ms TTL=56
Reply from 10.214.189.1: bytes=32 time=609ms TTL=56
Reply from 10.214.189.1: bytes=32 time=902ms TTL=56
Reply from 10.214.189.1: bytes=32 time=543ms TTL=56
Reply from 10.214.189.1: bytes=32 time=550ms TTL=56
Reply from 10.214.189.1: bytes=32 time=550ms TTL=56
Reply from 10.214.189.1: bytes=32 time=671ms TTL=56
Reply from 10.214.189.1: bytes=32 time=537ms TTL=56
Reply from 10.214.189.1: bytes=32 time=561ms TTL=56
Reply from 10.214.189.1: bytes=32 time=540ms TTL=56
Reply from 10.214.189.1: bytes=32 time=588ms TTL=56
Reply from 10.214.189.1: bytes=32 time=564ms TTL=56
```

```
Ping statistics for 10.214.189.1:
   Packets: Sent = 12, Received = 12, Lost = 0 (0% loss),
Approximate round trip times in milli-seconds:
    Minimum = 537ms, Maximum = 902ms, Average = 596ms
Lista de sites acessados:
www.globo.com - ok
www.yahoo.com - ok
<u>www.hotmail.com</u> – ok
www.google.com - ok
<u>www.educacao.mg.gov.br</u> – ok
www.prodemge.gov.br - ok
Responsável pelo teste de navegação:
Nome: Flavia eurides silva godoy
Função: Diretora
Identidade: Masp - 884321-1
```