



TERMO DE ACEITE TÉCNICO

Solicitante: PRODEMGE / SEE

NOC/Operadora: Ermínio Junior

Operadora/Cliente Ronaldo Candido

GRE/Prodemge: João Antinossi

Responsável/cliente Rosane Maria de Aquino Silva


Consórcio
EMC/Vodanet

VSAT-ID
SEE-DIVA-23187

Porta kbps
2Mbps

Plataforma
VSAT

Port eth 1 SEE-DIVA-23187(10.214.207.1)



SatLink 2000

- Main board ID 120026, Revision R6.2
 - SW ID 120208, Revision 16.0.1 Build 57
- # dvb tx show

Satellite (DVB) TX Configuration

Auto start : Enabled
IDU Output Power : -20 dBm
IDU Max Output Power: 0.0 dBm
ODU Output Power : 33.2 dBm
EIRP : 46.5 dBW
Default CW Frequency: 0.000000 GHz
ATM mode : VC-Mux
Header Compression : UDP/IP

Satellite (DVB) Transmitter Status

State : On (DVB-RCS2)
IDU Output Power : -13.7 dBm
ODU Output Power : 34.0 dBm
EIRP : 47.3 dBW
Es/No : 15.0 dB
Header Compression : Disabled - HC for RCS2 not supported by HUB
Timing correction : -157 us (280936 us)
Frequency correction: 160 Hz
dvb rx show

Satellite (DVB) RX Configuration

Auto start : Enabled
Max Traffic MODCOD : 23 16APSK-9/10
RX watchdog : 15 minute

Idx	Pri	SymbRate[Mbps]	Freq[GHz]	Mode	PopId	SatId	Pos	SatName	Name	Enable
* 0	0	4.883300	12.176420	DVB-S2 104	0	0.0	E		Yes	
1	1	16.667000	11.962753	DVB-S2 2	0	0.0	E		Yes	

Satellite (DVB) Receiver Status

```

-----
Rx State      : On
DVB State     : Forward link up
Network       : 65281, Prodemge@Vodanet
Frequency     : 12.176231 GHz
Symbol Rate   : 4.883013 Mbps
S2 ModCod

```

```

- receiving   : 19 16APSK-3/4
- current max : 21 16APSK-5/6

```

```

Pilot         : On
Frame length   : Short
DVB S2 Mode    : ACM
DVB S2 Stream type : MPEG-TS
Roll off       : 0.20
SNR            : 15.9 dB
Input Power    : -35 dBm
# arp show

```

```

NetAddr  State  MacAddr  If
10.214.207.2 Dynamic 80:ee:73:a4:e2:ba 1

```

device show

System Information:

```

Name       : SEE-DIVA-23187
Location    : DIVINO DAS LARANJEIRAS
Contact     :
System Up time : 0 days, 00:07:20
CPU Load      : 15%
System time(UTC) : 05 December 2017 19:24:29
Broadcast Message : not set

```

HW:

```

Model       : SatLink 2000
HW ID       : 120033
Main board ID : 120026 R6.2

```

MAC addresses:

```

Ethernet (LAN) : 00:20:0e:10:4f:b0
Satellite (DVB) : 00:20:0e:10:4f:b0

```

#

Pinging 10.214.207.1 with 32 bytes of data:

```

Reply from 10.214.207.1: bytes=32 time=513ms TTL=56
Reply from 10.214.207.1: bytes=32 time=518ms TTL=56
Reply from 10.214.207.1: bytes=32 time=525ms TTL=56
Reply from 10.214.207.1: bytes=32 time=535ms TTL=56
Reply from 10.214.207.1: bytes=32 time=531ms TTL=56
Reply from 10.214.207.1: bytes=32 time=518ms TTL=56
Reply from 10.214.207.1: bytes=32 time=516ms TTL=56
Reply from 10.214.207.1: bytes=32 time=536ms TTL=56
Reply from 10.214.207.1: bytes=32 time=590ms TTL=56
Reply from 10.214.207.1: bytes=32 time=555ms TTL=56

```

Ping statistics for 10.214.207.1:

```

Packets: Sent = 10, Received = 10, Lost = 0 (0% loss),
Approximate round trip times in milli-seconds:
    Minimum = 516ms, Maximum = 590ms, Average = 569ms

```

Resp: Rosane Maria de Aquino Silva

Cargo:Diretora

Telefone:033-9-8813-1724

Masp:864213-4

Horário:07:00-21:15

Onde ficou:Diretoria

www.hotmail.com

www.google.com

www.prodemge.gov.br

www.globo.com

www.youtube.com