


TERMO DE ACEITE TÉCNICO

Solicitante: PRODEMGE / SEE

NOC/Operadora: Hernan Alves Operadora/Cliente: Ronaldo Candido

GRE/Prodemge: João Antinossi Responsável/cliente: Cristiany Nascimento Alves

> Porta kbps Plataforma Consórcio **VSAT-ID** EMC/Vodanet **VSAT** SEE-JAIA-21967 2Mbps



PRTG Traffic Grapher V6.2.0.907 - 17/10/2017 23:37:12

Satellite (DVB) RX Configuration Auto start

Auto start : Enabled
Max Traffic MODCOD : 23 16APSK-9/10

: 15 minute RX watchdog

Idx Pri SymbRate[Msps] Freq[GHz] Mode PopId SatId Pos SatName Name

0 0.0 E

Enable

12.176420 DVB-S2 104 0 0.0 E * 0 0 4.883300 Yes 1 1 16.667000 11.962753 DVB-S2 2

Yes

Satellite (DVB) Receiver Status

Rx State : On

DVB State

: Forward link up
: 65281, Prodemge@Vodanet Network

Frequency : 12.176308 GHz Symbol Rate : 4.883027 Msps

S2 ModCod

- receiving : 4 QPSK-1/2 - current max : 21 16APSK-5/6

: On : Shor : ACM Pilot Frame length : Short DVB S2 Mode DVB S2 Stream:

Roll off : 0.20
: 16.7 dB DVB S2 Stream type : MPEG-TS

```
Input Power
                    : -34 dBm
Satellite (DVB) TX Configuration
-----
Auto start
                    : Enabled
IDU Output Power : -20 dBm
IDU Max Output Power: 0.0 dBm
ODU Output Power : 33.2 dBm
EIRP
                    : 46.5 dBW
Default CW Frequency: 0.000000 GHz
ATM mode : VC-Mux
Header Compression : UDP/IP
Satellite (DVB) Transmitter Status
-----
State : On (DVB-RCS2)
IDU Output Power : -18.5 dBm
ODU Output Power : 33.0 dBm
EIRP
                    : 46.3 dBW
Es/No
                     : 14.0 dB
\hbox{{\tt Header Compression}} \quad \hbox{{\tt :}} \quad \hbox{{\tt Disabled}} \quad \hbox{{\tt - HC for RCS2 not supported by HUB}}
Timing correction : -233 us (281382 us)
Frequency correction: 30 Hz
System Information:
   Name
                        : SEE-JAIA-21967
    Location
                        : JANU RIA - MG
    Contact
    System Up time : 0 days, 00:33:39
CPU Load : 7%
System time(UTC) : 17 October 2017 22:38:18
    Broadcast Message : not set
HW:
    Model
                        : SatLink 2000
    HW ID
                        : 120033
    Main board ID
                        : 120026 R6.2
MAC addresses:
   Ethernet (LAN) : 00:20:0e:10:55:69
Satellite (DVB) : 00:20:0e:10:55:69
Pinging 10.212.55.1 with 32 bytes of data:
Reply from 10.212.55.1: bytes=32 time=578ms TTL=56
Reply from 10.212.55.1: bytes=32 time=623ms TTL=56
Reply from 10.212.55.1: bytes=32 time=575ms TTL=56
Reply from 10.212.55.1: bytes=32 time=584ms TTL=56
Reply from 10.212.55.1: bytes=32 time=577ms TTL=56
Reply from 10.212.55.1: bytes=32 time=580ms TTL=56
Reply from 10.212.55.1: bytes=32 time=567ms TTL=56
Reply from 10.212.55.1: bytes=32 time=582ms TTL=56
Reply from 10.212.55.1: bytes=32 time=610ms TTL=56
Reply from 10.212.55.1: bytes=32 time=560ms TTL=56
Reply from 10.212.55.1: bytes=32 time=588ms TTL=56
Ping statistics for 10.212.55.1:
    Packets: Sent = 11, Received = 11, Lost = 0 (0% loss),
Approximate round trip times in milli-seconds:
    Minimum = 560ms, Maximum = 623ms, Average = 584ms
         State MacAddr
NetAddr
    10.212.55.2 Dynamic 80:ee:73:a4:e2:ba
```

Lista de sites acessados:
www.globo.com – ok
www.hotmail.com – ok
www.google.com – ok
<u>www.educacao.mg.gov.br</u> – ok
Responsável pelo teste de navegação: Nome: Cristiany Nascimento Alves Função: Diretora MASP: 852.626-1 Telefone: (38) 991204263
Horário de funcionamento da escola: 7:00 as 22:30