


TERMO DE ACEITE TÉCNICO

Solicitante: PRODEMGE / SEE

NOC/Operadora: Hernan Alves Operadora/Cliente: Gustavo de Oliveira

GRE/Prodemge: João Antinossi Responsável/cliente: Renato Magalhaes Freitas

> Consórcio **VSAT-ID** Porta kbps Plataforma EMC/Vodanet SEE-JAIA-22141 2Mbps **VSAT**



PRITE Traffic Graphic VEZ 6 NOT - NECTORY SIZEAS AND

Satellite (DVB) RX Configuration ______ Auto start : Enabled
Max Traffic MODCOD : 23 16APSK-9/10

: 15 minute RX watchdog

Idx Pri SymbRate[Msps] Freq[GHz] Mode PopId SatId Pos SatName Name

Enable

12.176420 DVB-S2 104 0 0.0 E 4.883300 * 0 0 Yes 1 1 16.667000 11.962753 DVB-S2 2 0 0.0 E

Yes

Satellite (DVB) Receiver Status

Rx State : On

DVB State : Forward link up
Network : 65281, Prodemge@Vodanet
Frequency : 12.176324 GHz
Symbol Rate : 4.883106 Msps

S2 ModCod

- receiving : 4 QPSK-1/2 - current max : 21 16APSK-5/6

: On : Show : ACM Pilot : Short Frame length DVB S2 Mode DVB S2 Stream type : MPEG-TS DVB S2 Screen | Roll off | : U.ZU | : 15.5 dB

```
Input Power
                  : -32 dBm
Satellite (DVB) TX Configuration
_____
Auto start
                   : Enabled
IDU Output Power : -20 dBm
IDU Max Output Power: 0.0 dBm
ODU Output Power : 33.2 dBm
EIRP
                   : 46.5 dBW
Default CW Frequency: 0.000000 GHz
ATM mode
                   : VC-Mux
Header Compression : UDP/IP
Satellite (DVB) Transmitter Status
-----
State : On (DVB-RCS2)
IDU Output Power : -15.9 dBm
ODU Output Power : 33.3 dBm
EIRP
                   : 46.6 dBW
Es/No
                   : 14.0 dB
Header Compression : Disabled - HC for RCS2 not supported by HUB
Timing correction : -196 us (281554 us)
Frequency correction: 10 Hz
# device show
System Information:
   Name
                      : SEE-JAIA-22141
   Location
                       : JANUARIA - MG
   Contact
   System Up time : 0 days, 00:40:04
   CPU Load
                      : 7%
   System time (UTC) : 27 October 2017 00:17:20
   Broadcast Message : not set
HW:
    Model
                       : SatLink 2000
    HW ID
                      : 120033
    Main board ID
                      : 120026 R6.2
MAC addresses:
   Ethernet (LAN) : 00:20:0e:10:4a:ff
Satellite (DVB) : 00:20:0e:10:4a:ff
# arp show
            State MacAddr
  NetAddr
  10.212.194.2 Dynamic 64:1c:67:61:83:29 1
C:\Documents and Settings\Administrator.DVB-RCS>ping -t 10.212.194.1
Pinging 10.212.194.1 with 32 bytes of data:
Reply from 10.212.194.1: bytes=32 time=566ms TTL=56
```

```
Reply from 10.212.194.1: bytes=32 time=576ms TTL=56
Reply from 10.212.194.1: bytes=32 time=587ms TTL=56
Reply from 10.212.194.1: bytes=32 time=570ms TTL=56
Reply from 10.212.194.1: bytes=32 time=573ms TTL=56
Reply from 10.212.194.1: bytes=32 time=578ms TTL=56
Reply from 10.212.194.1: bytes=32 time=590ms TTL=56
Reply from 10.212.194.1: bytes=32 time=590ms TTL=56
Reply from 10.212.194.1: bytes=32 time=582ms TTL=56
Reply from 10.212.194.1: bytes=32 time=582ms TTL=56
Reply from 10.212.194.1: bytes=32 time=582ms TTL=56
Reply from 10.212.194.1: bytes=32 time=569ms TTL=56
Reply from 10.212.194.1: bytes=32 time=569ms TTL=56
Reply from 10.212.194.1: bytes=32 time=569ms TTL=56
Minimum = 566ms, Maximum = 590ms, Average = 577ms
```

Lista de sites acessados:

www.globo.com - ok
www.yahoo.com - ok
www.hotmail.com - ok
www.google.com - ok
www.educacao.mg.gov.br - ok
www.prodemge.gov.br - ok

Responsável pelo teste de navegação: Nome: Renato Magalhaes Freitas

Função: Vice Diretor MASP: 1108108-0