



TERMO DE ACEITE TÉCNICO

Solicitante: PRODEMGE / SEE

NOC/Operadora: Ermínio Junior

Operadora/Cliente Gustavo Oliveira

GRE/Prodemge: João Antinossi

Responsável/cliente Luciano Fernandes


Consórcio
EMC/Vodanet

VSAT-ID
SEE-SAAS-22963

Porta kbps
2Mbps

Plataforma
VSAT

Port eth SEE-SAAS-22963(10.215.162.1)



SatLink 2000

- Main board ID 120026, Revision R6.2

- SW ID 120208, Revision 16.0.1 Build 57

dvb tx show

Satellite (DVB) TX Configuration

Auto start : Enabled

IDU Output Power : -20 dBm

IDU Max Output Power: 0.0 dBm

ODU Output Power : 33.2 dBm

EIRP : 46.5 dBW

Default CW Frequency: 0.000000 GHz

ATM mode : VC-Mux

Header Compression : UDP/IP

Satellite (DVB) Transmitter Status

State : On (DVB-RCS2)

IDU Output Power : -20.4 dBm

ODU Output Power : 33.3 dBm

EIRP : 46.6 dBW

Es/No : 13.0 dB

Header Compression : Disabled - HC for RCS2 not supported by HUB

Timing correction : -95 us (280141 us)

Frequency correction: 110 Hz

dvb rx show

Satellite (DVB) RX Configuration

Auto start : Enabled

Max Traffic MODCOD : 23 16APSK-9/10

RX watchdog : 15 minute

Idx	Pri	SymbRate[Msp/s]	Freq[GHz]	Mode	PopId	SatId	Pos	SatName
Name Enable								
* 0	0	4.883300	12.176420	DVB-S2	104	0	0.0 E	
Yes								
1	1	16.667000	11.962753	DVB-S2	2	0	0.0 E	
Yes								

Satellite (DVB) Receiver Status

Rx State : On
DVB State : Forward link up
Network : 65281, Prodemge@Vodanet
Frequency : 12.176427 GHz
Symbol Rate : 4.882903 Msps

S2 ModCod

- receiving : 4 QPSK-1/2
- current max : 21 16APSK-5/6

Pilot : On
Frame length : Short
DVB S2 Mode : ACM
DVB S2 Stream type : MPEG-TS
Roll off : 0.20
SNR : 15.5 dB
Input Power : -35 dBm

arp show

NetAddr	State	MacAddr	If
10.215.162.2	Dynamic	64:1c:67:61:83:29	1

device show

System Information:

Name : SEE-SAAS-22963
Location : Santa Helena de Minas - MG
Contact :
System Up time : 0 days, 00:34:42
CPU Load : 11%
System time(UTC) : 23 November 2017 21:10:52
Broadcast Message : not set

HW:

Model : SatLink 2000

HW ID : 120033

Main board ID : 120026 R6.2

MAC addresses:

Ethernet (LAN) : 00:20:0e:10:64:5e

Satellite (DVB) : 00:20:0e:10:64:5e

#Pinging 10.215.162.1 with 32 bytes of data:

Reply from 10.215.162.1: bytes=32 time=550ms TTL=56

Reply from 10.215.162.1: bytes=32 time=552ms TTL=56

Reply from 10.215.162.1: bytes=32 time=551ms TTL=56

Reply from 10.215.162.1: bytes=32 time=574ms TTL=56

Reply from 10.215.162.1: bytes=32 time=545ms TTL=56

Reply from 10.215.162.1: bytes=32 time=536ms TTL=56

Reply from 10.215.162.1: bytes=32 time=571ms TTL=56

Reply from 10.215.162.1: bytes=32 time=574ms TTL=56

Reply from 10.215.162.1: bytes=32 time=572ms TTL=56

Reply from 10.215.162.1: bytes=32 time=544ms TTL=56

Ping statistics for 10.215.162.1:

Packets: Sent = 10, Received = 10, Lost = 0 (0% loss),

Approximate round trip times in milli-seconds:

Minimum = 536ms, Maximum = 574ms, Average = 556ms

www.yahoo.com.br

www.hotmail.com

www.google.com

Responsável	Luciano Fernandes
Cargo	Professor
Identidade	1259909280- RG
Telefone	038—3954-6656
Funcionamento	07:00- 16:00
Onde ficou	Na direção