



# TERMO DE ACEITE TÉCNICO

Solicitante: PRODEMGE / SEE

NOC/Operadora: Ermínio Junior

Operadora/Cliente Gustavo Nascimento

GRE/Prodemge: João Antinossi

Responsável/cliente Renato Magalães


Consórcio  
EMC/Vodanet

VSAT-ID  
SEE-JAIA-22146

Porta kbps  
2Mbps

Plataforma  
VSAT

Port Eth0 (SEE-JAIA-22146- 10.212.199.1)



## SatLink 2000

- Main board ID 120026, Revision R6.2  
- SW ID 120208, Revision 16.0.1 Build 57  
# dvb rx show

## Satellite (DVB) RX Configuration

Auto start : Enabled  
Max Traffic MODCOD : 23 16APSK-9/10  
RX watchdog : 15 minute

Idx	Pri	SymbRate[Mbps]	Freq[GHz]	Mode	PopId	SatId	Pos	SatName
Name		Enable						
* 0	0	4.883300	12.176420	DVB-S2 104	0	0.0	E	
Yes								
1	1	16.667000	11.962753	DVB-S2 2	0	0.0	E	
Yes								

## Satellite (DVB) Receiver Status

Rx State : On  
DVB State : Forward link up

Network : 65281, Prodemge@Vodanet  
Frequency : 12.176157 GHz  
Symbol Rate : 4.883024 Msps  
S2 ModCod  
- receiving : 21 16APSK-5/6  
- current max : 21 16APSK-5/6  
Pilot : On  
Frame length : Short  
DVB S2 Mode : ACM  
DVB S2 Stream type : MPEG-TS  
Roll off : 0.20  
SNR : 15.0 dB  
Input Power : -35 dBm  
# dvb tx show

#### Satellite (DVB) TX Configuration

-----  
Auto start : Enabled  
IDU Output Power : -20 dBm  
IDU Max Output Power: 0.0 dBm  
ODU Output Power : 33.2 dBm  
EIRP : 46.5 dBW  
Default CW Frequency: 0.000000 GHz  
ATM mode : VC-Mux  
Header Compression : UDP/IP

#### Satellite (DVB) Transmitter Status

-----  
State : On (DVB-RCS2)  
IDU Output Power : -15.6 dBm  
ODU Output Power : 33.3 dBm  
EIRP : 46.6 dBW  
Es/No : 14.5 dB  
Header Compression : Disabled - HC for RCS2 not supported by HUB  
Timing correction : -233 us (281378 us)  
Frequency correction: 120 Hz  
# arp show

NetAddr	State	MacAddr	If
10.212.199.2	Dynamic	64:1c:67:61:83:29	1

# device show

#### System Information:

Name : SEE-JAIA-22146  
Location : JANUARIA - MG  
Contact :  
System Up time : 0 days, 01:27:53  
CPU Load : 16%  
System time(UTC) : 01 November 2017 14:00:55  
Broadcast Message : not set

#### HW:

Model : SatLink 2000  
HW ID : 120033

Main board ID : 120026 R6.2

MAC addresses:

Ethernet (LAN) : 00:20:0e:10:4f:85

Satellite (DVB) : 00:20:0e:10:4f:85

#

Pinging 10.212.199.1 with 32 bytes of data:

Reply from 10.212.199.1: bytes=32 time=534ms TTL=56

Reply from 10.212.199.1: bytes=32 time=527ms TTL=56

Reply from 10.212.199.1: bytes=32 time=529ms TTL=56

Reply from 10.212.199.1: bytes=32 time=536ms TTL=56

Reply from 10.212.199.1: bytes=32 time=604ms TTL=56

Reply from 10.212.199.1: bytes=32 time=567ms TTL=56

Reply from 10.212.199.1: bytes=32 time=560ms TTL=56

Reply from 10.212.199.1: bytes=32 time=527ms TTL=56

Reply from 10.212.199.1: bytes=32 time=543ms TTL=56

Reply from 10.212.199.1: bytes=32 time=577ms TTL=56

Ping statistics for 10.212.199.1:

Packets: Sent = 10, Received = 10, Lost = 0 (0% loss),

Approximate round trip times in milli-seconds:

Minimum = 527ms, Maximum = 604ms, Average = 550ms

[www.globo.com](http://www.globo.com)

[www.yahoo.com.br](http://www.yahoo.com.br)

[www.hotmail.com](http://www.hotmail.com)

[www.google.com](http://www.google.com)

[www.prodemge.gov.br](http://www.prodemge.gov.br)

Responsável	<b>Renato Magalhães</b>
Identidade/Masp	1108108-0
Cargo	Diretor
Telefone	***
Funcionamento	07:00 até 17:30