


TERMO DE ACEITE TÉCNICO

Solicitante: PRODEMGE / SEE

NOC/Operadora: Hernan Alves Operadora/Cliente: Robson Nikitim

GRE/Prodemge: João Antinossi Responsável/cliente: Romaria Gonçalves de Souza

> Plataforma Consórcio **VSAT-ID** Porta kbps EMC/Vodanet **VSAT** SEE-SAES-22267 2Mbps



Satellite (DVB) RX Configuration ______ Auto start : Enabled

Max Traffic MODCOD : 23 16APSK-9/10

: 15 minute RX watchdog

Idx Pri SymbRate[Msps] Freq[GHz] Mode PopId SatId Pos SatName Name

Enable

* 0 0 4.883300 12.176420 DVB-S2 104 0 0.0 E

Yes

16.667000 11.962753 DVB-S2 2 0 0.0 E 1 1

Yes

Satellite (DVB) Receiver Status -----

Rx State : On

: Forward link up DVB State

: 65281, Prodemge@Vodanet : 12.176262 GHz Network

Frequency : 4.883000 Msps Symbol Rate

S2 ModCod

- receiving : 19 16APSK-3/4 - current max : 21 16APSK-5/6

: On Pilot : Short : ACM Frame length DVB S2 Mode DVB S2 Stream type : MPEG-TS Roll off : 0.20 SNR : 14.3 dB : -37 dBm Input Power

```
# dvb tx show
Satellite (DVB) TX Configuration
_____
Auto start : Enabled IDU Output Power : -20 dBm
IDU Max Output Power: 0.0 dBm
ODU Output Power : 33.2 dBm
EIRP
                     : 46.5 dBW
Default CW Frequency: 0.000000 GHz
                     : VC-Mux
ATM mode
Header Compression : UDP/IP
Satellite (DVB) Transmitter Status
______
State : On (DVB-RCS2)

IDU Output Power : -15.0 dBm

ODU Output Power : 33.3 dBm

EIRP
                     : 46.6 dBW
Es/No
                     : 14.0 dB
\hbox{{\tt Header Compression}} \quad \hbox{{\tt :}} \quad \hbox{{\tt Disabled}} \quad \hbox{{\tt - HC for RCS2 not supported by HUB}}
Timing correction : -362 us (281229 us)
Frequency correction: 120 Hz
# device show
System Information:
    Name
                         : SEE-SAES-22267
    Location
                         : SÃO JOÃO DAS MISSÕES - MG
    Contact
    System Up time : 0 days, 00:17:49 CPU Load : 23%
    System time(UTC) : 27 October 2017 16:08:54
Broadcast Message : not set
HW:
    Model
                         : SatLink 2000
    HW ID
                         : 120033
                         : 120026 R6.2
    Main board ID
MAC addresses:
    Ethernet (LAN) : 00:20:0e:10:4a:7c
Satellite (DVB) : 00:20:0e:10:4a:7c
# arp show
   NetAddr
                 State MacAddr
    10.213.66.3 Dynamic e4:be:ed:90:94:9a 1
Pinging 10.213.66.1 with 32 bytes of data:
Reply from 10.213.66.1: bytes=32 time=553ms TTL=56
Reply from 10.213.66.1: bytes=32 time=567ms TTL=56
Reply from 10.213.66.1: bytes=32 time=533ms TTL=56
Reply from 10.213.66.1: bytes=32 time=543ms TTL=56
Reply from 10.213.66.1: bytes=32 time=549ms TTL=56
Reply from 10.213.66.1: bytes=32 time=575ms TTL=56
Reply from 10.213.66.1: bytes=32 time=539ms TTL=56
Reply from 10.213.66.1: bytes=32 time=534ms TTL=56
Reply from 10.213.66.1: bytes=32 time=581ms TTL=56
Reply from 10.213.66.1: bytes=32 time=563ms TTL=56
Ping statistics for 10.213.66.1:
    Packets: Sent = 10, Received = 10, Lost = 0 (0% loss),
Approximate round trip times in milli-seconds:
```

Minimum = 533ms, Maximum = 581ms, Average = 553ms
Lista de sites acessados:
www.globo.com – ok
<u>www.hotmail.com</u> – ok <u>www.google.com</u> – ok
www.educacao.mg.gov.br – ok www.prodemge.mg.gov.br – ok
www.prodeffige.ffig.gov.br = 0k
Responsável pelo teste de navegação: Nome: Romaria Gonçalves de Souza
Função: Professora Masp: 1243567-1
Telefone: 38-99980-5952