

TERMO DE ACEITE TÉCNICO


Solicitante: PRODEMGE / SEE

NOC/Operadora: Hernan Alves **Operadora/Cliente: Ederson Martins**

GRE/Prodemge: João Antinossi Responsável/cliente: Adaslene Ferreira Rocha

> Consórcio **VSAT-ID** Porta kbps **Plataforma** EMC/Vodanet SEE-SACO-22211 2Mbps **VSAT**





PRTG Traffic Grapher V6.2.0.907 - 23/10/2017 16:45:49

Satellite (DVB) RX Configuration _____

: Enabled Auto start

Max Traffic MODCOD : 23 16APSK-9/10 RX watchdog : 15 minute

Idx Pri SymbRate[Msps] Freq[GHz] Mode PopId SatId Pos SatName Name

Enable

0 0.0 E * 0 0 4.883300 12.176420 DVB-S2 104

Yes

1 1 0 0.0 E 16.667000 11.962753 DVB-S2 2

Yes

Satellite (DVB) Receiver Status

Rx State : On

DVB State : Forward link up

Network : 65281, Prodemge@Vodanet

: 12.176197 GHz Frequency Symbol Rate : 4.882972 Msps

S2 ModCod

- receiving : 4 QPSK-1/2 - current max : 21 16APSK-5/6

: On Pilot Frame length : Short : ACM DVB S2 Stream type : MPEG-TS Roll off : 0.20 SNR : 14.0 dB : -32 dBm Input Power

```
Satellite (DVB) TX Configuration
_____
Auto start
                    : Enabled
IDU Output Power : -21 dBm
IDU Max Output Power: 0.0 dBm
ODU Output Power : 33.2 dBm
EIRP
                    : 46.5 dBW
Default CW Frequency: 0.000000 GHz
                    : VC-Mux
ATM mode
Header Compression : UDP/IP
Satellite (DVB) Transmitter Status
_____
                    : On (DVB-RCS2)
: On (DVB-1
IDU Output Power : -22.5 dBm
ODU Output Power : 33.0 dBm
EIRP
State
EIRP
                    : 46.3 dBW
Es/No
                    : 14.5 dB
\hbox{{\tt Header Compression}} \quad \hbox{: Disabled} \quad \hbox{{\tt - HC for RCS2 not supported by HUB}}
Timing correction : -397 us (281697 us)
Frequency correction: 130 Hz
System Information:
   Name
                        : SEE-SACO-22211
    Location
                        : S O FRANCISCO - MG
    Contact
   System Up time : 0 days, 00:55:41

CPU Load : 11%

System time(UTC) : 23 October 2017 15:41:13
    Broadcast Message : not set
HW:
    Model
                        : SatLink 2000
    HW ID
                        : 120033
    Main board ID
                        : 120026 R6.2
MAC addresses:
   Ethernet (LAN) : 00:20:0e:10:5c:a0 Satellite (DVB) : 00:20:0e:10:5c:a0
# arp show
                State MacAddr
    10.213.10.2 Dynamic 48:ee:0c:c3:3e:39 1
    10.213.10.3 Pending 00:00:00:00:00:00 1
C:\>ping -t 10.213.10.1
Pinging 10.213.10.1 with 32 bytes of data:
Reply from 10.213.10.1: bytes=32 time=521ms TTL=56
Reply from 10.213.10.1: bytes=32 time=590ms TTL=56
Reply from 10.213.10.1: bytes=32 time=584ms TTL=56
Reply from 10.213.10.1: bytes=32 time=554ms TTL=56
Reply from 10.213.10.1: bytes=32 time=572ms TTL=56
Reply from 10.213.10.1: bytes=32 time=565ms TTL=56
Reply from 10.213.10.1: bytes=32 time=528ms TTL=56
Reply from 10.213.10.1: bytes=32 time=560ms TTL=56
Reply from 10.213.10.1: bytes=32 time=562ms TTL=56
Reply from 10.213.10.1: bytes=32 time=548ms TTL=56
```

```
Reply from 10.213.10.1: bytes=32 time=550ms TTL=56

Ping statistics for 10.213.10.1:
    Packets: Sent = 11, Received = 11, Lost = 0 (0% loss),

Approximate round trip times in milli-seconds:
    Minimum = 521ms, Maximum = 590ms, Average = 557ms
```

Lista de sites acessados:

www.globo.com - ok www.yahoo.com - ok www.hotmail.com - ok www.google.com - ok www.educacao.mg.gov.br - ok www.prodemge.gov.br - ok

Responsável pelo teste de navegação:

Nome: Adaslene Ferreira Rocha

Função: PROFESSORA

MASP:13469424 RG:MG14396501

Funcionamento de 07h às 17:30h