



TERMO DE ACEITE TÉCNICO

Solicitante: PRODEMGE / SEE

NOC/Operadora: Paulo de Tarso

Operadora/Cliente: JEAN POLINI

GRE/Prodemge: João Antinossi


Responsável/cliente: Rosimar Aparecida de Oliveira Rocha

Consórcio
EMC/Vodanet

VSAT-ID
SEE-PIIS-22200

Porta kbps
2048/1024

Plataforma
VSAT



Satellite (DVB) RX Configuration

Auto start : Enabled
Max Traffic MODCOD : 23 16APSK-9/10
RX watchdog : 15 minute

Idx	Pri	SymbRate[Mbps]	Freq[GHz]	Mode	PopId	SatId	Pos	SatName	Name
Enable									
* 0	0	4.883300	12.176420	DVB-S2	104	0	0.0 E		

Satellite (DVB) Receiver Status

Rx State : On
DVB State : Forward link up
Network : 65281, Prodemge@Vodanet
Frequency : 12.176434 GHz
Symbol Rate : 4.882972 Msps
S2 ModCod
- receiving : 15 8PSK-5/6
- current max : 21 16APSK-5/6
Pilot : On
Frame length : Short
DVB S2 Mode : ACM
DVB S2 Stream type : MPEG-TS
Roll off : 0.20
SNR : 15.9 dB
Input Power : -33 dBm

Satellite (DVB) TX Configuration

Auto start : Enabled
IDU Output Power : -20 dBm
IDU Max Output Power: 0.0 dBm
ODU Output Power : 33.2 dBm
EIRP : 46.5 dBW
Default CW Frequency: 0.000000 GHz
ATM mode : VC-Mux
Header Compression : UDP/IP

Satellite (DVB) Transmitter Status

State : On (DVB-RCS2)
IDU Output Power : -20.3 dBm
ODU Output Power : 33.3 dBm
EIRP : 46.6 dBW
Es/No : 13.5 dB
Header Compression : Disabled - HC for RCS2 not supported by HUB
Timing correction : -369 us (281882 us)
Frequency correction: 160 Hz

device show

System Information:

Name : SEE-PIIS-22200
Location : PINTÓPOLIS - MG
Contact :
System Up time : 0 days, 00:12:43
CPU Load : 15%
System time(UTC) : 06 November 2017 15:24:24
Broadcast Message : not set

HW:

Model : SatLink 2000
HW ID : 120033
Main board ID : 120026 R6.2

MAC addresses:

Ethernet (LAN) : 00:20:0e:10:56:e2
Satellite (DVB) : 00:20:0e:10:56:e2

arp show

NetAddr	State	MacAddr	If
10.212.253.2	Dynamic	64:1c:67:62:2e:12	1

Pinging 10.212.253.1 with 32 bytes of data:

Reply from 10.212.253.1: bytes=32 time=565ms TTL=56
Reply from 10.212.253.1: bytes=32 time=644ms TTL=56
Reply from 10.212.253.1: bytes=32 time=544ms TTL=56
Reply from 10.212.253.1: bytes=32 time=566ms TTL=56
Reply from 10.212.253.1: bytes=32 time=548ms TTL=56
Reply from 10.212.253.1: bytes=32 time=607ms TTL=56
Reply from 10.212.253.1: bytes=32 time=585ms TTL=56
Reply from 10.212.253.1: bytes=32 time=564ms TTL=56
Reply from 10.212.253.1: bytes=32 time=544ms TTL=56
Reply from 10.212.253.1: bytes=32 time=562ms TTL=56

Ping statistics for 10.212.253.1:

Packets: Sent = 10, Received = 10, Lost = 0 (0% loss),
Approximate round trip times in milli-seconds:
Minimum = 544ms, Maximum = 644ms, Average = 572ms

Lista de sites acessados:

www.globo.com – ok

www.hotmail.com – ok

www.google.com – ok

www.educacao.mg.gov.br – ok

Responsável pelo teste de navegação:

Nome: Rosimar Aparecida de Oliveira Rocha

Função: diretora

MASP 854 355-3

Telefone: (38) 999500240

Horário de funcionamento da escola: 07:00 as 11:30

Unidade não possui tomadas.

A energia da unidade foi cortada.