


TERMO DE ACEITE TÉCNICO

Solicitante: PRODEMGE / SEE

Operadora/Cliente: Gilvan P Brito Junior NOC/Operadora: Ricardo Benavides

GRE/Prodemge: João Antinossi Responsável/cliente: Rafael Vinicius M Silva

> VSAT-ID Porta kbps Plataforma Consórcio EMC/Vodanet VSAT SEE-FEOS-23782 2Mbps



Satellite (DVB) RX Configuration _____ : Enabled

Max Traffic MODCOD : 23 16APSK-9/10 RX watchdog : 15 minute

Idx Pri SymbRate[Msps] Freq[GHz] Mode PopId SatId Pos SatName Name

Enable

8.883000 12.176420 DVB-S2 104 0 0.0 E * 0 0

Yes

1 1 4.883300 12.176420 DVB-S2 2 0 0.0 E

Yes

Satellite (DVB) Receiver Status

: On Rx State

DVB State : Forward link up

: 65281, Prodemge@Vodanet Network

: 12.176467 GHz : 8.883007 Msps Frequency Symbol Rate

S2 ModCod

- receiving : 21 16APSK-5/6 - current max : 22 16APSK-8/9

Pilot : On Frame length : Short DVB S2 Mode : ACM DVB S2 Stream type : MPEG-TS Roll off : 0.20 SNR : 16.0 dB Input Power : -36 dBm

```
Satellite (DVB) TX Configuration
______
Auto start : Enabled IDU Output Power : -18 dBm
IDU Max Output Power: 0.0 dBm
Default CW Frequency: 0.000000 GHz
            : VC-Mux
ATM mode
Header Compression : UDP/IP
Satellite (DVB) Transmitter Status
_____
State : On (DVB-RCS2)
IDU Output Power : -18.1 dBm
Es/No : 15.0 dB
Header Compression : Disabled - HC for RCS2 not supported by HUB
Timing correction : -366 us (266407 us)
Frequency correction: 80 Hz
System Information:
   Name
                         : SEE-FEOS-23782
    Location
                         : FERROS
    Contact
   System Up time : 0 days, 00:58:49
CPU Load : 25%
System time(UTC) : 19 January 2018 14:37:52
Broadcast Message : not set
HW:
                        : SatLink 2000
   Model
    HW ID
                        : 120033
   Main board ID
                        : 120026 R6.2
MAC addresses:
   Ethernet (LAN) : 00:20:0e:10:90:6e
Satellite (DVB) : 00:20:0e:10:90:6e
NetAddr
             State MacAddr
10.215.74.2 Dynamic e8:9a:8f:b7:bd:4a 1
Pinging 10.215.74.1 with 32 bytes of data:
Reply from 10.215.74.1: bytes=32 time=678ms TTL=56
Reply from 10.215.74.1: bytes=32 time=552ms TTL=56
Reply from 10.215.74.1: bytes=32 time=519ms TTL=56
Reply from 10.215.74.1: bytes=32 time=547ms TTL=56
Reply from 10.215.74.1: bytes=32 time=570ms TTL=56
Reply from 10.215.74.1: bytes=32 time=565ms TTL=56
Reply from 10.215.74.1: bytes=32 time=530ms TTL=56
Reply from 10.215.74.1: bytes=32 time=520ms TTL=56
Reply from 10.215.74.1: bytes=32 time=530ms TTL=56
Reply from 10.215.74.1: bytes=32 time=661ms TTL=56
Ping statistics for 10.215.74.1:
    Packets: Sent = 10, Received = 10, Lost = 0 (0% loss),
Approximate round trip times in milli-seconds:
    Minimum = 519ms, Maximum = 678ms, Average = 567ms
```

sta de sites acessados:	
www.globo.com ok	
<u>ww.globo.com</u> – ok <u>ww.yahoo.com</u> – ok	
ww.hotmail.com – ok	
ww.google.com – ok	
ww.educacao.mg.gov.br – ok	
ww.prodemge.gov.br – ok	
esponsável: Rafael Vinicius M Silva Inção: Secretario IASP: 1357465-2 elefone: (31) 3863-1236	