



# TERMO DE ACEITE TÉCNICO

Solicitante: PRODEMGE / SEE

NOC/Operadora: Paulo de Tarso

Operadora/Cliente: Jean Polini

GRE/Prodemge: João Antinossi


Responsável/cliente: Luiz Cesar Sousa Pinto

Consórcio  
EMC/Vodanet

VSAT-ID  
SEE-PIIS-22202

Porta kbps  
2048/1024

Plataforma  
VSAT



## Satellite (DVB) RX Configuration

Auto start : Enabled  
Max Traffic MODCOD : 23 16APSK-9/10  
RX watchdog : 15 minute

Idx	Pri	SymbRate[Msps]	Freq[GHz]	Mode	PopId	SatId	Pos	SatName	Name
Enable									
* 0	0	4.883300	12.176420	DVB-S2	104	0	0.0 E		
Yes									

## Satellite (DVB) Receiver Status

Rx State : On  
DVB State : Forward link up  
Network : 65281, Prodemge@Vodanet  
Frequency : 12.176422 GHz  
Symbol Rate : 4.882923 Msps  
S2 ModCod  
- receiving : 21 16APSK-5/6  
- current max : 21 16APSK-5/6  
Pilot : On  
Frame length : Short  
DVB S2 Mode : ACM  
DVB S2 Stream type : MPEG-TS  
Roll off : 0.20  
SNR : 15.3 dB  
Input Power : -29 dBm

# Satellite (DVB) TX Configuration

-----  
Auto start : Enabled  
IDU Output Power : -20 dBm  
IDU Max Output Power: 0.0 dBm  
ODU Output Power : 33.2 dBm  
EIRP : 46.5 dBW  
Default CW Frequency: 0.000000 GHz  
ATM mode : VC-Mux  
Header Compression : UDP/IP

# Satellite (DVB) Transmitter Status

-----  
State : On (DVB-RCS2)  
IDU Output Power : -15.9 dBm  
ODU Output Power : 33.1 dBm  
EIRP : 46.4 dBW  
Es/No : 14.5 dB  
Header Compression : Disabled - HC for RCS2 not supported by HUB  
Timing correction : -272 us (281846 us)  
Frequency correction: 110 Hz

# System Information:

Name : SEE-PIIS-22202  
Location : PINTA POLIS - MG  
Contact :  
System Up time : 0 days, 01:11:21  
CPU Load : 18%  
System time(UTC) : 04 November 2017 18:50:18  
Broadcast Message : not set

# HW:

Model : SatLink 2000  
HW ID : 120033  
Main board ID : 120026 R6.2

# MAC addresses:

Ethernet (LAN) : 00:20:0e:10:60:41  
Satellite (DVB) : 00:20:0e:10:60:41

Pinging 10.213.1.1 with 32 bytes of data:

Reply from 10.213.1.1: bytes=32 time=570ms TTL=56  
Reply from 10.213.1.1: bytes=32 time=568ms TTL=56  
Reply from 10.213.1.1: bytes=32 time=611ms TTL=56  
Reply from 10.213.1.1: bytes=32 time=572ms TTL=56  
Reply from 10.213.1.1: bytes=32 time=592ms TTL=56  
Reply from 10.213.1.1: bytes=32 time=560ms TTL=56  
Reply from 10.213.1.1: bytes=32 time=598ms TTL=56  
Reply from 10.213.1.1: bytes=32 time=575ms TTL=56  
Reply from 10.213.1.1: bytes=32 time=549ms TTL=56  
Reply from 10.213.1.1: bytes=32 time=581ms TTL=56

# Ping statistics for 10.213.1.1:

Packets: Sent = 10, Received = 10, Lost = 0 (0% loss),  
Approximate round trip times in milli-seconds:  
Minimum = 549ms, Maximum = 611ms, Average = 577ms

NetAddr	State	MacAddr	If
10.213.1.2	Dynamic	64:1c:67:62:2e:12	1

Lista de sites acessados:

[www.globo.com](http://www.globo.com) – ok

[www.yahoo.com](http://www.yahoo.com) – ok

[www.hotmail.com](http://www.hotmail.com) – ok

[www.google.com](http://www.google.com) – ok

[www.educacao.mg.gov.br](http://www.educacao.mg.gov.br) – ok

[www.prodemge.gov.br](http://www.prodemge.gov.br) – ok

Responsável pelo teste de navegação:

Nome: Luiz Cesar Sousa Pinto

Função: Diretor

Telefone: 38 999467960

MA SP: 831873-5

Horário de Funcionamento: 12:00 as 18:00