


TERMO DE ACEITE TÉCNICO

Solicitante: PRODEMGE / SEE

NOC/Operadora: Pedro Bernardes Operadora/Cliente: Sergio Almeida

GRE/Prodemge: João Antinossi Responsável/cliente: Maria Aparecida de Souza

> Porta kbps Consórcio **VSAT-ID** Plataforma EMC/Vodanet SEE-VAMA-23273 2Mbps **VSAT**



Satellite (DVB) RX Configuration _____

Auto start : Enabled

Max Traffic MODCOD : 23 16APSK-9/10

RX watchdog : 15 minute

Idx Pri SymbRate[Msps] Freq[GHz] Mode PopId SatId Pos SatName Name

Enable

4.883300 12.176420 DVB-S2 104 0 0.0 E * 0 0

Yes

11.962753 DVB-S2 2 0 0.0 E 16.667000 1 1

Yes

Satellite (DVB) Receiver Status

Rx State : On

DVB State

Network

: Forward link up : 65281, Prodemge@Vodanet : 12.176497 GHz Frequency Symbol Rate : 4.882977 Msps

S2 ModCod

- receiving : 21 16APSK-5/6 - current max : 21 16APSK-5/6

Pilot : On Frame length : Shor DVB S2 Mode : ACM : Short DVB S2 Stream type : MPEG-TS Roll off : 0.20 : 16.0 dB SNR : -38 dBm Input Power

```
Satellite (DVB) TX Configuration
_____
Auto start
                    : Enabled
IDU Output Power : -20 dBm
IDU Max Output Power: 0.0 dBm
ODU Output Power : 33.2 dBm
                    : 46.5 dBW
EIRP
Default CW Frequency: 0.000000 GHz
ATM mode : VC-Mux
Header Compression : UDP/IP
Satellite (DVB) Transmitter Status
: On (DVB-RCS2)

IDU Output Power : -16.5 dBm

ODU Output Power : 33.2 dBm

EIRP
_____
Es/No
                    : 14.5 dB
\hbox{{\tt Header Compression}} \quad \hbox{{\tt :}} \quad \hbox{{\tt Disabled}} \quad \hbox{{\tt - HC for RCS2 not supported by HUB}}
Timing correction : -562 us (282149 us)
Frequency correction: 120 Hz
System Information:
    Name
                       : SEE-VAMA-23273
    Location
                        : VÁRZEA DA PALMA - MG
    Contact
    System Up time : 0 days, 08:51:45 CPU Load : 15%
    System time (UTC) : 27 November 2017 18:12:02
    Broadcast Message : not set
HW:
    Model
                        : SatLink 2000
    HW ID
                        : 120033
    Main board ID
                       : 120026 R6.1
MAC addresses:
   Ethernet (LAN) : 00:20:0e:10:48:a0 Satellite (DVB) : 00:20:0e:10:48:a0
NetAddr
          State MacAddr
   10.215.216.3 Dynamic 58:10:8c:83:5e:21 1
Pinging 10.215.216.1 with 32 bytes of data:
Reply from 10.215.216.1: bytes=32 time=593ms TTL=56
Reply from 10.215.216.1: bytes=32 time=528ms TTL=56
Reply from 10.215.216.1: bytes=32 time=571ms TTL=56
Reply from 10.215.216.1: bytes=32 time=536ms TTL=56
Reply from 10.215.216.1: bytes=32 time=577ms TTL=56
Reply from 10.215.216.1: bytes=32 time=511ms TTL=56
Reply from 10.215.216.1: bytes=32 time=546ms TTL=56
Reply from 10.215.216.1: bytes=32 time=556ms TTL=56
Reply from 10.215.216.1: bytes=32 time=573ms TTL=56
Reply from 10.215.216.1: bytes=32 time=572ms TTL=56
Ping statistics for 10.215.216.1:
    Packets: Sent = 10, Received = 10, Lost = 0 (0% loss),
Approximate round trip times in milli-seconds:
    Minimum = 511ms, Maximum = 593ms, Average = 556ms
```

ista de sites acessados:	
<u>ww.globo.com</u> – ok	
<u>ww.yahoo.com</u> – ok	
<u>ww.hotmail.com</u> – ok	
<u>ww.google.com</u> – ok	
ww.educacao.mg.gov.br – ok	
ww.prodemge.gov.br – ok	
esponsável pelo teste de navegação:	
ome: Maria Aparecida de Souza	
unção: ASB	
IASP: 2773848	
elefone: 38-988273657	
uncionamento: 07:00h às 17:00h	