

TERMO DE ACEITE TÉCNICO


Solicitante: PRODEMGE / SEE

NOC/Operadora: Ermínio Junior Operadora/Cliente: Gilvan Jr

GRE/Prodemge: João Antinossi Responsável/cliente: ANGELA AP BARBOSA NUNES

ConsórcioVSAT-IDPorta kbpsPlataformaEMC/VodanetSEE-INIM-231542MVSAT

Port eth 0 SEE-INIM-23154(10.214.151.1)



dvb tx show

Satellite (DVB) TX Configuration

Auto start : Enabled

IDU Output Power : -21 dBm

IDU Max Output Power: 0.0 dBm

ODU Output Power : max

EIRP : max

Default CW Frequency: 0.000000 GHz

ATM mode : VC-Mux Header Compression : None

Satellite (DVB) Transmitter Status

State : On (DVB-RCS2)
IDU Output Power : -10.2 dBm
ODU Output Power : 34.9 dBm
EIRP : 48.2 dBW
Es/No : 12.5 dB

Header Compression : Disabled - HC for RCS2 not supported by HUB

Timing correction : -270 us (281326 us)

Frequency correction: 190 Hz

dvb rx show

Satellite (DVB) RX Configuration

```
Auto start
                     : Enabled
Max Traffic MODCOD : 23 16APSK-9/10 RX watchdog : 15 minute
Idx Pri SymbRate[Msps] Freq[GHz] Mode PopId SatId Pos SatName
                                                                                Name
Enable
* 0 0
          4.883300
                        12.176420 DVB-S2 104
                                                    0
                                                       0.0 E
Yes
 1 1
                                                   0
                        12.176420 DVB-S2 104
                                                       0.0 E
          8.883000
Yes
Satellite (DVB) Receiver Status
_____
Rx State
                    : On
DVB State
                    : Forward link up
Symbol Rate : 4 883001
                    : 65281, Prodemge@Vodanet
S2 ModCod
     - receiving : 15 8PSK-5/6
      - current max : 19
                         16APSK-3/4
Frame length : Sho
DVB S2 Mode : ACM
                   : Short
                   : ACM
DVB S2 Stream type : MPEG-TS
Roll off : 0.20
                   : 12.9 dB
SNR
                   : -39 dBm
Input Power
# device show
System Information:
                       : SEE-INIM-23154
   Name
    Location
                       : INHAPIM
    Contact
    System Up time : 0 days, 00:12:40
CPU Load : 12%
System time(UTC) : 08 December 2017 17:58:15
    Broadcast Message : not set
HW:
    Model
                       : SatLink 2000
    HW ID
                       : 120033
    Main board ID
                       : 120026 R6.2
MAC addresses:
    Ethernet (LAN) : 00:20:0e:10:64:58
Satellite (DVB) : 00:20:0e:10:64:58
# arp show
   NetAddr
               State MacAddr
   10.214.151.2 Dynamic e8:9a:8f:b7:bd:4a 1
Pinging 10.214.151.1 with 32 bytes of data:
Reply from 10.214.151.1: bytes=32 time=550ms TTL=56
Reply from 10.214.151.1: bytes=32 time=608ms TTL=56
Reply from 10.214.151.1: bytes=32 time=711ms TTL=56
Reply from 10.214.151.1: bytes=32 time=608ms TTL=56
Reply from 10.214.151.1: bytes=32 time=544ms TTL=56
Reply from 10.214.151.1: bytes=32 time=596ms TTL=56
Reply from 10.214.151.1: bytes=32 time=675ms TTL=56
Reply from 10.214.151.1: bytes=32 time=537ms TTL=56
Reply from 10.214.151.1: bytes=32 time=603ms TTL=56
Reply from 10.214.151.1: bytes=32 time=608ms TTL=56
```

Ping statistics for 10.214.151.1:
Packets: Sent = 10, Received = 10, Lost = 0 (0% loss),
Approximate round trip times in milli-seconds:
Minimum = 537ms, Maximum = 711ms, Average = 524ms
MINIMUM - 337MS, MAXIMUM - /IIMS, Average - 324MS
Nome do resp- ANGELA AP BARBOSA NUNES
Tel - 33- 9 8417-2840
Cargo-DIRETORA
Masp- 1034900-0
Onde equip se encontra- SECRETARIA
Hor de func- 7:00 ás 16:50
101 de 1410 7.00 de 10.50
Sites acessados
www.globo.com
www.google.com
www.hotmail.com
THE HARDEST COM
www.yahoo.com
www.prodemge.gov.br
www.educacao.mg.gov.br
www.cdacacao.mg.gov.si