


TERMO DE ACEITE TÉCNICO

Solicitante: PRODEMGE / SEE

NOC/Operadora: Paulo de Tarso Operadora/Cliente: Ederson Martins Pires

GRE/Prodemge: João Antinossi Responsável/cliente: Ricardo Silvo Almeida

> VSAT-ID Plataforma Consórcio Porta kbps EMC/Vodanet **VSAT** SEE-SACO-21970 2Mbps



PWYS Traffic Organia VICANIET - NOROSET MINIST

Satellite (DVB) RX Configuration Auto start : Enabled
Max Traffic MODCOD : 23 16APSK-9/10
RX watchdoq : 15 minute -----

Idx Pri SymbRate[Msps] Freq[GHz] Mode PopId SatId Pos SatName

Enable

* 0 0 4.883300 12.176420 DVB-S2 104 0 0.0 E

Yes

Satellite (DVB) Receiver Status ______

Rx State : On

DVB State

: Forward link up : 65281, Prodemge@Vodanet Network

Frequency : 12.176429 GHz Symbol Rate : 4.882939 Msps

S2 ModCod

- receiving : 4 QPSK-1/2 - current max : 16 8PSK-8/9

Pilot : On
Frame length : Short
DVB S2 Mode : ACM
DVB S2 Stream type : MPEG-TS
Roll off Roll off : 0.20 SNR : 17.6 dB : -27 dBm Input Power

TFTP Server Details Not configured

```
Satellite (DVB) TX Configuration
______
Auto start : Enabled IDU Output Power : -20 dBm
IDU Max Output Power: 0.0 dBm
                  : 33.2 dBm
ODU Output Power
                    : 46.5 dBW
Default CW Frequency: 0.000000 GHz
ATM mode : VC-Mux
Header Compression : UDP/IP
Satellite (DVB) Transmitter Status
_____
State : On (DVB-RCS2)

IDU Output Power : -21.6 dBm

ODU Output Power : 32.9 dBm
                   : 46.2 dBW
Es/No
                    : 14.0 dB
Header Compression : Disabled - HC for RCS2 not supported by HUB Timing correction : -429 us (281687 us)
Frequency correction: 40 Hz
System Information:
    Name
                        : SEE-SACO-21970
    Location
                         : São Francisco
    Contact
    System Up time
                        : 0 days, 00:24:38
    CPU Load
                        : 10%
    System time(UTC) : 16 October 2017 12:03:09 Broadcast Message : not set
HW:
    Model
                        : SatLink 2000
                        : 120033
    HW TD
    Main board ID
                        : 120026 R6.2
MAC addresses:
                      : 00:20:0e:10:57:c8
: 00:20:0e:10:57:c8
    Ethernet (LAN)
    Satellite (DVB)
# arp show
                State MacAddr
                                              Ιf
    10.212.58.2 Dynamic 1c:39:47:5b:e2:48 1
Pinging 10.212.58.1 with 32 bytes of data:
Reply from 10.212.58.1: bytes=32 time=547ms TTL=56
Reply from 10.212.58.1: bytes=32 time=591ms TTL=56
Reply from 10.212.58.1: bytes=32 time=580ms TTL=56
Reply from 10.212.58.1: bytes=32 time=568ms TTL=56
Reply from 10.212.58.1: bytes=32 time=557ms TTL=56
Reply from 10.212.58.1: bytes=32 time=574ms TTL=56
Reply from 10.212.58.1: bytes=32 time=553ms TTL=56
Reply from 10.212.58.1: bytes=32 time=594ms TTL=56
Reply from 10.212.58.1: bytes=32 time=552ms TTL=56
Reply from 10.212.58.1: bytes=32 time=577ms TTL=56
Ping statistics for 10.212.58.1:
   Packets: Sent = 10, Received = 10, Lost = 0 (0% loss),
Approximate round trip times in milli-seconds:
    Minimum = 547ms, Maximum = 594ms, Average = 569ms
```

Lista de sites acessados:
www.globo.com – ok
www.hotmail.com – ok
www.google.com – ok
<u>www.educacao.mg.gov.br</u> – ok
Responsável pelo teste de navegação: Nome: Ricardo Silvo Almeida
Função: Diretor
Identidade: M-7679095 Telefone: (38) 3631-1011
Horário de funcionamento da escola: 07:00 as 22:30