

TERMO DE ACEITE TÉCNICO

Solicitante: PRODEMGE / SEE

NOC/Operadora: Ermínio Junior

Operadora/Cliente Jean Polini


GRE/Prodemge: João Antinossi

Responsável/cliente JOSIANE BATISTA SOARES

Consórcio
EMC/Vodanet

VSAT-ID
SEE-CAAI-22924
Porta kbps
2Mbps
Plataforma
VSAT

Port eth0 SEE-CAAI-22924 (10.215.104.1)



SatLink 2000

- Main board ID 120026, Revision R6.2

- SW ID 120208, Revision 16.0.1 Build 57

dvb tx show

Satellite (DVB) TX Configuration

Auto start : Enabled IDU Output Power : -20 dBm IDU Max Output Power: 0.0 dBm Default CW Frequency: 0.000000 GHz

ATM mode : VC-Mux Header Compression : UDP/IP

Satellite (DVB) Transmitter Status

State : On (DVB-RCS2)

IDU Output Power : -20.2 dBm

Es/No : 14.5 dB

Header Compression: Disabled - HC for RCS2 not supported by HUB

Timing correction : -335 us (280515 us)

Frequency correction: 150 Hz

dvb rx show

Satellite (DVB) RX Configuration

Auto start : Enabled

Max Traffic MODCOD : 23 16APSK-9/10

RX watchdog : 15 minute

 Idx
 Pri
 SymbRate[Msps]
 Freq[GHz]
 Mode
 PopId
 SatId
 Pos
 SatName
 Name
 Enable

 * 0
 0
 4.883300
 12.176420
 DVB-S2
 104
 0
 0.0 E
 Yes

Satellite (DVB) Receiver Status

Rx State : On

DVB State : Forward link up

Network : 65281, Prodemge@Vodanet

Frequency : 12.176378 GHz Symbol Rate : 4.882995 Msps

S2 ModCod

- receiving : 4 QPSK-1/2 - current max : 21 16APSK-5/6

Pilot : On
Frame length : Short
DVB S2 Mode : ACM
DVB S2 Stream type : MPEG-TS

Roll off : 0.20 SNR : 16.1 dB Input Power : -41 dBm

arp show

NetAddr State MacAddr If 10.215.104.2 Dynamic 64:1c:67:62:2e:12 1

device show System Information:

> Name : SEE-CAAI-22924 Location : Carai - MG

Contact

System Up time : 0 days, 00:06:15

CPU Load : 12%

System time(UTC) : 25 November 2017 12:34:33

Broadcast Message : not set

HW:

Model : SatLink 2000 HW ID : 120033 Main board ID : 120026 R6.2

MAC addresses:

Ethernet (LAN) : 00:20:0e:10:5b:28 Satellite (DVB) : 00:20:0e:10:5b:28

#Pinging 10.215.104.1 with 32 bytes of data:

Reply from 10.215.104.1: bytes=32 time=545ms TTL=56 Reply from 10.215.104.1: bytes=32 time=575ms TTL=56 Reply from 10.215.104.1: bytes=32 time=557ms TTL=56 Reply from 10.215.104.1: bytes=32 time=548ms TTL=56 Reply from 10.215.104.1: bytes=32 time=567ms TTL=56 Reply from 10.215.104.1: bytes=32 time=532ms TTL=56 Reply from 10.215.104.1: bytes=32 time=541ms TTL=56 Reply from 10.215.104.1: bytes=32 time=535ms TTL=56 Reply from 10.215.104.1: bytes=32 time=534ms TTL=56 Reply from 10.215.104.1: bytes=32 time=534ms TTL=56 Reply from 10.215.104.1: bytes=32 time=567ms TTL=56

Ping statistics for 10.215.104.1:

Packets: Sent = 10, Received = 10, Lost = 0 (0% loss), Approximate round trip times in milli-seconds:

Minimum = 532ms, Maximum = 575ms, Average = 550ms

www.hotmail.com

www.google.com

www.prodemge.gov.br

www.globo.com

www.youtube.com

RESPONSAVEL: JOSIANE BATISTA SOARES

CARGO: VICE DIRETORA

MASP:1012940-1 TEL:33 999731866

HORARIO DE FUNCINAMENTO: 07:00 AS 21:25

Onde ficou.: EM BANDEJA NA SECRETARIA E CONECTADO A UM COMPUTADOR DA

SECRETARIA