



# TERMO DE ACEITE TÉCNICO

Solicitante: PRODEMGE / SEE

NOC/Operadora: Pedro Bernardes

Operadora/Cliente: Gustavo de Oliveira da Silva

GRE/Prodemge: João Antinossi


Responsável/cliente: João Rodrigues da Silva

Consórcio  
EMC/Vodanet

VSAT-ID  
SEE-VIIA-23218

Porta kbps  
2Mbps

Plataforma  
VSAT



## Satellite (DVB) RX Configuration

Auto start : Enabled  
Max Traffic MODCOD : 23 16APSK-9/10  
RX watchdog : 15 minute

Idx	Pri	SymbRate[Msps]	Freq[GHz]	Mode	PopId	SatId	Pos	SatName	Name
Enable									
* 0	0	4.883300	12.176420	DVB-S2	104	0	0.0 E		
Yes									
1	1	16.667000	11.962753	DVB-S2	2	0	0.0 E		
Yes									

## Satellite (DVB) Receiver Status

Rx State : On  
DVB State : Forward link up  
Network : 65281, Prodemge@Vodanet  
Frequency : 12.176411 GHz  
Symbol Rate : 4.882971 Msps  
S2 ModCod  
- receiving : 4 QPSK-1/2  
- current max : 21 16APSK-5/6  
Pilot : On  
Frame length : Short  
DVB S2 Mode : ACM  
DVB S2 Stream type : MPEG-TS  
Roll off : 0.20  
SNR : 15.9 dB  
Input Power : -41 dBm

## Satellite (DVB) TX Configuration

-----  
Auto start : Enabled  
IDU Output Power : -19 dBm  
IDU Max Output Power: 0.0 dBm  
Default CW Frequency: 0.000000 GHz  
ATM mode : VC-Mux  
Header Compression : UDP/IP

## Satellite (DVB) Transmitter Status

-----  
State : On (DVB-RCS2)  
IDU Output Power : -19.2 dBm  
Es/No : 12.0 dB  
Header Compression : Disabled - HC for RCS2 not supported by HUB  
Timing correction : -281 us (281116 us)  
Frequency correction: 170 Hz

## System Information:

Name : SEE-VIIA-23218  
Location : Virgol'ndia - MG  
Contact :  
System Up time : 0 days, 00:53:46  
CPU Load : 9%  
System time(UTC) : 02 December 2017 16:59:57  
Broadcast Message : not set

## HW:

Model : SatLink 2000  
HW ID : 120033  
Main board ID : 120026 R6.2

## MAC addresses:

Ethernet (LAN) : 00:20:0e:10:4a:fc  
Satellite (DVB) : 00:20:0e:10:4a:fc

NetAddr	State	MacAddr	If
10.214.253.2	Dynamic	64:1c:67:61:83:29	1

Pinging 10.214.253.1 with 32 bytes of data:

Reply from 10.214.253.1: bytes=32 time=566ms TTL=56  
Reply from 10.214.253.1: bytes=32 time=573ms TTL=56  
Reply from 10.214.253.1: bytes=32 time=567ms TTL=56  
Reply from 10.214.253.1: bytes=32 time=603ms TTL=56  
Reply from 10.214.253.1: bytes=32 time=574ms TTL=56  
Reply from 10.214.253.1: bytes=32 time=549ms TTL=56  
Reply from 10.214.253.1: bytes=32 time=571ms TTL=56  
Reply from 10.214.253.1: bytes=32 time=554ms TTL=56  
Reply from 10.214.253.1: bytes=32 time=666ms TTL=56  
Reply from 10.214.253.1: bytes=32 time=563ms TTL=56

## Ping statistics for 10.214.253.1:

Packets: Sent = 10, Received = 10, Lost = 0 (0% loss),  
Approximate round trip times in milli-seconds:  
Minimum = 549ms, Maximum = 666ms, Average = 578ms

Lista de sites acessados:

[www.globo.com](http://www.globo.com) – ok

[www.yahoo.com](http://www.yahoo.com) – ok

[www.hotmail.com](http://www.hotmail.com) – ok

[www.google.com](http://www.google.com) – ok

[www.educacao.mg.gov.br](http://www.educacao.mg.gov.br) – ok

[www.prodemge.gov.br](http://www.prodemge.gov.br) – ok

Responsável pelo teste de navegação:

Nome: João Rodrigues da Silva

Função: Diretor

MASP: 940534-1

Telefone: (33) 99991-4840

Funcionamento: 07:00h às 18:00h