


Solicitante: PRODEMGE / SEE**NOC/Operadora:** Ermínio Junior**Operadora/Cliente:** Jean Polini**GRE/Prodemge:** João Antinossi**Responsável/cliente:** Renilson Marques Lobato**Consórcio**
EMC/Vodanet**VSAT-ID**
SEE-VAIA-22304**Porta kbps**
2Mbps**Plataforma**
VSAT

dvb tx show

Satellite (DVB) TX Configuration

Auto start : Enabled
IDU Output Power : -20 dBm
IDU Max Output Power: 0.0 dBm
ODU Output Power : 33.2 dBm
EIRP : 46.5 dBW
Default CW Frequency: 0.000000 GHz
ATM mode : VC-Mux
Header Compression : UDP/IP

Satellite (DVB) Transmitter Status

State : On (DVB-RCS2)
IDU Output Power : -19.8 dBm
ODU Output Power : 33.2 dBm
EIRP : 46.5 dBW
Es/No : 14.0 dB
Header Compression : Disabled - HC for RCS2 not supported by HUB
Timing correction : -361 us (281278 us)

Frequency correction: 120 Hz

dvb rx show

Satellite (DVB) RX Configuration

Auto start : Enabled

Max Traffic MODCOD : 23 16APSK-9/10

RX watchdog : 15 minute

Idx	Pri	SymbRate[Mbps]	Freq[GHz]	Mode	PopId	SatId	Pos	SatName	Name	Enable
* 0	0	4.883300	12.176420	DVB-S2 104	0	0.0	E		Yes	
1	1	16.667000	11.962753	DVB-S2 2	0	0.0	E		Yes	

Satellite (DVB) Receiver Status

Rx State : On

DVB State : Forward link up

Network : 65281, Prodemge@Vodanet

Frequency : 12.176228 GHz

Symbol Rate : 4.882927 Msps

S2 ModCod

- receiving : 4 QPSK-1/2

- current max : 21 16APSK-5/6

Pilot : On

Frame length : Short

DVB S2 Mode : ACM

DVB S2 Stream type : MPEG-TS

Roll off : 0.20

SNR : 15.0 dB

Input Power : -31 dBm

arp show

NetAddr	State	MacAddr	If
10.213.103.2	Dynamic	64:1c:67:62:2e:12	1

device show

System Information:

Name : SEE-VAIA-22304

Location : VARZELANDIA - MG

Contact :

System Up time : 0 days, 01:22:18

CPU Load : 19%

System time(UTC) : 19 October 2017 15:14:08

Broadcast Message : not set

HW:

Model : SatLink 2000

HW ID : 120033

Main board ID : 120026 R6.2

MAC addresses:

Ethernet (LAN) : 00:20:0e:10:58:5a

Satellite (DVB) : 00:20:0e:10:58:5a

Pinging 10.213.103.1 with 32 bytes of data:

Reply from 10.213.103.1: bytes=32 time=588ms TTL=56
Reply from 10.213.103.1: bytes=32 time=552ms TTL=56
Reply from 10.213.103.1: bytes=32 time=536ms TTL=56
Reply from 10.213.103.1: bytes=32 time=539ms TTL=56
Reply from 10.213.103.1: bytes=32 time=557ms TTL=56
Reply from 10.213.103.1: bytes=32 time=572ms TTL=56
Reply from 10.213.103.1: bytes=32 time=564ms TTL=56
Reply from 10.213.103.1: bytes=32 time=574ms TTL=56
Reply from 10.213.103.1: bytes=32 time=568ms TTL=56
Reply from 10.213.103.1: bytes=32 time=566ms TTL=56

Ping statistics for 10.213.103.1:

Packets: Sent = 10, Received = 10, Lost = 0 (0% loss),

Approximate round trip times in milli-seconds:

Minimum = 536ms, Maximum = 588ms, Average = 551ms

Sites acessados.

www.globo.com

www.yahoo.com.br

www.hotmail.com

www.google.com

www.prodemge.gov.br

Responsável: Renilson Marques Lobato

Cargo- Diretor

Identidade: 30.715.771-4