

TERMO DE ACEITE TÉCNICO

Solicitante: PRODEMGE / SEE

NOC/Operadora: Ermínio Junior Operadora/Cliente Jean Polini


GRE/Prodemge: João Antinossi

Responsável/cliente PETRONIO GOMES PEREIRA

ConsórcioVSAT-IDEMC/VodanetSEE-PASO-22951

Porta kbps Plataforma 2Mbps VSAT

Port eth0 SEE-PASO-22951(10.215.146.1)



dvb tx show

Satellite (DVB) TX Configuration

Auto start : Enabled
IDU Output Power : -20 dBm
IDU Max Output Power: 0.0 dBm
Default CW Frequency: 0.000000 GHz

ATM mode : VC-Mux Header Compression : UDP/IP

Satellite (DVB) Transmitter Status

State : On (DVB-RCS2) IDU Output Power : -20.2 dBm

Es/No : 11.5 dB

Header Compression: Disabled - HC for RCS2 not supported by HUB

Timing correction : -333 us (280564 us)

Frequency correction: 80 Hz

dvb rx show

Satellite (DVB) RX Configuration

Auto start : Enabled

Max Traffic MODCOD : 23 16APSK-9/10

RX watchdog : 15 minute

 Idx
 Pri
 SymbRate[Msps]
 Freq[GHz]
 Mode
 PopId
 SatId
 Pos
 SatName
 Name
 Enable

 * 0
 0
 4.883300
 12.176420
 DVB-S2
 104
 0
 0.0 E
 Yes

```
Satellite (DVB) Receiver Status
```

```
Rx State
             : On
DVB State
               : Forward link up
              : 65281, Prodemge@Vodanet
Network
Frequency
              : 12.176410 GHz
               : 4.882920 Msps
Symbol Rate
S2 ModCod
   - receiving : 4 QPSK-1/2
   - current max : 21 16APSK-5/6
           : On
Pilot
Frame length
                : Short
DVB S2 Mode
                  : ACM
DVB S2 Stream type: MPEG-TS
Roll off
             : 0.20
SNR
             : 16.6 dB
Input Power
               : -44 dBm
# arp show
 NetAddr
             State MacAddr
                                  If
 10.215.146.2 Dynamic 64:1c:67:62:2e:12 1
# devive show
No Such Command
# device show
System Information:
  Name
                : SEE-PASO-22951
  Location
                : Padre Para so - MG
  Contact
                   : 0 days, 00:03:18
  System Up time
                 : 12%
  CPU Load
  System time(UTC) : 26 November 2017 13:22:40
  Broadcast Message : not set
HW:
  Model
                : SatLink 2000
  HW ID
                : 120033
                  : 120026 R6.2
  Main board ID
MAC addresses:
  Ethernet (LAN)
                   : 00:20:0e:10:4a:d4
  Satellite (DVB)
                 : 00:20:0e:10:4a:d4
#
Pinging 10.215.146.1 with 32 bytes of data:
Reply from 10.215.146.1: bytes=32 time=580ms TTL=56
Reply from 10.215.146.1: bytes=32 time=633ms TTL=56
Reply from 10.215.146.1: bytes=32 time=533ms TTL=56
Reply from 10.215.146.1: bytes=32 time=567ms TTL=56
Reply from 10.215.146.1: bytes=32 time=564ms TTL=56
Reply from 10.215.146.1: bytes=32 time=569ms TTL=56
Reply from 10.215.146.1: bytes=32 time=554ms TTL=56
Reply from 10.215.146.1: bytes=32 time=569ms TTL=56
Reply from 10.215.146.1: bytes=32 time=581ms TTL=56
Reply from 10.215.146.1: bytes=32 time=546ms TTL=56
Ping statistics for 10.215.146.1:
  Packets: Sent = 10, Received = 10, Lost = 0 (0\% loss),
Approximate round trip times in milli-seconds:
  Minimum = 533ms, Maximum = 633ms, Average = 569ms
www.hotmail.com
www.google.com
```

www.prodemge.gov.br

www.globo.com

www.youtube.com

RESPONSAVEL: PETRONIO GOMES PEREIRA

CARGO: ATB RG: 17073706 TEL:33 984117522

HORARIO DE FUNCINAMENTO: 07:00 AS 12:00

MODEM INST :EM BANDEJA NA SALA DE INFORMATICA PROXIMO AO RACK DO CLIENTE , CONECTADO A UM COMPUTADOR DA SECRETARIA