

# TERMO DE ACEITE TÉCNICO

Solicitante: PRODEMGE / SEE


NOC/Operadora: Pedro Bernardes

Operadora/Cliente: Jean Polini

Responsável/cliente: Oziel Mendes De Paiva Junior

ConsórcioVSAT-IDPorta kbpsPlataformaEMC/VodanetSEE-MACU-236672MbpsVSAT

Port eth 0 SEE-MACU-23667 (10.214.200.1)



## Satellite (DVB) RX Configuration

GRE/Prodemge: João Antinossi

-----

Auto start : Enabled

Max Traffic MODCOD : 23 16APSK-9/10

RX watchdog : 15 minute

Idx Pri SymbRate[Msps] Freq[GHz] Mode PopId SatId Pos SatName

Name Enable

\* 0 0 8.883000 12.176420 DVB-S2 104 0 0.0 E Yes 1 1 4.883300 12.176420 DVB-S2 2 0 0.0 E Yes

## Satellite (DVB) Receiver Status

-----

Rx State : On

DVB State : Forward link up

Network : 65281, Prodemge@Vodanet

Frequency : 12.176430 GHz Symbol Rate : 8.882910 Msps

S2 ModCod

- receiving : 21 16APSK-5/6 - current max : 22 16APSK-8/9

Pilot : On
Frame length : Short
DVB S2 Mode : ACM
DVB S2 Stream type : MPEG-TS

Roll off : 0.20 SNR : 16.7 dB Input Power : -41 dBm

### Satellite (DVB) TX Configuration

.\_\_\_\_

Auto start : Enabled
IDU Output Power : -17 dBm
IDU Max Output Power: 0.0 dBm
Default CW Frequency: 0.000000 GHz

ATM mode : VC-Mux Header Compression : UDP/IP

## Satellite (DVB) Transmitter Status

-----

State : On (DVB-RCS2) IDU Output Power : -16.8 dBm

Es/No : 15.0 dB

Header Compression: Disabled - HC for RCS2 not supported by HUB

Timing correction : -225 us (266293 us)

Frequency correction: 150 Hz

#### System Information:

Name : SEE-MACU-23667 Location : Manha u - MG

Contact :

System Up time : 0 days, 00:43:35

CPU Load : 19%

System time(UTC) : 10 January 2018 19:33:35

Broadcast Message : not set

#### HW:

Model : SatLink 2000 HW ID : 120033

Main board ID : 120026 R6.2

# MAC addresses:

Ethernet (LAN) : 00:20:0e:10:7c:c9 Satellite (DVB) : 00:20:0e:10:7c:c9

NetAddr State MacAddr If

10.215.26.2 Dynamic 64:1c:67:62:2e:12 1

## Pinging 10.215.26.1 with 32 bytes of data:

Reply from 10.215.26.1: bytes=32 time=529ms TTL=56 Reply from 10.215.26.1: bytes=32 time=542ms TTL=56 Reply from 10.215.26.1: bytes=32 time=534ms TTL=56 Reply from 10.215.26.1: bytes=32 time=520ms TTL=56 Reply from 10.215.26.1: bytes=32 time=565ms TTL=56 Reply from 10.215.26.1: bytes=32 time=566ms TTL=56 Reply from 10.215.26.1: bytes=32 time=528ms TTL=56 Reply from 10.215.26.1: bytes=32 time=519ms TTL=56 Reply from 10.215.26.1: bytes=32 time=531ms TTL=56 Reply from 10.215.26.1: bytes=32 time=519ms TTL=56 Reply from 10.215.26.1: bytes=32 time=519ms TTL=56

# Ping statistics for 10.215.26.1:

Packets: Sent = 10, Received = 10, Lost = 0 (0% loss),

Approximate round trip times in milli-seconds:

Minimum = 519ms, Maximum = 566ms, Average = 535ms

Resp: Oziel Mendes De Paiva Junior

Cargo: Diretor Masp: 319479-2

Telefone: 33 33311064 Horário: 07:00 AS 17:00

www.hotmail.com www.google.com www.prodemge.gov.br www.globo.com www.youtube.com