

# TERMO DE ACEITE TÉCNICO

Solicitante: VIVO

NOC/Operador: Felipe Freire


Cliente: VIVO



Empresa EMC  
Brasil

VSAT-ID  
VIVO-PER-23013850-CE

Link kbps  
1024k/256k

Plataforma VSAT





SatLink VSATSpeedOf.Me, Internet speed test

Não seguro | 192.168.0.1/wmi/dwp/index\_page.dwp

Erro

# SatLink

Status

Satellite

Statistics

Device

DHCP

Eventlog

Configuration

Satellite

IP

Static NAT

Lineup

Device

Help

Introduction

Status

Configuration

Transmission Lineup

BUC

JRC N

Frequency

0.00

IDU Max Output Power

IDU Initial Output Power

Initial Back-Off

Transmission Type

CW

Transmission Status

Off

Save

TX On

TX O

Receive Signal

Audio

Rx SNR [dB]

0

5

16

You are logged in as install (2)

© Copyright 2006-2016 EMC SatCom Technologies Norway AS ©.

Telnet 192.168.0.1

Frequency correction: 940 Hz  
# No Such Command  
##  
Satellite (DVB) TX Configuration  
Auto start : Enabled  
BUPC status : Disabled  
IDU Output Power : -20 dBm  
IDU Max Output Power: 0.0 dBm  
Default CW Frequency: 0.000000 GHz  
ATM mode : VC-Mux  
Header Compression : None  
Satellite (DVB) Transmitter Status  
State : On (DVB-RCS2)  
IDU Output Power : -20.2 dBm  
Es/No : 15.5 dB  
Header Compression : Disabled  
Timing correction : -49 us (247911 us)  
Frequency correction: 940 Hz  
# Saving Configuration. This will take ~20 secs  
Configuration Saved

sexta-feira, 9 de novembro de 2018

novembro de 2018

D	S	T	Q	S	S
28	29	30	31	1	2
4	5	6	7	8	9
11	12	13	14	15	16
18	19	20	21	22	23
25	26	27	28	29	30
2	3	4	5	6	7
8					

16:24:23

Alterar configurações de data e hora...

Aguardando 192.168.0.1...

PT

16:24

09/11/2018