

## TERMO DE ACEITE TÉCNICO


Solicitante: PRODEMGE / SEE

NOC/Operadora: Pedro Bernardes Operadora/Cliente: Sérgio Almeida

GRE/Prodemge: João Antinossi Responsável/cliente: Aécio Antônio Borges

> Porta kbps Plataforma Consórcio **VSAT-ID VSAT** EMC/Vodanet SEE-CRIA-23694 2Mbps





## Satellite (DVB) RX Configuration \_\_\_\_\_

Auto start : Enabled
Max Traffic MODCOD : 23 16APSK-9/10
RX watchdog

RX watchdog : 15 minute

Idx Pri SymbRate[Msps] Freq[GHz] Mode PopId SatId Pos SatName Name

Enable

\* 0 0 8.883000 12.176420 DVB-S2 104 0 0.0 E

Yes

4.883300 12.176420 DVB-S2 2 0 0.0 E 1 1

Yes

## Satellite (DVB) Receiver Status \_\_\_\_\_\_

Rx State : On

DVB State

Network

: Forward link up : 65281, Prodemge@Vodanet : 12.176432 GHz : 8.882941 Msps Frequency Symbol Rate

S2 ModCod

- receiving : 22 16APSK-8/9 - current max : 22 16APSK-8/9

Pilot : On Frame length : Short DVB S2 Mode : ACM DVB S2 Stream type : MPEG-TS : 0.20 Roll off : 15.8 dB SNR Input Power : -44 dBm

```
Satellite (DVB) TX Configuration
_____
                     : Enabled
Auto start
Auto start : Enabled IDU Output Power : -18 dBm
IDU Max Output Power: 0.0 dBm
Default CW Frequency: 0.000000 GHz
ATM mode : VC-Mux
Header Compression : UDP/IP
Satellite (DVB) Transmitter Status
: On (DVB-RCS2)

IDU Output Power : -18.0 dBm

Es/No
_____
\hbox{{\tt Header Compression}} \quad \hbox{{\tt :}} \quad \hbox{{\tt Disabled}} \quad \hbox{{\tt - HC for RCS2 not supported by HUB}}
Timing correction : -379 us (265816 us)
Frequency correction: 90 Hz
System Information:
                     : SEE-CRIA-23694
    Name
    Location
                          : CRIST LIA - MG
    Contact
    System Up time : 0 days, 01:00:11
CPU Load : 20%
System time(UTC) : 19 January 2018 14:36:52
Broadcast Message : not set
HW:
    Model
                         : SatLink 2000
                         : 120033
    HW ID
                        : 120026 R6.2
    Main board ID
MAC addresses:
    Ethernet (LAN) : 00:20:0e:10:4c:c7
Satellite (DVB) : 00:20:0e:10:4c:c7
NetAddr
             State MacAddr
   10.213.193.2 Dynamic 74:e6:e2:d4:e4:73 1
Pinging 10.213.193.1 with 32 bytes of data:
Reply from 10.213.193.1: bytes=32 time=584ms TTL=56
Reply from 10.213.193.1: bytes=32 time=541ms TTL=56
Reply from 10.213.193.1: bytes=32 time=692ms TTL=56
Reply from 10.213.193.1: bytes=32 time=634ms TTL=56
Reply from 10.213.193.1: bytes=32 time=596ms TTL=56
Reply from 10.213.193.1: bytes=32 time=628ms TTL=56
Reply from 10.213.193.1: bytes=32 time=528ms TTL=56
Reply from 10.213.193.1: bytes=32 time=552ms TTL=56
Reply from 10.213.193.1: bytes=32 time=584ms TTL=56
Reply from 10.213.193.1: bytes=32 time=558ms TTL=56
Ping statistics for 10.213.193.1:
    Packets: Sent = 10, Received = 10, Lost = 0 (0% loss),
Approximate round trip times in milli-seconds:
```

Minimum = 528ms, Maximum = 692ms, Average = 589ms

Lista de sites acessados:  www.globo.com – ok
www.yahoo.com – ok
www.hotmail.com – ok
www.google.com – ok
www.educacao.mg.gov.br – ok
<u>www.prodemge.gov.br</u> – ok
Responsável pelo teste de navegação: Nome: Aécio Antônio Borges Função: DIRETOR
MASP: 869784-9
Telefone: 38-32321120 Horário: 07:00 as 17:30
Horario: 07:00 as 17:30