


TERMO DE ACEITE TÉCNICO

Solicitante: PRODEMGE / SEE

NOC/Operadora: Pedro Bernardes Operadora/Cliente: Jean Polini

GRE/Prodemge: João Antinossi Responsável/cliente: Idali Alves Martins

ConsórcioVSAT-IDPorta kbpsPlataformaEMC/VodanetSEE-VAIA-222972MbpsVSAT



Satellite (DVB) RX Configuration

Auto start : Enabled

Max Traffic MODCOD : 23 16APSK-9/10

RX watchdog : 15 minute

Idx Pri SymbRate[Msps] Freq[GHz] Mode PopId SatId Pos SatName Name

Enable

* 0 0 4.883300 12.176420 DVB-S2 104 0 0.0 E

Yes

1 1 16.667000 11.962753 DVB-S2 2 0 0.0 E

Yes

Satellite (DVB) Receiver Status

Rx State : On

DVB State : Forward link up

Network : 65281, Prodemge@Vodanet

Frequency : 12.176374 GHz Symbol Rate : 4.882946 Msps

S2 ModCod

- receiving : 21 16APSK-5/6 - current max : 21 16APSK-5/6

Pilot : On
Frame length : Short
DVB S2 Mode : ACM
DVB S2 Stream type : MPEG-TS
Roll off : 0.20
SNR : 18.3 dB
Input Power : -30 dBm

```
Satellite (DVB) TX Configuration
______
Auto start
                    : Enabled
IDU Output Power : -20 dBm
IDU Max Output Power: 0.0 dBm
ODU Output Power : 33.2 dBm
                    : 46.5 dBW
EIRP
Default CW Frequency: 0.000000 GHz
ATM mode : VC-Mux
Header Compression : UDP/IP
Satellite (DVB) Transmitter Status
: On (DVB-RCS2)

IDU Output Power : -16.6 dBm

ODU Output Power : 33.6 dBm

EIRP
_____
Es/No
                    : 14.5 dB
\hbox{{\tt Header Compression}} \quad \hbox{{\tt :}} \quad \hbox{{\tt Disabled}} \quad \hbox{{\tt - HC for RCS2 not supported by HUB}}
Timing correction : -418 us (281284 us)
Frequency correction: -10 Hz
System Information:
    Name
                        : SEE-VAIA-22297
    Location
                        : VARZELÂNDIA - MG
    Contact
    System Up time : 0 days, 19:36:28 CPU Load : 9%
    System time(UTC) : 24 October 2017 11:34:45
    Broadcast Message : not set
HW:
    Model
                        : SatLink 2000
                        : 120033
    HW ID
    Main board ID
                       : 120026 R6.2
    Satellite (DVB) : 00:20:0e:10:4f:7c : 00:20:0e:10:4f:7c
MAC addresses:
    Ethernet (LAN)
Pinging 10.213.96.1 with 32 bytes of data:
Reply from 10.213.96.1: bytes=32 time=559ms TTL=56
Reply from 10.213.96.1: bytes=32 time=535ms TTL=56
Reply from 10.213.96.1: bytes=32 time=545ms TTL=56
Reply from 10.213.96.1: bytes=32 time=623ms TTL=56
Reply from 10.213.96.1: bytes=32 time=546ms TTL=56
Reply from 10.213.96.1: bytes=32 time=620ms TTL=56
Reply from 10.213.96.1: bytes=32 time=531ms TTL=56
Reply from 10.213.96.1: bytes=32 time=614ms TTL=56
Reply from 10.213.96.1: bytes=32 time=518ms TTL=56
Reply from 10.213.96.1: bytes=32 time=587ms TTL=56
Ping statistics for 10.213.96.1:
    Packets: Sent = 10, Received = 10, Lost = 0 (0% loss),
Approximate round trip times in milli-seconds:
    Minimum = 518ms, Maximum = 623ms, Average = 567ms
```

sta de sites acessados:	
ww.globo.com – ok	
ww.hotmail.com – ok	
ww.google.com – ok	
ww.educacao.mg.gov.br – ok	
ww.prodemge.gov.br – ok	
esponsável pelo teste de navegação: ome: Idali Alves Martins unção: Secretaria entidade: MASP 1010084-0	
elefone: 38-3625-3058	
prário de funcionamento – 07hrs às 16:50hrs	