


TERMO DE ACEITE TÉCNICO


Solicitante: VIVO- Projeto Escolas Rurais

NOC/Operador: Allan Santos Cliente: VIVO

 Empresa
 VSAT-ID
 Link kbps
 Plataforma

 EMC Brasil
 VIVO-PER-26022338-PE
 256k/128k
 VSAT





```
RX watchdog
                   : 15 minute
Idx Pri SymbRate[Msps] Freq[GHz] Mode PopId SatId Pos SatName
                                                                          Name
Enable
                   12.055825 DVB-S2 102 0 0.0 E
* 0 0
         9.320000
Yes
Satellite (DVB) Receiver Status
_____
Rx State
                  : On
               : Forward link up
DVB State
Network
                  : 1326, GlobalIP@Telstar-14R
             : 12.055844 GHz
: 9.319762 Msps
Frequency
Symbol Rate
S2 ModCod
     - receiving
                 : 14 8PSK-3/4
     - current max : 16 8PSK-8/9
                  : On
Pilot
Frame length
                  : Short
                  : ACM
DVB S2 Stream type : MPEG-TS
Roll off : 0.20
                 : 14.0 dB
SNR
Input Power : -35 dBm
IP DVB 10.50.2.35/32
Ping desde o MGMT- Server ao IP de trafego e para o DVB.
Ping desde dentro da VSAT 8.8.8.8
# ping 8.8.8.8
64 bytes from 8.8.8.8: time=880 ms
64 bytes from 8.8.8.8: time=730 ms
64 bytes from 8.8.8.8: time=870 ms
64 bytes from 8.8.8.8: time=620 ms
64 bytes from 8.8.8.8: time=620 ms
--- ping statistics ---
5 packets transmitted, 5 received, 0.00 percent packet loss
rtt min/avg/max = 620/740/880 ms
```