



TERMO DE ACEITE TÉCNICO

Solicitante: PRODEMGE / SEE

NOC/Operadora: Ermínio Junior

Operadora/Cliente Ronaldo Candido

GRE/Prodemge: João Antinossi

Responsável/cliente Sonia Maria Rodrigues


Consórcio
EMC/Vodanet

VSAT-ID
SEE-CAGA-22926

Porta kbps
2Mbps

Plataforma
VSAT

Port eth 0 SEE-CAGA-22926(10.215.106.1)



SatLink 2000

- Main board ID 120026, Revision R6.1
- SW ID 120208, Revision 16.0.1 Build 57

dvb tx show

Satellite (DVB) TX Configuration

Auto start : Enabled

IDU Output Power : -20 dBm

IDU Max Output Power: 0.0 dBm

ODU Output Power : 33.2 dBm

EIRP : 46.5 dBW

Default CW Frequency: 0.000000 GHz

ATM mode : VC-Mux

Header Compression : UDP/IP

Satellite (DVB) Transmitter Status

State : On (DVB-RCS2)

IDU Output Power : -13.7 dBm

ODU Output Power : 32.9 dBm

EIRP : 46.2 dBW

Es/No : 11.0 dB

Header Compression : Disabled - HC for RCS2 not supported by HUB

Timing correction : -157 us (280424 us)

Frequency correction: 110 Hz

dvb rx show

Satellite (DVB) RX Configuration

Auto start : Enabled

Max Traffic MODCOD : 23 16APSK-9/10

RX watchdog : 15 minute

Idx	Pri	SymbRate[Msps]	Freq[GHz]	Mode	PopId	SatId	Pos	SatName
Name	Enable							

* 0	0	4.883300	12.176420	DVB-S2	104	0	0.0 E	
Yes								

1	1	16.667000	11.962753	DVB-S2	2	0	0.0 E	
Yes								

Satellite (DVB) Receiver Status

Rx State : On
DVB State : Forward link up
Network : 65281, Prodemge@Vodanet
Frequency : 12.176573 GHz
Symbol Rate : 4.882936 Msps

S2 ModCod

- receiving : 21 16APSK-5/6
- current max : 21 16APSK-5/6

Pilot : On

Frame length : Short

DVB S2 Mode : ACM

DVB S2 Stream type : MPEG-TS

Roll off : 0.20

SNR : 16.1 dB

Input Power : -38 dBm

arp show

NetAddr	State	MacAddr	If
10.215.106.2	Dynamic	80:ee:73:a4:e2:ba	1

device show

System Information:

Name : SEE-CAGA-22926
Location : Carlos Chaga/MG
Contact :
System Up time : 0 days, 00:16:52
CPU Load : 16%
System time(UTC) : 27 November 2017 19:30:50
Broadcast Message : not set

HW:

Model : SatLink 2000
HW ID : 120033
Main board ID : 120026 R6.1

MAC addresses:

Ethernet (LAN) : 00:20:0e:10:4a:3d
Satellite (DVB) : 00:20:0e:10:4a:3d

Pinging 10.215.106.1 with 32 bytes of data:

Reply from 10.215.106.1: bytes=32 time=561ms TTL=56
Reply from 10.215.106.1: bytes=32 time=600ms TTL=56
Reply from 10.215.106.1: bytes=32 time=540ms TTL=56
Reply from 10.215.106.1: bytes=32 time=563ms TTL=56
Reply from 10.215.106.1: bytes=32 time=531ms TTL=56
Reply from 10.215.106.1: bytes=32 time=532ms TTL=56
Reply from 10.215.106.1: bytes=32 time=615ms TTL=56
Reply from 10.215.106.1: bytes=32 time=528ms TTL=56
Reply from 10.215.106.1: bytes=32 time=550ms TTL=56
Reply from 10.215.106.1: bytes=32 time=530ms TTL=56

Ping statistics for 10.215.106.1:

Packets: Sent = 10, Received = 10, Lost = 0 (0% loss),

Approximate round trip times in milli-seconds:

Minimum = 528ms, Maximum = 615ms, Average = 555ms

www.google.com

www.prodemge.gov.br

www.globo.com

www.youtube.com

www.yahoo.com.br

Resp. Sonia Maria Rodrigues

Masp:327044-4

Telefone: 033-9-9923-3849

Cargo: Diretora

Horário: 07:00-18:00

Onde ficou: Laboratório