

TERMO DE ACEITE TÉCNICO

Solicitante: VIVO

NOC/Operador: Felipe Freire


Cliente: VIVO

Empresa EMC
Brasil

VSAT-ID
VIVO-PER-26096811-PE

Link kbps
1024k/256k

Plataforma VSAT



Arquivo Editar Exibir Histórico Favoritos Ferramentas Ajuda

SatLink VSAT

10.29.76.193/wmi/index_page.dwp

Pesquisar

Mais visitados Primeiros passos TestMy.net Broadban... WhatsApp Galeria do Web Slice Sites Sugeridos PGMEI - Programa Ge... Speed-Share : Entrada Prefeitura da Estândi... Gmail

SatLink

Status

Satellite

Statistics

Device

DHCP

Eventlog

Configuration

Satellite

IP

Static NAT

Lineup

Device

Tools

Help

Introduction

Status

Configuration

Device Status

Model	SatLink 2000
Software Version	17.0.4.114
LAN MAC Address	00:20:0e:10:86:6b
DVB MAC Address	00:20:0e:10:86:6b
System Up Time	0 days, 00:03:40
CPU Load	32%
System Name	VIVO-PER-26096811-PE
System Contact	
System Location	Amaranj - PE

Prompt de comando

```
Resposta de 8.8.8.8: bytes=32 tempo=520ms TTL=117
Resposta de 8.8.8.8: bytes=32 tempo=604ms TTL=117
Resposta de 8.8.8.8: bytes=32 tempo=640ms TTL=117
Resposta de 8.8.8.8: bytes=32 tempo=733ms TTL=117
Resposta de 8.8.8.8: bytes=32 tempo=827ms TTL=117
Resposta de 8.8.8.8: bytes=32 tempo=533ms TTL=117
Resposta de 8.8.8.8: bytes=32 tempo=580ms TTL=117
Resposta de 8.8.8.8: bytes=32 tempo=746ms TTL=117
Resposta de 8.8.8.8: bytes=32 tempo=836ms TTL=117
Resposta de 8.8.8.8: bytes=32 tempo=552ms TTL=117
Resposta de 8.8.8.8: bytes=32 tempo=629ms TTL=117
Resposta de 8.8.8.8: bytes=32 tempo=713ms TTL=117
Resposta de 8.8.8.8: bytes=32 tempo=1507ms TTL=117
Resposta de 8.8.8.8: bytes=32 tempo=703ms TTL=117
Resposta de 8.8.8.8: bytes=32 tempo=791ms TTL=117
Resposta de 8.8.8.8: bytes=32 tempo=852ms TTL=117

Estatísticas do Ping para 8.8.8.8:
Pacotes: Enviados = 90, Recebidos = 89, Perdidos = 1 (1% de perda),
Aproximar um número redondo de vezes em milissegundos:
Mínimo = 513ms, Máximo = 3641ms, Média = 924ms
Control-C
^C
C:\Documents and Settings\Administrador>
```

Iniciar

SatLink VSAT - Mozilla... Prompt de comando

Arquivo Editar Exibir Histórico Favoritos Ferramentas Ajuda

SatLink VSAT

10.29.76.193/wmi/dwp/index_page.dwp

Pesquisar

Mais visitados Primeiros passos TestMy.net Broadban... WhatsApp Galeria do Web Slice Sites Sugeridos PGMEI - Programa Ge... Speed-Share : Entrada Prefeitura da Estândi... Gmail

SatLink

Status

Satellite

Statistics

Device

DHCP

Eventlog

Configuration

Satellite

IP

Static NAT

Lineup

Device

Tools

Help

Introduction

Status

Configuration

Device Status

Model	SatLink 2000
Software Version	17.0.4.114
LAN MAC Address	00:20:0e:10:86:6b
DVB MAC Address	00:20:0e:10:86:6b
System Up Time	0 days, 00:03:40
CPU Load	32%
System Name	VIVO-PER-26096811-PE
System Contact	
System Location	Amaranj - PE

Prompt de comando

```
C:\Documents and Settings\Administrador>tracert 8.8.8.8

Rastreando a rota para google-public-dns-a.google.com [8.8.8.8]
com no máximo 30 saltos:

 1  <1 ms    <1 ms    <1 ms    192.168.11.1
 2  2 ms     1 ms     1 ms     10.29.76.193
 3  *        *        *        Esgotado o tempo limite do pedido.
 4  971 ms   833 ms   2912 ms   172.30.3.102
 5  760 ms   1193 ms  1082 ms   92.39.116.18
 6  1838 ms  1381 ms   1091 ms   static-1.112.39.92.in-addr.arpa [92.39.112.1]
 7  2530 ms  3697 ms   571 ms   200.189.162.154
 8  1780 ms  736 ms    1072 ms   200-147-20-129.static.uol.com.br [200.147.20.129]
 9  785 ms   1099 ms   1034 ms   as15169.saopaulo.sp.ix.br [187.16.216.55]
10  1187 ms  1062 ms   1098 ms   108.170.245.161
11  1078 ms  1052 ms   1094 ms   216.239.56.45
12  922 ms   1064 ms   1174 ms   google-public-dns-a.google.com [8.8.8.8]

Rastreamento concluído.

C:\Documents and Settings\Administrador>
```

Iniciar

SatLink VSAT - Mozilla... Prompt de comando

13:57

Arquivo

Editar

Exibir

Histórico

Favoritos

Ferramentas

Ajuda

SatLink VSAT

SpeedOfMe, Internet speed ...

10.29.76.193/wm/dwp/index_page.dwp

Pesquisar

Mais visitados

Primeiros passos

TestMy.net Broadban...

WhatsApp

Galeria do Web Slice

Sites Sugeridos

PGMEI - Programa Ge...

Speed-Share : Entrada

Prefeitura da Estândi...

Gmail

SatLink

Status

Satellite

Statistics

Device

DHCP

Eventlog

Configuration

Satellite

IP

Static NAT

Lineup

Device

Tools

Help

Introduction

Status

Configuration

Device Status

Model	SatLink 2000
Software Version	17.0.4.114
LAN MAC Address	00:20:0e:10:86:6b
DVB MAC Address	00:20:0e:10:86:6b
System Up Time	0 days, 00:03:40
CPU Load	32%
System Name	VIVO-PER-26096811-PE
System Contact	
System Location	Amaranj - PE

Telnet 10.29.76.193

Es/No : 13.5 dB
Header Compression : Disabled
Timing correction : -83 us <250282 us>
Frequency correction: 900 Hz

Satellite <DUB> RX Configuration
Auto start : Enabled
Max Signalling MODCOD : 23 16APSK-9/10
Max Traffic MODCOD : 28 32APSK-9/10
RX watchdog : 15 minute
Idx Pri SymbRate[Mbps] Freq[GHz] Mode PopId SatId Pos SatName
Name Enable
* 0 0 30.000000 Yes 11.592000 DVB-S2 102 0 0.0 E

Satellite <DUB> Receiver Status
Rx State : On
DVB State : Forward link up
Network : 1326 T14R Bean
Frequency : 11.592095 GHz
Symbol Rate : 30.000357 Msps
S2 ModCod
- receiving : 13 8PSK-2/3
- current max : 22 16APSK-8/9
Pilot : On
Frame length : Short
DVB S2 Mode : ACM
DVB S2 Stream type : MPEG-TS
Roll off : 0.20
SNR : 15.5 dB
Input Power : -25 dBm
#

You are logged in as install (2) on VIVO-PER-26096811-PE

© Copyright 2006-2018 NSSGlobal Technologies AS @. All Rights Reserved.

Iniciar

SatLink VSAT - Mozilla...

Telnet 10.29.76.193

ping - Paint

14:01