



TERMO DE ACEITE TÉCNICO





dvb tx show

Satellite (DVB) TX Configuration

Auto start : Enabled IDU Output Power : -20 dBm IDU Max Output Power: 0.0 dBm ODU Output Power : 33.2 dBm

EIRP : 46.5 dBW

Default CW Frequency: 0.000000 GHz

ATM mode : VC-Mux Header Compression : UDP/IP

Satellite (DVB) Transmitter Status

State : On (DVB-RCS2) IDU Output Power : -18.9 dBm ODU Output Power : 33.1 dBm

EIRP : 46.4 dBW

Es/No : 14.0 dB

Header Compression: Disabled - HC for RCS2 not supported by HUB

Timing correction : -277 us (281387 us)

Frequency correction: 120 Hz

dvb rx show

Satellite (DVB) RX Configuration

Auto start : Enabled

Max Traffic MODCOD : 23 16APSK-9/10

RX watchdog : 15 minute

Idx Pri SymbRate[Msps] Freq[GHz] Mode PopId SatId Pos SatName

Name Enable

* 0 0 4.883300 12.176420 DVB-S2 104 0.0E

Yes

1 1 16.667000 11.962753 DVB-S2 2 0 0.0 E

Yes

Satellite (DVB) Receiver Status

Rx State : On

DVB State : Forward link up
Network : 65281, Prodemge@Vodanet
Frequency : 12.176121 GHz Symbol Rate : 4.882952 Msps

S2 ModCod

- receiving : 20 16APSK-4/5 - current max : 21 16APSK-5/6

Pilot : On Frame length : Short DVB S2 Mode : ACM

DVB S2 Stream type: MPEG-TS

Roll off : 0.20 SNR : 15.7 dB Input Power : -35 dBm

arp show

State MacAddr NetAddr If 10.212.214.2 Pending 00:00:00:00:00:00 1

device show

System Information:

Name : SEE-JAIA-22161 Location : JANUARIA

Contact

System Up time : 0 days, 00:23:32

CPU Load : 8%

System time(UTC) : 21 October 2017 12:44:22

Broadcast Message : not set

HW:

Model : SatLink 2000 HW ID : 120033

Main board ID : 120026 R6.2

MAC addresses:

Ethernet (LAN) : 00:20:0e:10:63:b7 Satellite (DVB) : 00:20:0e:10:63:b7

Pinging 10.212.214.1 with 32 bytes of data:

Reply from 10.212.214.1: bytes=32 time=630ms TTL=56 Reply from 10.212.214.1: bytes=32 time=568ms TTL=56 Reply from 10.212.214.1: bytes=32 time=600ms TTL=56 Reply from 10.212.214.1: bytes=32 time=545ms TTL=56 Reply from 10.212.214.1: bytes=32 time=605ms TTL=56 Reply from 10.212.214.1: bytes=32 time=568ms TTL=56 Reply from 10.212.214.1: bytes=32 time=568ms TTL=56 Reply from 10.212.214.1: bytes=32 time=612ms TTL=56 Reply from 10.212.214.1: bytes=32 time=576ms TTL=56 Reply from 10.212.214.1: bytes=32 time=576ms TTL=56 Reply from 10.212.214.1: bytes=32 time=576ms TTL=56

Ping statistics for 10.212.214.1:

Packets: Sent = 10, Received = 10, Lost = 0 (0% loss), Approximate round trip times in milli-seconds: Minimum = 545ms, Maximum = 630ms, Average = 586ms

www.globo.com

www.yahoo.com.br

www.hotmail.com

www.google.com

www.prodemge.gov.br

Responsável: Pedro Lima

Cargo: Diretor

Identidade: 1101255.6

Funcionamento:07:00 até 22:00