![prodemge]	**TERMO DE ACEITE TÉCNICO**

Solicitante: PRODEMGE / SEE

|	
NOC/Operadora: Ermínio Junior	**Operadora/Cliente** Sergio Almeida
GRE/Prodemge: João Antinossi	**Responsável/cliente** Iverinia Ferreira

Consórcio	**VSAT-ID**	**Porta kbps**	**Plataforma**
EMC/Vodanet	SEE-SAES-22271	2Mbps	VSAT

Port eth0 on SEE-SAES-22271 (10.213.70.1)

PRTG Traffic Grapher V6.2.0.907 - 31/10/2017 15:08:28

dvb tx show

Satellite (DVB) TX Configuration

Auto start   : Enabled
IDU Output Power   : -20 dBm
IDU Max Output Power: 0.0 dBm
ODU Output Power   : 33.2 dBm
EIRP   : 46.5 dBW
Default CW Frequency: 0.000000 GHz
ATM mode   : VC-Mux
Header Compression : UDP/IP

Satellite (DVB) Transmitter Status

State   : On (DVB-RCS2)
IDU Output Power   : -17.2 dBm
ODU Output Power   : 33.0 dBm
EIRP   : 46.3 dBW
Es/No   : 13.5 dB
Header Compression : Disabled - HC for RCS2 not supported by HUB
Timing correction   : -409 us (281263 us)

Frequency correction: 150 Hz
dvb rx show

Satellite (DVB) RX Configuration

Auto start   : Enabled
Max Traffic MODCOD   : 23   16APSK-9/10
RX watchdog   : 15 minute

Idx Pri SymbRate[Msps] Freq[GHz] Mode   PopId   SatId Pos   SatName
Name   Enable
* 0 0   4.883300   12.176420 DVB-S2 104   0   0.0 E
Yes
  1 1   16.667000   11.962753 DVB-S2 2   0   0.0 E
Yes

Satellite (DVB) Receiver Status

Rx State   : On
DVB State   : Forward link up
Network   : 65281, Prodemge@Vodanet
Frequency   : 12.176205 GHz
Symbol Rate   : 4.882998 Msps
S2 ModCod
    - receiving : 19   16APSK-3/4
    - current max : 21   16APSK-5/6
Pilot   : On
Frame length   : Short
DVB S2 Mode   : ACM
DVB S2 Stream type : MPEG-TS
Roll off   : 0.20
SNR   : 15.5 dB
Input Power   : -35 dBm
arp show

  NetAddr   State   MacAddr   If
  10.213.70.2 Dynamic 74:e6:e2:d4:e4:73   1
device show
System Information:
   Name   : SEE-SAES-22271
   Location   : S▒O JO▒O DAS MISS▒ES - MG
   Contact   :
   System Up time   : 0 days, 00:11:45
   CPU Load   : 15%
   System time(UTC)   : 31 October 2017 14:02:03
   Broadcast Message   : not set

HW:
   Model   : SatLink 2000
   HW ID   : 120033
   Main board ID   : 120026 R6.2

MAC addresses:
   Ethernet (LAN)   : 00:20:0e:10:57:1b
   Satellite (DVB)   : 00:20:0e:10:57:1b

Pinging 10.213.70.1 with 32 bytes of data:

Reply from 10.213.70.1: bytes=32 time=544ms TTL=56
Reply from 10.213.70.1: bytes=32 time=546ms TTL=56
Reply from 10.213.70.1: bytes=32 time=547ms TTL=56
Reply from 10.213.70.1: bytes=32 time=557ms TTL=56
Reply from 10.213.70.1: bytes=32 time=552ms TTL=56
Reply from 10.213.70.1: bytes=32 time=549ms TTL=56
Reply from 10.213.70.1: bytes=32 time=581ms TTL=56
Reply from 10.213.70.1: bytes=32 time=584ms TTL=56
Reply from 10.213.70.1: bytes=32 time=564ms TTL=56
Reply from 10.213.70.1: bytes=32 time=567ms TTL=56

Ping statistics for 10.213.70.1:
    Packets: Sent = 10, Received = 10, Lost = 0 (0% loss),
Approximate round trip times in milli-seconds:
    Minimum = 544ms, Maximum = 584ms, Average = 539ms

www.globo.com

www.yahoo.com.br

www.hotmail.com

www.google.com

www.prodemge.gov.br

Responsável	Iverina Ferreira
Cargo	Diretora
Identidade	10080232
Telefone	038-9-9126-1393
Funcionamento	08:00 até 18:00