

TERMO DE ACEITE TÉCNICO

Solicitante: PRODEMGE / SEE


NOC/Operadora: Ermínio Junior Operadora/Cliente: Fabio Fernandes I. Alves

GRE/Prodemge: João Antinossi

Responsável/cliente : Kátia Ferreira dos santos

Tavares

ConsórcioVSAT-IDPorta kbpsPlataformaEMC/VodanetSEE-RIHO-220482MbpsVSAT



PRTG Traffic Grapher V6.2.0.907 - 15/10/2017 21:05:22

Satellite (DVB) RX Configuration

Auto start : Enabled

Max Traffic MODCOD : 23 16APSK-9/10

RX watchdog : 15 minute

Idx Pri SymbRate[Msps] Freq[GHz] Mode PopId SatId Pos SatName Name Enable

* 0 0 4.883300 12.176420 DVB-S2 104 0 0.0 E Yes

Satellite (DVB) Receiver Status

Rx State : On

nx state . On

DVB State : Forward link up

Network : 65281, Prodemge@Vodanet

Frequency : 12.176290 GHz Symbol Rate : 4.883032 Msps

S2 ModCod

- receiving : 4 QPSK-1/2 - current max : 16 8PSK-8/9

Pilot : On

Frame length: Shortd

DVB S2 Mode: ACM

DVB S2 Stream type: MPEG-TS

Roll off : 0.20 SNR : 15.1 dB Input Power : -34 dBm

#

Satellite (DVB) TX Configuration

Auto start : Enabled
IDU Output Power : -20 dBm
IDU Max Output Power: 0.0 dBm
ODU Output Power : 33.2 dBm

EIRP : 46.5 dBW

Default CW Frequency: 0.000000 GHz

ATM mode : VC-Mux Header Compression : UDP/IP

Satellite (DVB) Transmitter Status

State : On (DVB-RCS2)
IDU Output Power : -20.8 dBm
ODU Output Power : 33.1 dBm

EIRP : 46.4 dBW Es/No : 14.0 dB

Header Compression: Disabled - HC for RCS2 not supported by HUB

Timing correction: -214 us (281399 us)

Frequency correction: 80 Hz

System Information:

Name : SEE-RIHO-22048 Location : RIO VERMELHO - MG

Contact :

System Up time : 0 days, 00:20:49

CPU Load : 6%

System time(UTC) : 15 October 2017 20:10:48

Broadcast Message : not set

HW:

Model : SatLink 2000 HW ID : 120033

Main board ID : 120026 R6.2

MAC addresses:

Ethernet (LAN) : 00:20:0e:10:53:39 Satellite (DVB) : 00:20:0e:10:53:39

arp show

NetAddr State MacAddr If 10.212.120.2 Dynamic 00:40:a7:18:42:6e 1 #

C:\Documents and Settings\Administrator.DVB-RCS.000>ping -t 10.212.120.1

Pinging 10.212.120.1 with 32 bytes of data: Reply from 10.212.120.1: bytes=32 time=574ms TTL=56 Reply from 10.212.120.1: bytes=32 time=564ms TTL=56 Reply from 10.212.120.1: bytes=32 time=576ms TTL=56 Reply from 10.212.120.1: bytes=32 time=554ms TTL=56 Reply from 10.212.120.1: bytes=32 time=566ms TTL=56 Reply from 10.212.120.1: bytes=32 time=556ms TTL=56 Reply from 10.212.120.1: bytes=32 time=564ms TTL=56 Reply from 10.212.120.1: bytes=32 time=546ms TTL=56 Reply from 10.212.120.1: bytes=32 time=560ms TTL=56 Reply from 10.212.120.1: bytes=32 time=536ms TTL=56 Reply from 10.212.120.1: bytes=32 time=537ms TTL=56 Ping statistics for 10.212.120.1: Packets: Sent = 11, Received = 11, Lost = 0 (0% loss), Approximate round trip times in milli-seconds: Minimum = 536ms, Maximum = 576ms, Average = 557ms Sites acessados

www.globo.com ok

www.yahoo.com.br- ok

www.hotmail.com- ok

www.google.com – ok

www.prodemge.gov.br - ok

Responsável pelo teste de navegação:

Nome: Kátia Ferreira dos santos Tavares

Função: Secretaria

Identidade: MASP: 1110747-2