


## TERMO DE ACEITE TÉCNICO

Solicitante: PRODEMGE / SEE

NOC/Operadora: Paulo de Tarso Operadora/Cliente: Jony Widar

**GRE/Prodemge:** João Antinossi Responsável/cliente: Carlos Roberto de Aguiar

> VSAT-ID Porta kbps Plataforma Consórcio EMC/Vodanet **VSAT** SEE-DINA-22024 2Mbps



Satellite (DVB) RX Configuration

Auto start : Enabled
Max Traffic MODCOD : 23 16APSK-9/10
RX watchdog : 15 minute

Idx Pri SymbRate[Msps] Freq[GHz] Mode PopId SatId Pos SatName

Name Enable

\* 0 0 4.883300 12.176420 DVB-S2 104 0 0.0 E

Yes

Satellite (DVB) Receiver Status \_\_\_\_\_

Rx State : On

: Forward link up DVB State

Network

: 65281, Prodemge@Vodanet : 12.176369 GHz : 4.883025 Msps Frequency Frequency
Symbol Rate S2 ModCod

- receiving : 4 QPSK-1/2 - current max : 22 16APSK-8/9

Pilot : On Frame length : Short DVB S2 Mode : ACM

DVB S2 Stream type : MPEG-TS Roll off : 0.20 : 16.1 dB SNR Input Power : -33 dBm

```
Satellite (DVB) TX Configuration
______
Auto start : Enabled IDU Output Power : -20 dBm
IDU Max Output Power: 0.0 dBm
ODU Output Power : 33.5 dBm
EIRP
                   : 46.5 dBW
Default CW Frequency: 0.000000 GHz
ATM mode : VC-Mux
Header Compression : UDP/IP
Satellite (DVB) Transmitter Status
State : On (DVB-RCS2)
IDU Output Power : -14.1 dBm
ODU Output Power : 33.4 dBm
EIRP
                   : 46.4 dBW
                    : 15.5 dB
Es/No
Header Compression : Disabled - HC for RCS2 not supported by HUB
Timing correction
                    : -339 us (281459 us)
Frequency correction: 170 Hz
System Information:
                        : SEE-DINA-22024
    Name
    Location
                        : Diamantina - MG
    Contact.
    System Up time : 0 days, 00:11:51
    CPU Load
                       : 9%
    System time(UTC) : 11 October 2017 16:37:29 Broadcast Message : not set
HW:
    Model
                       : SatLink 2000
    HW ID
                       : 120033
    Main board ID
                       : 120026 R6.1
MAC addresses:
    Ethernet (LAN) : 00:20:0e:10:48:3e
Satellite (DVB) : 00:20:0e:10:48:3e
arp show
   NetAddr
                State MacAddr
                                             Τf
    10.212.96.2 Dynamic 54:04:a6:8e:d3:f6 1
Pinging 10.212.96.1 with 32 bytes of data:
Reply from 10.212.96.1: bytes=32 time=667ms TTL=56
Reply from 10.212.96.1: bytes=32 time=582ms TTL=56
Reply from 10.212.96.1: bytes=32 time=563ms TTL=56
Reply from 10.212.96.1: bytes=32 time=580ms TTL=56
Reply from 10.212.96.1: bytes=32 time=545ms TTL=56
Reply from 10.212.96.1: bytes=32 time=614ms TTL=56
Reply from 10.212.96.1: bytes=32 time=583ms TTL=56
Reply from 10.212.96.1: bytes=32 time=599ms TTL=56
Reply from 10.212.96.1: bytes=32 time=548ms TTL=56
Reply from 10.212.96.1: bytes=32 time=552ms TTL=56
Ping statistics for 10.212.96.1:
   Packets: Sent = 10, Received = 10, Lost = 0 (0% loss),
Approximate round trip times in milli-seconds:
   Minimum = 545ms, Maximum = 667ms, Average = 583ms
```

Lista de sites acessados:
www.globo.com – ok
www.hotmail.com - ok
www.google.com – ok
<u>www.educacao.mg.gov.br</u> – ok
Responsável pelo teste de navegação: Nome: Carlos Roberto de Aguiar Função: Secretário Identidade: 6829479 Telefone: (38) 3532-5157
Horário de funcionamento da escola: 08:00 as 17:00