



# TERMO DE ACEITE TÉCNICO

Solicitante: PRODEMGE / SEE

NOC/Operadora: Pedro Bernardes

Operadora/Cliente: Joao Gustavo

GRE/Prodemge: João Antinossi


Responsável/cliente: Madeline Ferreira Santos Martins

Consórcio  
EMC/Vodanet

VSAT-ID  
SEE-SAAS-22792

Porta kbps  
2Mbps

Plataforma  
VSAT



## Satellite (DVB) RX Configuration

Auto start : Enabled  
Max Traffic MODCOD : 23 16APSK-9/10  
RX watchdog : 15 minute

Idx	Pri	SymbRate[Msps]	Freq[GHz]	Mode	PopId	SatId	Pos	SatName	Name
Enable									
* 0	0	4.883300	12.176420	DVB-S2	104	0	0.0 E		
Yes									
1	1	16.667000	11.962753	DVB-S2	2	0	0.0 E		
Yes									

## Satellite (DVB) Receiver Status

Rx State : On  
DVB State : Forward link up  
Network : 65281, Prodemge@Vodanet  
Frequency : 12.176432 GHz  
Symbol Rate : 4.882948 Msps  
S2 ModCod  
- receiving : 21 16APSK-5/6  
- current max : 21 16APSK-5/6  
Pilot : On  
Frame length : Short  
DVB S2 Mode : ACM  
DVB S2 Stream type : MPEG-TS  
Roll off : 0.20  
SNR : 15.0 dB  
Input Power : -41 dBm

## Satellite (DVB) TX Configuration

-----  
Auto start : Enabled  
IDU Output Power : -20 dBm  
IDU Max Output Power: 0.0 dBm  
Default CW Frequency: 0.000000 GHz  
ATM mode : VC-Mux  
Header Compression : UDP/IP

## Satellite (DVB) Transmitter Status

-----  
State : On (DVB-RCS2)  
IDU Output Power : -20.2 dBm  
Es/No : 13.0 dB  
Header Compression : Disabled - HC for RCS2 not supported by HUB  
Timing correction : -351 us (280563 us)  
Frequency correction: 100 Hz

## System Information:

Name : SEE-SAAS-22792  
Location : SALINAS - MG  
Contact :  
System Up time : 0 days, 00:16:52  
CPU Load : 14%  
System time(UTC) : 19 November 2017 13:42:04  
Broadcast Message : not set

## HW:

Model : SatLink 2000  
HW ID : 120033  
Main board ID : 120026 R6.2

## MAC addresses:

Ethernet (LAN) : 00:20:0e:10:53:6a  
Satellite (DVB) : 00:20:0e:10:53:6a

NetAddr	State	MacAddr	If
10.214.106.2	Dynamic	b4:99:ba:00:92:6b	1

Pinging 10.214.106.1 with 32 bytes of data:

Reply from 10.214.106.1: bytes=32 time=551ms TTL=56  
Reply from 10.214.106.1: bytes=32 time=558ms TTL=56  
Reply from 10.214.106.1: bytes=32 time=591ms TTL=56  
Reply from 10.214.106.1: bytes=32 time=597ms TTL=56  
Reply from 10.214.106.1: bytes=32 time=580ms TTL=56  
Reply from 10.214.106.1: bytes=32 time=561ms TTL=56  
Reply from 10.214.106.1: bytes=32 time=558ms TTL=56  
Reply from 10.214.106.1: bytes=32 time=566ms TTL=56  
Reply from 10.214.106.1: bytes=32 time=576ms TTL=56  
Reply from 10.214.106.1: bytes=32 time=591ms TTL=56

## Ping statistics for 10.214.106.1:

Packets: Sent = 10, Received = 10, Lost = 0 (0% loss),  
Approximate round trip times in milli-seconds:  
Minimum = 551ms, Maximum = 597ms, Average = 572ms

Lista de sites acessados:

[www.globo.com](http://www.globo.com) – ok

[www.yahoo.com](http://www.yahoo.com) – ok

[www.hotmail.com](http://www.hotmail.com) – ok

[www.google.com](http://www.google.com) – ok

[www.educacao.mg.gov.br](http://www.educacao.mg.gov.br) – ok

[www.prodemge.gov.br](http://www.prodemge.gov.br) – ok

Responsável pelo teste de navegação:

Nome: Madeline Ferreira Santos Martins

Função: Diretora

MASP: 1163962-2

Telefone: 38-99993-8425

Funcionamento: 07:00 as 21:15