

**Solicitante:** VIVO- Projeto Escolas Rurais

**NOC/Operador:** Allan Santos


**Cliente:** VIVO

**Empresa**  
EMC Brasil

**VSAT-ID**  
VIVO-PER-25059874-PB

**Link kbps**  
256k/128k

**Plataforma**  
VSAT



## SatLink

## Status

Satellite

Statistics

Device

DHCP

Eventlog

## Configuration

Satellite

IP

Static NAT

Lineup

Device

Tools

## Help

Introduction

Status

Configuration

Telnet 10.29.31.249

```
Es/No      : 14.5 dB
Header Compression : Disabled
Timing correction : -172 us (262140 us)
Frequency correction: -90 Hz
#
```

## Satellite (DVB) TX Configuration


```
Auto start      : Enabled
BUPC status     : Disabled
IDU Output Power : -20 dBm
IDU Max Output Power: 0.0 dBm
Default CW Frequency: 14.125750 GHz
ATM mode        : UC-Mux
Header Compression : None
#
```

## Satellite (DVB) Transmitter Status

```
State          : On (DVB-RCS)
IDU Output Power : -20.2 dBm
Es/No          : 15.5 dB
Header Compression : Disabled
Timing correction : -172 us (262140 us)
Frequency correction: -90 Hz
#
```

AUDIO

Rx SNR [dB]



You are logged in as install (2)

© Copyright 2006-2016 EMC SatCom Technologies Norway AS ®. All Rights Reserved.



PT

13:11  
10/02/2017

```
Administrador Prompt de Comando
Microsoft Windows [versão 6.1.7601]
Copyright (c) 2009 Microsoft Corporation. Todos os direitos reservados.

C:\Users\Asus>ping 8.8.8.8 -t

Disparando 8.8.8.8 com 32 bytes de dados:
Resposta de 8.8.8.8: bytes=32 tempo=799ms TTL=43
Resposta de 8.8.8.8: bytes=32 tempo=722ms TTL=43
Resposta de 8.8.8.8: bytes=32 tempo=638ms TTL=43
Resposta de 8.8.8.8: bytes=32 tempo=569ms TTL=43
Resposta de 8.8.8.8: bytes=32 tempo=665ms TTL=43
Resposta de 8.8.8.8: bytes=32 tempo=767ms TTL=43
Resposta de 8.8.8.8: bytes=32 tempo=609ms TTL=43
Resposta de 8.8.8.8: bytes=32 tempo=747ms TTL=43
Resposta de 8.8.8.8: bytes=32 tempo=712ms TTL=43
Resposta de 8.8.8.8: bytes=32 tempo=629ms TTL=43
Resposta de 8.8.8.8: bytes=32 tempo=733ms TTL=43
Resposta de 8.8.8.8: bytes=32 tempo=654ms TTL=43
Resposta de 8.8.8.8: bytes=32 tempo=597ms TTL=43
Resposta de 8.8.8.8: bytes=32 tempo=586ms TTL=43
Resposta de 8.8.8.8: bytes=32 tempo=599ms TTL=43
Resposta de 8.8.8.8: bytes=32 tempo=704ms TTL=43
Resposta de 8.8.8.8: bytes=32 tempo=631ms TTL=43

Estatísticas do Ping para 8.8.8.8:
    Pacotes: Enviados = 17, Recebidos = 17, Perdidos = 0 (0% de perda),
Aproximar um número redondo de vezes em milissegundos:
    Mínimo = 569ms, Máximo = 799ms, Média = 668ms
Control-C
^C
C:\Users\Asus>arp -a


Interface: 10.29.31.250 --- 0xc
Endereço IP      Endereço físico  Tipo
10.29.31.249      00-20-0e-10-8d-c6  dinâmico
10.29.31.255      ff-ff-ff-ff-ff-ff  estático
224.0.0.2         01-00-5e-00-00-02  estático
224.0.0.22        01-00-5e-00-00-16  estático
224.0.0.251       01-00-5e-00-00-fb  estático
224.0.0.252       01-00-5e-00-00-fc  estático
239.255.255.250   01-00-5e-7f-ff-fa  estático
255.255.255.255   ff-ff-ff-ff-ff-ff  estático


C:\Users\Asus>OS-25059874
```


da


Conectar Criar uma conta

todos os seus dispositivos...


Xbox

Wearables

TV



<https://www.skype.com/pt-br/download/skype/skype-for-computer/>



PT 13:05 10/02/2017