


## TERMO DE ACEITE TÉCNICO

Solicitante: PRODEMGE / SEE

NOC/Operadora: Pedro Bernardes Operadora/Cliente: Ederson Martins

GRE/Prodemge: João Antinossi Responsável/cliente: Marlen Adriane Nascimento Pena

> Plataforma Consórcio **VSAT-ID** Porta kbps **VSAT** EMC/Vodanet SEE-SASO-22584 2Mbps



## Satellite (DVB) RX Configuration \_\_\_\_\_

Auto start : Enabled

Max Traffic MODCOD : 23 16APSK-9/10

18:34

RX watchdog : 15 minute

Idx Pri SymbRate[Msps] Freq[GHz] Mode PopId SatId Pos SatName Name

Bandwidth Traffic IN Bandwidth Traffic OUT

18:35

18:36

18:37

Enable

100

\* 0 0 12.176420 DVB-S2 104 0 0.0 E 4.883300

Yes

1 1 16.667000 11.962753 DVB-S2 2 0 0.0 E

Yes

## Satellite (DVB) Receiver Status \_\_\_\_\_\_

Rx State : On

DVB State : Forward link up

: 65281, Prodemge@Vodanet Network

: 65281, Prode : 12.176383 GHz Frequency Symbol Rate : 4.882954 Msps

S2 ModCod

- receiving : 4 QPSK-1/2 - current max : 21 16APSK-5/6

Pilot : On Frame length : Shor DVB S2 Mode : ACM : Short DVB S2 Stream type : MPEG-TS Roll off : 0.20 SNR : 16.9 dB Input Power : -35 dBm

```
Satellite (DVB) TX Configuration
-----
                    : Enabled
Auto start
IDU Output Power : -21 dBm
IDU Max Output Power: 0.0 dBm
ODU Output Power : 33.2 dBm
EIRP
                    : 46.5 dBW
Default CW Frequency: 0.000000 GHz
ATM mode
                    : VC-Mux
Header Compression : UDP/IP
Satellite (DVB) Transmitter Status
-----
State : On (DVB-RCS2)
IDU Output Power : -16.4 dBm
ODU Output Power : 33.4 dBm
EIRP
                    : 46.7 dBW
Es/No
                    : 12.5 dB
\hbox{{\tt Header Compression}} \quad \hbox{{\tt :}} \quad \hbox{{\tt Disabled}} \quad \hbox{{\tt - HC for RCS2 not supported by HUB}}
Timing correction : -367 us (280373 us)
Frequency correction: -10 Hz
System Information:
    Name
                        : SEE-SASO-22584
    Location
                        : São João do Paraíso - MG
    Contact
    System Up time : 0 days, 00:04:00 CPU Load : 16%
    System time (UTC) : 09 November 2017 13:37:48
    Broadcast Message : not set
HW:
    Model
                        : SatLink 2000
    HW ID
                        : 120033
    Main board ID
                        : 120026 R6.1
MAC addresses:
    Ethernet (LAN) : 00:20:0e:10:48:fb
    Satellite (DVB)
                       : 00:20:0e:10:48:fb
             State MacAddr
    10.214.19.2 Dynamic 1c:39:47:5b:e2:48 1
Pinging 10.214.19.1 with 32 bytes of data:
Reply from 10.214.19.1: bytes=32 time=617ms TTL=56
Reply from 10.214.19.1: bytes=32 time=630ms TTL=56
Reply from 10.214.19.1: bytes=32 time=543ms TTL=56
Reply from 10.214.19.1: bytes=32 time=556ms TTL=56
Reply from 10.214.19.1: bytes=32 time=558ms TTL=56
Reply from 10.214.19.1: bytes=32 time=546ms TTL=56
Reply from 10.214.19.1: bytes=32 time=544ms TTL=56
Reply from 10.214.19.1: bytes=32 time=628ms TTL=56
Reply from 10.214.19.1: bytes=32 time=636ms TTL=56
Reply from 10.214.19.1: bytes=32 time=550ms TTL=56
Ping statistics for 10.214.19.1:
    Packets: Sent = 10, Received = 10, Lost = 0 (0% loss),
Approximate round trip times in milli-seconds:
    Minimum = 543ms, Maximum = 636ms, Average = 580ms
```

## Lista de sites acessados: <u>www.globo.com</u> – ok www.yahoo.com - ok www.hotmail.com - ok www.google.com - ok www.educacao.mg.gov.br - ok www.prodemge.gov.br - ok Responsável pelo teste de navegação: Nome: Marlen Adriane Nascimento Pena Função: Diretora MASP: 594909-4 Telefone: 38-99904-6264 Funcionamento: 07:00 às 18:00h