



# TERMO DE ACEITE TÉCNICO

Solicitante: PRODEMGE / SEE

NOC/Operadora: Ermínio Junior

Operadora/Cliente João Carlos

GRE/Prodemge: João Antinossi

Responsável/cliente Maria da Conceição Ramos Jesus

Consórcio  
EMC/Vodanet


VSAT-ID  
**SEE-UBAI-22283**

Porta kbps  
2Mbps

Plataforma  
VSAT

Port eth0 on SEE-UBAI-22283 (10.213.82.1)

Live Graph - 5 Minutes - 10 sec Interval



PRTG Traffic Grapher V6.2.0.907 - 26/10/2017 15:08:43

# dvb tx show

## Satellite (DVB) TX Configuration

Auto start : Enabled  
IDU Output Power : -20 dBm  
IDU Max Output Power: 0.0 dBm  
ODU Output Power : 33.2 dBm  
EIRP : 46.5 dBW  
Default CW Frequency: 0.000000 GHz  
ATM mode : VC-Mux  
Header Compression : UDP/IP

## Satellite (DVB) Transmitter Status

State : On (DVB-RCS2)  
IDU Output Power : -13.8 dBm  
ODU Output Power : 32.5 dBm  
EIRP : 45.8 dBW  
Es/No : 14.5 dB  
Header Compression : Disabled - HC for RCS2 not supported by HUB  
Timing correction : -419 us (281075 us)  
Frequency correction: 60 Hz

# dvb rx show

#### Satellite (DVB) RX Configuration

-----  
Auto start : Enabled  
Max Traffic MODCOD : 23 16APSK-9/10  
RX watchdog : 15 minute

Idx	Pri	SymbRate[Mbps]	Freq[GHz]	Mode	PopId	SatId	Pos	SatName	Name	Enable
* 0	0	4.883300	12.176420	DVB-S2 104	0	0.0	E		Yes	
1	1	16.667000	11.962753	DVB-S2 2	0	0.0	E		Yes	

#### Satellite (DVB) Receiver Status

-----  
Rx State : On  
DVB State : Forward link up  
Network : 65281, Prodemge@Vodanet  
Frequency : 12.176091 GHz  
Symbol Rate : 4.882936 Msps  
S2 ModCod  
- receiving : 4 QPSK-1/2  
- current max : 21 16APSK-5/6  
Pilot : On  
Frame length : Short  
DVB S2 Mode : ACM  
DVB S2 Stream type : MPEG-TS  
Roll off : 0.20  
SNR : 15.8 dB  
Input Power : -36 dBm  
#

# arp show

NetAddr	State	MacAddr	If
10.213.82.2	Dynamic	54:04:a6:8e:d3:f6	1

# device show

#### System Information:

Name : SEE-UBAI-22283  
Location : UBA - MG  
Contact :  
System Up time : 0 days, 00:12:53  
CPU Load : 13%  
System time(UTC) : 26 October 2017 14:14:06  
Broadcast Message : not set

#### HW:

Model : SatLink 2000  
HW ID : 120033  
Main board ID : 120026 R6.1

#### MAC addresses:

Ethernet (LAN) : 00:20:0e:10:48:77  
Satellite (DVB) : 00:20:0e:10:48:77

Pinging 10.213.82.1 with 32 bytes of data:

Reply from 10.213.82.1: bytes=32 time=536ms TTL=56  
Reply from 10.213.82.1: bytes=32 time=566ms TTL=56  
Reply from 10.213.82.1: bytes=32 time=524ms TTL=56  
Reply from 10.213.82.1: bytes=32 time=559ms TTL=56  
Reply from 10.213.82.1: bytes=32 time=545ms TTL=56  
Reply from 10.213.82.1: bytes=32 time=549ms TTL=56  
Reply from 10.213.82.1: bytes=32 time=557ms TTL=56  
Reply from 10.213.82.1: bytes=32 time=549ms TTL=56  
Reply from 10.213.82.1: bytes=32 time=552ms TTL=56  
Reply from 10.213.82.1: bytes=32 time=554ms TTL=56

Ping statistics for 10.213.82.1:

Packets: Sent = 10, Received = 10, Lost = 0 (0% loss),  
Approximate round trip times in milli-seconds:  
Minimum = 524ms, Maximum = 566ms, Average = 509ms

#

[www.globo.com](http://www.globo.com)

[www.yahoo.com.br](http://www.yahoo.com.br)

[www.hotmail.com](http://www.hotmail.com)

[www.google.com](http://www.google.com)

[www.prodemge.gov.br](http://www.prodemge.gov.br)

Responsável	<b>Maria da Conceição Ramos Jesus</b>
Cargo	Diretora
Identidade	590343.0
Telefone	38-3633-2156
Funcionamento	07:00 até 21:30