

TERMO DE ACEITE TÉCNICO


Solicitante: PRODEMGE / SEE

NOC/Operadora: Pedro Bernardes Operadora/Cliente: Jean Polini

GRE/Prodemge: João Antinossi Responsável/cliente: Nilton Neto Porto Andrade

> Porta kbps Plataforma Consórcio **VSAT-ID** EMC/Vodanet SEE-JEHA-22901 2Mbps **VSAT**





Satellite (DVB) RX Configuration _____ Auto start : Enabled

Max Traffic MODCOD : 23 16APSK-9/10

RX watchdog : 15 minute

Idx Pri SymbRate[Msps] Freq[GHz] Mode PopId SatId Pos SatName Name

Enable

4.883300 12.176420 DVB-S2 104 0 0.0 E * 0 0

Yes

11.962753 DVB-S2 2 0 0.0 E 16.667000 1 1

Yes

Satellite (DVB) Receiver Status

Rx State : On

: Forward link up DVB State

Network

: 65281, Prodemge@Vodanet : 12.176461 GHz : 4.882990 Msps Frequency Symbol Rate

S2 ModCod

- receiving : 21 16APSK-5/6 - current max : 21 16APSK-5/6

Pilot : On Frame length : Shor DVB S2 Mode : ACM : Short DVB S2 Stream type : MPEG-TS : 0.20 Roll off : 14.8 dB SNR Input Power : -47 dBm

```
Satellite (DVB) TX Configuration
_____
                    : Enabled
Auto start
Auto start : Enabled IDU Output Power : -16 dBm
IDU Max Output Power: 0.0 dBm
Default CW Frequency: 0.000000 GHz
ATM mode : VC-Mux
Header Compression : UDP/IP
Satellite (DVB) Transmitter Status
: On (DVB-RCS2)

IDU Output Power : -15.8 dBm

Es/No
_____
\hbox{{\tt Header Compression}} \quad \hbox{{\tt :}} \quad \hbox{{\tt Disabled}} \quad \hbox{{\tt - HC for RCS2 not supported by HUB}}
Timing correction : -315 us (280344 us)
Frequency correction: 170 Hz
System Information:
                    : SEE-JEHA-22901
    Name
    Location
                         : JEQUITINHONHA - MG
    Contact
                         :
    System Up time : 0 days, 00:01:40
CPU Load : 24%
System time(UTC) : 28 November 2017 14:17:28
Broadcast Message : not set
HW:
    Model
                         : SatLink 2000
                         : 120033
    HW ID
    Main board ID
                     : 120026 R6.2
MAC addresses:
    Ethernet (LAN) : 00:20:0e:10:58:c9
Satellite (DVB) : 00:20:0e:10:58:c9
NetAddr
         State MacAddr
    10.214.35.2 Dynamic 64:1c:67:62:2e:12 1
Pinging 10.214.35.1 with 32 bytes of data:
Reply from 10.214.35.1: bytes=32 time=598ms TTL=56
Reply from 10.214.35.1: bytes=32 time=584ms TTL=56
Reply from 10.214.35.1: bytes=32 time=544ms TTL=56
Reply from 10.214.35.1: bytes=32 time=545ms TTL=56
Reply from 10.214.35.1: bytes=32 time=572ms TTL=56
Reply from 10.214.35.1: bytes=32 time=535ms TTL=56
Reply from 10.214.35.1: bytes=32 time=527ms TTL=56
Reply from 10.214.35.1: bytes=32 time=568ms TTL=56
Reply from 10.214.35.1: bytes=32 time=566ms TTL=56
Reply from 10.214.35.1: bytes=32 time=558ms TTL=56
Ping statistics for 10.214.35.1:
    Packets: Sent = 10, Received = 10, Lost = 0 (0% loss),
Approximate round trip times in milli-seconds:
    Minimum = 527ms, Maximum = 598ms, Average = 559ms
```

Lista de sites acessados:
<u>www.globo.com</u> – ok
<u>www.yahoo.com</u> – ok
<u>www.hotmail.com</u> – ok
www.google.com – ok
<u>www.educacao.mg.gov.br</u> – ok
www.prodemge.gov.br – ok
Responsável pelo teste de navegação:
Nome: Nilton Neto Porto Andrade
Função: Diretor
MASP: 1063843-5
Telefone: 33-999683171
Francis and a 07,00h \ 22,40h
Funcionamento: 07:00h às 22:40h