


TERMO DE ACEITE TÉCNICO

Solicitante: PRODEMGE / SEE

NOC/Operadora: Guilherme Cunha Operadora/Cliente: Ederson Martins

GRE/Prodemge: João Antinossi Responsável/cliente: Soraya Jamel

> Consórcio **VSAT-ID** Porta kbps **Plataforma** 2048/1024 EMC/Vodanet SEE-ATIA-22814 **VSAT**



PRTG Traffic Grapher V6.2.0.907 - 12/11/2017 00:25:09

dvb rx show

Satellite (DVB) RX Configuration ______ : Enabled Auto start

Auto start

Max Traffic MODCOD : 23 16APSK-9/10

RX watchdog : 15 minute

Idx Pri SymbRate[Msps] Freq[GHz] Mode PopId SatId Pos SatName Name

Enable

4.883300 12.176420 DVB-S2 104 0 * 0 0 0.0 E Yes 1 16.667000 11.962753 DVB-S2 2 0 0.0 E

Yes

Satellite (DVB) Receiver Status

DVB State : On

DVB State : Forward link up

Network : 65281, Prodemge@Vodanet

Frequency : 12.176478 GHz

Symbol Rate : 4.882898 Mr

S2 ModCod

- receiving : 4 QPSK-1/2 - current max : 21 16APSK-5/6

Pilot : On Frame length : Short DVB S2 Mode : ACM DVB S2 Stream type : MPEG-TS

```
Roll off
                    : 0.20
SNR
                    : 15.5 dB
Input Power
                    : -40 dBm
# dvb tx show
Satellite (DVB) TX Configuration
-----
Auto start
                    : Enabled
IDU Output Power : -20 dBm
IDU Max Output Power: 0.0 dBm
ODU Output Power : 33.2 dBm
EIRP
                    : 46.5 dBW
Default CW Frequency: 0.000000 GHz
ATM mode : VC-Mux
Header Compression : UDP/IP
Satellite (DVB) Transmitter Status
______
State : On (DVB-RCS2)
IDU Output Power : -14.6 dBm
ODU Output Power : 32.9 dBm
EIRP
                    : 46.2 dBW
Es/No
                    : 13.0 dB
\hbox{{\tt Header Compression}} \quad \hbox{{\tt :}} \quad \hbox{{\tt Disabled}} \quad \hbox{{\tt - HC for RCS2 not supported by HUB}}
Timing correction : -71 us (280662 us)
Frequency correction: 70 Hz
# device show
System Information:
            : SEE-ATIA-22814
   Name
    Location
                        : Atal ia - MG
    Contact
                        :
    System Up time : 0 days, 00:03:46
CPU Load : 13%
System time(UTC) : 12 November 2017 00:26:44
    Broadcast Message : not set
HW:
                        : SatLink 2000
    Model
    HW ID
                        : 120033
    Main board ID
                        : 120026 R6.2
MAC addresses:
   Ethernet (LAN) : 00:20:0e:10:4c:23
Satellite (DVB) : 00:20:0e:10:4c:23
# arp show
   NetAddr
             State MacAddr
    10.215.94.2 Dynamic c8:3a:35:20:f7:d8 1
C:\Documents and Settings\Administrator.DVB-RCS.000>ping 10.213.148.1 -n 15
Pinging 10.213.148.1 with 32 bytes of data:
Reply from 10.213.148.1: bytes=32 time=559ms TTL=56
Reply from 10.213.148.1: bytes=32 time=555ms TTL=56
Reply from 10.213.148.1: bytes=32 time=546ms TTL=56
Reply from 10.213.148.1: bytes=32 time=850ms TTL=56
Reply from 10.213.148.1: bytes=32 time=551ms TTL=56
Reply from 10.213.148.1: bytes=32 time=559ms TTL=56
Reply from 10.213.148.1: bytes=32 time=566ms TTL=56
Reply from 10.213.148.1: bytes=32 time=538ms TTL=56
Reply from 10.213.148.1: bytes=32 time=526ms TTL=56
```

```
Reply from 10.213.148.1: bytes=32 time=559ms TTL=56
Reply from 10.213.148.1: bytes=32 time=533ms TTL=56
Reply from 10.213.148.1: bytes=32 time=522ms TTL=56
Reply from 10.213.148.1: bytes=32 time=544ms TTL=56
Reply from 10.213.148.1: bytes=32 time=850ms TTL=56
Reply from 10.213.148.1: bytes=32 time=775ms TTL=56
Reply from 10.213.148.1: bytes=32 time=775ms TTL=56

Ping statistics for 10.213.148.1:
    Packets: Sent = 15, Received = 15, Lost = 0 (0% loss),
Approximate round trip times in milli-seconds:
    Minimum = 522ms, Maximum = 850ms, Average = 581ms
```

Lista de sites acessados:

www.globo.com - ok www.yahoo.com - ok www.hotmail.com - ok www.google.com - ok www.educacao.mg.gov.br - ok www.prodemge.gov.br - ok

Nome do responsável: Maria Suely Moreira Sena

Telefone: 33-99939-3391

Cargo: Diretora MASP: 1109492-7

Seu nome e sobrenome: Claudnei Silva

Telefone: 11-96577-976